

From: Lee Gallentine <LGallentine@cgaconsultants.com>
Sent: Wednesday, April 3, 2019 10:44 AM
To: Jacob Handsaker
Cc: Tina Schlemme; Becca Junker
Subject: RE: Dean Bright

Jacob,
Thanks for talking with Dean. I greatly appreciate it.

My main question is how this will affect the project costs (i.e. if a change order is issued, what dollar amount would be on it).

Assuming that it doesn't affect the project costs, I would have the following comments:

1. I am fine with using a different hill as a borrow area.
2. The plan was to fill the open ditch in so that it can be crossed and acts as a waterway for surface drainage. I assume that this is what Dean means by not filling it in totally.
3. I am fine with shifting the tile to shallower ground.
4. If the area is too wet, I am fine waiting, but hopefully we can get the work done before crops are planted to avoid crop damage claims.

Once you let me know how the project costs would be affected, I can talk to the District Trustees and verify that they are ok with the modifications. Just let me know if you have any questions in the meantime.

Thanks,

Lee O. Gallentine, PLS & PE
Vice President

Clapsaddle-Garber Associates, Inc. (CGA)
739 Park Avenue
Ackley, Iowa 50601

Office: 641-847-3273
Mobile: 515-689-5339
lgallentine@cgaconsultants.com
www.cgaconsultants.com

Ackley | Ames | Cedar Falls | Marshalltown | Webster City

[CLICK HERE](#) to sign up for CGA news and updates!

From: Jacob Handsaker <handsaker@gmail.com>
Sent: Tuesday, April 02, 2019 6:39 PM
To: Lee Gallentine <LGallentine@cgaconsultants.com>
Subject: Dean Bright

Lee,
I met with Dean on site on 4/2/19. He has some concerns with the project. I told him that I would pass them along to you. He would rather not take the dirt from the hill that was originally planned. He would rather it come from the hill that is directly to the north of the ditch. He would like it leveled out a little bit but not filled up. He also would like the tile to follow closer to the edge of the current grass area rather than go through the hill so deep. He states that he believes we will have quite a difficult time working in there due to how wet the area always is. It doesn't sound like he is against the project but would like some modifications. I told him that we would take out all the trees and he said that would be fine. He said we could burn them onsite as well. I would like to know how to proceed. I have moved equipment into another project for now to keep things going and will re-address this as we gather more information. Dean said that farm is going to beans this year also.

Just wanted to fill you in.

Thanks.

Jacob Handsaker
Hands On Excavating LLC
Handsaker Farms
Radcliffe, Iowa 50230
P. 515 460 6294
F. 1-800-852-8337
E. handsaker@gmail.com

www.handsonexcavating.com

Is there anything more that I can do for just you?