



**HARDIN COUNTY**  
Board of Supervisors

**Wednesday, September 8, 2021**

**NOTICE: Meetings will be held electronically and in-person. To access and participate in meetings remotely, please call 641-939-8108 for Zoom meeting information.**

1. 9:00 A.M. Call To Order  
Courthouse Large Conference Room
2. Pledge Of Allegiance
3. Approval Of Agenda
4. Approval Of Minutes

Documents:

[09-01-2021 MINUTES.PDF](#)  
[09-01-2021 CHAT LOG 1.PDF](#)  
[09-01-2021 CHAT LOG 2.PDF](#)

5. Approval Of Claims For Payment

Documents:

[VENDOR PUBLICATION REPORT.PDF](#)

6. Presentation By ISG Engineering
7. Utility Permits & Secondary Roads Department
8. Resolution To Publish Notice Of Letting For Lease Of Agricultural Land

Documents:

[2021-09-01 IF AG LEASE.PDF](#)

9. Resolution To Enter 28E Between Hardin County And Marshall County For Asphalt Resurfacing Of County Highway S75

Documents:

[2021 S75 AGREEMENT VER 1.PDF](#)

10. Resolution Accepting Bid And Awarding Contract For Trail Projects NRT-C042(87)--9G-42 And TAP-R-C042(104)--8T-42

Documents:

[RESOLUTION ACCEPTING BID AND AWARDING CONTRACT FOR TRAIL](#)

[PROJECT.PDF](#)

11. Set Date & Time For Public Hearing On Deeding Roadways Within The Unincorporated Towns Of Abbott And Robertson

Documents:

[ABBOTT RD ALLEY DEED DESCRIPTIONS.PDF](#)  
[ABBOTT TAX SALE 2021-MAP 8-19-21.PDF](#)  
[ROBERTSON ALLEY DEED DESCRIPTIONS.PDF](#)  
[ROBERTSON DEED MAP 2.PDF](#)

12. Northeast Iowa Area Agency On Aging 28E Agreement

Documents:

[28E AGREEMENT - NORTHEAST IOWA AREA AGENCY ON AGING.PDF](#)

13. Proclamation – National Voter Registration Month

Documents:

[NATIONAL VOTER REGISTRATION MONTH PROCLAMATION.PDF](#)

14. Tax Abatement

Documents:

[TAX ABATEMENT V2 - HOYTS.PDF](#)

15. Recorder's Monthly Report

Documents:

[RECORDERS MONTHLY REPORT.PDF](#)

16. Sheriff's Monthly Report

Documents:

[SHERIFFS MONTHLY REPORT.PDF](#)

17. Changes Of Status - Secondary Roads

Documents:

[CHANGES OF STATUS - SECONDARY ROADS.PDF](#)

18. Changes Of Status – Sheriff's Office

Documents:

[CHANGES OF STATUS - SHERIFFS OFFICE.PDF](#)

19. Other Business

20. Adjournment/Recess

21. 9:30 A.M. Drainage  
Courthouse Large Conference Room
22. 10:00 A.M. Call To Order  
Courthouse Large Conference Room
23. Approval Of Agenda
24. Public Hearing: Animal Feeding Operation Construction Permit – Schiller Site, Section 3,  
Alden Township

Documents:

[SCHILLER CAFO CONSTRUCTION APPLICATION.PDF](#)  
[CHECKLIST FOR CAFO SCORING - NEW.PDF](#)

25. Verify Proof Of Publication
26. Review Project
27. Written Comments
28. Public Comments

Documents:

[CAFO HEARING COMMENT POLICY.PDF](#)

29. Close Hearing
30. Adjournment

HARDIN COUNTY BOARD OF SUPERVISORS  
MINUTES – SEPTEMBER 1, 2021  
WEDNESDAY - 9:00 A.M.  
COURTHOUSE LARGE CONFERENCE ROOM

Chair BJ Hoffman called the meeting to order. Also present were Supervisors Reneé McClellan and Lance Granzow; and Darrell Meyer, Michael Pearce, Marty Wymore, Jolene Pieters, Taylor Roll, Nancy Callaway, Pauline Lloyd, Mark Buschkamp, Machel Eichmeier, and Angela Silvey. Attending via Zoom: Becca Junker, Lori Kadner, JD Holmes, Matt Rezab, Connie Mesch, Elaine Loring, Tifani Eisentrager, Cheryl Lawrence, Rocky Reents, Carey Callaway, Angela De La Riva, Lisa Lawler, Kristi Swalve, Julie Duhn, Laura Cunningham, and Allison Munro.

The Pledge of Allegiance was recited.

McClellan moved, Granzow seconded to approve the agenda as posted. Motion carried.

Granzow moved, McClellan seconded to approve the minutes of August 16, 2021; August 18, 2021; August 19, 2021; and August 23, 2021. Motion carried.

McClellan moved, Granzow seconded to approve the August 20, 2021 and September 1, 2021 claims for payment. Motion carried.

Utility Permits: None.

Secondary Roads:

County Engineer Taylor Roll updated the Board on bridge projects and reported that two Secondary Roads employees will be retiring.

IFADC Update:

Mark Buschkamp, IFADC Executive Director, reported on business leads, developments, and visits; a Laborshed study to be conducted; and the state of labor and housing in the area.

Marty Wymore, Region 6 Executive Director, spoke about the Region 6 Housing Trust Fund, projects, and challenges, and the following action was taken:

McClellan moved, Granzow seconded that Resolution No. 2021-36, a Resolution to Approve the Region 6 Housing Trust Fund Hardin County Cash Contribution, be adopted. Roll Call Vote: “Ayes” McClellan, Granzow, and Hoffman. “Nays” None. Resolution No. 2021-36 is hereby adopted as follows:

**RESOLUTION NO. 2021-36**

**A RESOLUTION TO APPROVE THE REGION 6 HOUSING TRUST FUND  
HARDIN COUNTY CASH CONTRIBUTION**

Whereas the Region 6 Housing Trust Fund can annually apply for approximately \$337,295 of Iowa Finance Authority State Housing Trust Funds if the trust fund secures \$64,087 of local contributions, and

Whereas the per capita state share for Hardin County is \$62,332 if \$11,843 of local assistance is secured, and

Whereas the housing trust fund continues to seek applications for owner occupied housing improvements across the region which will be prioritized based upon housing needs, and

Whereas all the applicants must have annual incomes under 80% of the county median as determined by HUD.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF SUPERVISORS OF HARDIN COUNTY:

Section 1: Hardin County will provide \$11,843 of cash assistance in FY 2021/2022.



Approved this 1st day of September, 2021.

/s/ BJ Hoffman  
BJ Hoffman, Chair  
Board of Supervisors

Attest:

/s/ Jolene Pieters  
Jolene Pieters  
Hardin County Auditor

Where upon Board Member Granzow moved that the following resolution be adopted:

**RESOLUTION NO. 2021-37**

**RESOLUTION TO PUBLISH NOTICE OF LETTING FOR LEASE OF  
AGRICULTURAL LAND**

**WHEREAS**, the County has given notice of termination of the existing leases for the following agricultural land totaling approximately 151.5 acres, more or less, in two tracts, described as follows:

All of the E ½ of the SW ¼ of Section 26, Township 88, Range 20 South of the Railroad; All of the W ½ of the SE ¼ of Section 26, Township 88, Range 20 South of the Railroad, except Parcel A located in the SE ¼ of the SW ¼ and the SW ¼ of the SE ¼ as found in survey recorded as year 2000, document 1300 in the office of the Hardin County Recorder. The garden tract, the cemetery, the building site, the wildlife area enclosed by multiflora hedge, communications tower, wetland area and the seepage bed are excluded.

And

The NW ¼ of the NW ¼ of Section 29, Township 88 North, Range 19 West of the 5<sup>th</sup> P.M., Hardin County, Iowa.

**WHEREAS**, the County intends to lease this agricultural land to the highest bidder; and

**WHEREAS**, Iowa Code requires that notice of letting bids be published;

**NOW THEREFORE, BE IT RESOLVED** by the Board of Supervisors of Hardin County, Iowa, that the Hardin County Board of Supervisors shall take bids on lease of agricultural land described above herein; and the County Auditor shall publish notice the below notice:

**NOTICE OF LETTING FOR LEASE OF AGRICULTURAL LAND  
BY HARDIN COUNTY, IOWA**

To Whom It May Concern:

You and each of you are hereby notified that sealed cash rent bids will be received by the Hardin County Board of Supervisors for the cash rent lease of agricultural land in Hardin County, Iowa, containing 151.5 acres, more or less, in two tracts, described as follows:

All of the E ½ of the SW ¼ of Section 26, Township 88, Range 20 South of the Railroad; All of the W ½ of the SE ¼ of Section 26, Township 88, Range 20 South of the Railroad, except Parcel A located in the SE ¼ of the SW ¼ and the SW ¼ of the SE ¼ as found in survey recorded as year 2000, document 1300 in the office of the Hardin County Recorder. The garden tract, the cemetery, the building site, the wildlife area enclosed by multiflora hedge, communications tower, wetland area and the seepage bed are excluded.

And

The NW ¼ of the NW ¼ of Section 29, Township 88 North, Range 19 West of the 5<sup>th</sup> P.M., Hardin County, Iowa.

The sealed bids should be on a per acre basis. Said bids must be received in the Hardin County Auditor's Office, 1215 Edgington Avenue, Suite 1, Eldora, IA 50627, in a sealed envelope on or before 4:00 p.m. on October 19, 2021. The timely received bids will be opened at the Board meeting on October 20, 2021. The top five bidders then will be contacted by the Board with the top bid amount to allow the top five bidders to raise their bids at a meeting to take place later that day at 12:00 p.m., October 20, 2021 in the large conference room, Hardin County Courthouse, 1215 Edgington Avenue, Eldora, Iowa. Bids will be received in-person only; no phone or Zoom bids will be allowed. The lease will be awarded to the highest bidder.

The period of lease shall be for a term of two (2) years commencing on March 1, 2022 and ending on February 28, 2024, with the cash rent to be paid as follows: One-quarter due on or before April 1, 2022; one-quarter due on or before November 1, 2022; one-quarter due on or before April 1, 2023, one-quarter due on or before November 1, 2023. A copy of the lease document can be obtained from the Auditor's Office.

The Board reserves the right to reject any and all bids.

The motion was seconded by Board Member McClellan and after due consideration thereof, the roll was called and the following Board Members voted:

Ayes: Granzow, McClellan, and Hoffman

Nays: none

Absent: none

Abstain: none

Whereupon, the Chair of the Board of Supervisors declared said Resolution duly passed and adopted this 1st day of September, 2021.

/s/ BJ Hoffman  
BJ Hoffman, Chair  
Board of Supervisors

Attest:

/s/ Jolene Pieters  
Hardin County Auditor

McClellan moved, Granzow seconded to approve the Application for Use of Courthouse Grounds submitted by the Eldora Public Library for a 9/11 Story Walk on the north and west lawn, planned for September 7-14, 2021. Motion carried.

Granzow moved, McClellan seconded to approve the promotion of Joshua Scott June to Jail Sergeant, at a rate of \$23.06/hour, effective 09/01/2021. Motion carried.

Granzow moved, McClellan seconded to approve the hiring of Jeffery Grego, part-time Transport Officer, at a rate of \$18.90/hour, effective 09/01/2021. Motion carried.

Other Business: None.

Granzow moved, McClellan seconded to adjourn. Motion carried.

At 11:30 a.m. the meeting was reconvened for a presentation on the Constitutional Sheriffs and Peace Officers Association (CSPOA). Present: Supervisors Hoffman, McClellan, and Granzow; CSPOA members Mike LaCoste, Gary Shawver, and Bruce Rafoth; Veronica Lungu; Nancy Callaway; Teresa Willems; Pauline Lloyd; Matt Rezab; David Roelfs; Michael Pearce; and Angela Silvey. Attending via Zoom: Allison Munro, Carey Callaway, Connie Mesch, Tifani Eisentrager, Julie Duhn, Becca Junker, Lori Kadner, Matt Jones, and McKenzie Burton.

Mike LaCoste, with We the People for Constitutional Sheriffs, presented on the "Constitutional County" concept and on "defending against domestic enemies". Gary Shawver read from a letter

written by Arizona's Mark Brnovich to Attorney General Merrick Garland regarding states' rights.

LaCoste encouraged the Board to pass a resolution designating Hardin County a "Constitutional County," as done in Lander and Elko County, Nevada, and to join the CSPOA.

Comments were received from Veronica Lungu about government overreach.

Teresa Willems and Dave Roelfs expressed support for a Constitutional County designation.

The meeting adjourned at 11:50 a.m.

---

BJ Hoffman, Chair  
Board of Supervisors

---

Jolene Pieters  
Hardin County Auditor

Chat Log from 9/1/2021

09:13:49 From Lisa Lawler to Everyone:

Great update Mark! Can we hear from the County Economic Development Director as well?

Chat Log from 9/1/2021

- 11:31:09 From Carey Callaway to Everyone:  
If Mike could go to the podium, it's be helpful for those of us online.
- 11:35:39 From Julie Duhn to Everyone:  
Sounds like political anarchy. Counties on their own?
- 11:36:51 From Julie Duhn to Everyone:  
The Big Lie pushed now?
- 11:38:50 From Carey Callaway to Everyone:  
Some might find this site helpful as a reference: <https://cspoa.org/>
- 11:39:07 From Julie Duhn to Everyone:  
Good grief. This is wacky.
- 11:42:19 From Julie Duhn to Everyone:  
Check with Southern Poverty Law Center assessment.
- 11:49:01 From Julie Duhn to Everyone:  
Didn't that Arizona sheriff Mack connected to militia groups?



Vendor Name	Vendor Number	Total Payments
Ahlers & Cooney-P.C.	61244V	7,255.00
Alden Public Library	649V	1,555.70
Alex-Teck	2245V	367.50
Alliant Energy	4253V	764.13
Barco Municipal Products	1046V	2,773.13
Bauer Built Tire, Inc	1609V	13,156.77
Black Hawk Sprinklers Inc.	62562V	225.00
Bowman and Miller-P.C.	61337V	8,800.00
Calhoun Burns and Associates Inc	5244V	1,563.16
Campbell Supply Co	620V	42.41
Camryn Grubic	100647	165.85
Center Associates	883V	273.00
Central Lock & Key, Inc	2316V	305.00
Cintas Corporation-Cincinnati	1545V	559.15
Cintas-Chicago	2475V	194.62
City of Ackley	3015V	106.74
City of Alden	512V	29.67
City of Eldora	510V	3,256.24
City of Hubbard	61554V	64.91
Coleman Moore Co.	63513V	14,000.00
Concrete Inc	3067V	16,970.26
ConvergeOne, Inc	2818V	2,421.31
Corporate Translation Services Inc dba Language Link	100375	13.51
Culligan	857V	546.45
Dennis Kramer, Landlord	63844V	200.00
D-Rob's Automotive Detailing	100920	545.00
Eichmeier Motor Co	100382	87.95
Eldora Hardware	2647V	18.98
Franklin County Auditor	100919	718.60
Galls Incorporated	1389V	233.00
GATR Truck Center	100679	122.56
Gehrke Quarries, Inc.	145V	8,679.44
Greenbelt Home Care	61807V	175.00
Grundy County Sheriff	1025V	73.00
Hampton Police Department	2581V	25.00
Hardin County Solid Waste & Recycling	4322V	35,933.75
Hardin County Treasurer	736V	1,006.00
Hazardous Waste Experts	2819V	423.00
Heart of Iowa	6335V	2,308.00
Iowa Falls Auto Body	5068V	1,000.00
Iowa Falls Fire Extinguisher	228V	1,865.00
Iowa Prison Industries	809V	561.00
Iowa Regional Utilities Assoc.-Newton	62036V	287.99
ISAA	4674V	325.00
ISSDA	62103V	125.00
Jennie L Wilson-Moore	100109	258.30
Johnson County Medical Examiner Dept.	100921	569.05
LaVelle Lawn Care LLC	63690V	2,430.00
Lawson Products Inc	5826V	1,233.33
Linn Adams	9245E	40.00
Mainstay Systems Inc	60994V	2,896.00
Martin Marietta Aggregate	4141V	3,149.60
Matthew D. Ireland	100804	382.00
Mend Correctional Care PLLC	2724V	10,838.39
Mid-America Publishing Corp	62056V	68.04

**Vendor Publication Report**

Payment Date Range: 09/08/2021 - 09/08/2021

Vendor Name	Vendor Number	Total Payments
Murphy Tractor & Equipment Co., Inc	2286V	259.81
Napa Auto Parts Ackley	869V	101.96
NAPA Auto Parts Eldora	617V	1,298.29
NRP of Iowa LLC	100260	7,585.52
Paul Martin	100629	150.00
Petroblend Corp.	1219V	2,822.86
Premier Office Equipment, Inc.	62320V	125.78
Professional Office Services Inc	100426	6,123.34
Quality Automotive Inc	61237V	40.50
Radcliffe Telephone Co	4207V	313.57
RC Systems- Waterloo Office	2077V	8,962.66
Schumacher Elevator Co.	2130V	524.92
Secretary of State	2116V	2,102.28
Sherry L Simons	552E	13.50
Speck Electric	63534V	396.00
Storey Kenworthy	61798V	128.89
Summit Food Service LLC	2332V	4,579.58
Theisens	6220V	399.66
Times Citizen	538V	286.68
Truck Center Companies East LLC	100823	601.80
U.S. Cellular	62000V	674.90
Veridian Credit Union	63561V	102.72
Verizon Connect	100836	418.80
Verizon Wireless	63648V	2,148.22
Verlyn Mensing	100703	400.00
VISA	150V	3,548.58
Walmart Community/Capital One	62446V	487.64
Webster County Auditor	1809V	764.76
Windstream	84V	212.89
Youth & Shelter Services Inc	1896V	2,519.10
Yulisa Garibay	100887	400.00
Z & Z Glass	62420V	135.00
Ziegler Incorporated	1463V	263.06
<b>Grand Total:</b>	<b>200,880.76</b>	

---

BJ Hoffman, Chair  
Board of Supervisors

---

Jolene Pieters  
Hardin County Auditor

**RESOLUTION 2021-\_\_\_**

**RESOLUTION TO PUBLISH NOTICE OF LETTING FOR LEASE OF AGRICULTURAL LAND**

**WHEREAS**, there are no existing leases for the following agricultural land totaling 8.25 acres, more particularly described as follows:

The SW ¼ of the SE ¼, except the north 225 feet, the west 830 feet, and the south 250 feet, of Section 17, Township 89 North, Range 20 West of the 5<sup>th</sup> P.M., Hardin County, Iowa.

**WHEREAS**, the County intends to lease this agricultural land and provide access to the highest bidder; and

**WHEREAS**, Iowa Code requires that notice of letting bids be published.

**NOW, THEREFORE, BE IT RESOLVED** by the Board of Supervisors of Hardin County, Iowa, that the Hardin County Board of Supervisors shall take bids on lease of agricultural land described above herein; and the County shall publish notice the below notice:

**NOTICE OF LETTING FOR LEASE OF AGRICULTURAL LAND  
BY HARDIN COUNTY, IOWA**

To Whom It May Concern:

You and each of you are hereby notified that sealed cash rent bids will be received by the Hardin County Board of Supervisors for the cash rent lease of agricultural land in Hardin County, Iowa, containing 67.0 acres, 6.0 acres tillable, more particularly described as follows:

The SW ¼ of the SE ¼, except the north 225 feet, the west 830 feet, and the south 250 feet, of Section 17, Township 89 North, Range 20 West of the 5<sup>th</sup> P.M., Hardin County, Iowa.

The sealed bids should be on a per acre basis. Said bids must be received in the Hardin County Auditor's Office, 1215 Edgington Avenue, Suite 1, Eldora, IA 50627, in a sealed envelope on or before 4:00 p.m. on October 14, 2021. The timely received bids will be opened at the 9:00 a.m. Board meeting on October 20, 2021. The top five bidders then will be contacted by the Board with the top amount to allow the top five bidders to raise their bids at a meeting to take place later that day at 12:00 p.m., October 20, 2021 in the large conference room, Hardin County Courthouse, 1215 Edgington Avenue, Eldora, Iowa.

The period of lease shall be for a term of four (4) years commencing on March 1, 2022 and ending on February 28, 2026, with the cash rent to be paid as follows: one-quarter due on or before April 1, 2022; one-quarter due on or before April 1, 2023; one-quarter due on or before April 1, 2024; one-quarter due on or before April 1, 2025. A copy of the lease document can be obtained from the Auditor's Office.

The Board reserves the right to reject any and all bids.

**PASSED AND APPROVED** this 8<sup>th</sup> day of September, 2021.

HARDIN COUNTY BOARD OF SUPERVISORS

ATTEST:

---

**BJ Hoffman, Chair**

---

**Jolene Pieters, Auditor**



**HARDIN RESOLUTION NO. \_\_\_\_\_**  
**MARSHALL RESOLUTION NO. \_\_\_\_\_**  
**ENTER 28E BETWEEN HARDIN COUNTY AND MARSHALL COUNTY**  
**ON ASPHALT RESURFACING OF COUNTY HIGHWAY S75**

WHEREAS, THIS AGREEMENT made and entered into this \_\_\_\_day of\_\_\_\_\_, 2021, by and between Hardin County, Iowa, (hereinafter "Hardin"), and Marshall County, Iowa, (hereinafter "Marshall"), WITNESSETH:

WHEREAS, the Parties hereto are separate governmental units within the State of Iowa as defined by Section 28E.2, Code of Iowa; and

WHEREAS, Section 28E.3, Code of Iowa, provides that any power or powers, privileges or authority exercised or capable of exercise by a public agency of the State of Iowa may be exercised and enjoyed jointly by a public agency of the State of Iowa having such power or powers, and

WHEREAS, both Parties are responsible for maintaining the public streets and highways within their respective jurisdictions; and

WHEREAS, the Parties hereto are in agreement authorizing Hardin to administer and submit for letting of contract documents for the asphalt resurfacing of County Highway S75 (hereinafter "Project") through both jurisdictions' individual Farm to Market Account on behalf of both Parties.

NOW, THEREFORE, IT IS HEREBY MUTUALLY AGREED by and between the parties hereto as follows:

1. Hardin will administer said project and will be the contracting authority per Iowa Dept. of Transportation, on behalf of Hardin and Marshall. Said project is anticipated for construction in 2022.
2. Project is located on County Highway S75 from County Highway E18 (Marshall) north to 310<sup>th</sup> Street (Hardin).
3. Each county's Farm-to-Market account shall be responsible for their portion of material costs, divided by the county line. This shall be designated through separate divisions and project numbers on the project plans, as well as separate pay vouchers with the Office of Finance.
4. Hardin shall be responsible for performing all planning and contracting administration of the project without reimbursement.
5. Each county shall be responsible for all survey, engineering, and inspection in their respective counties.
6. Hardin and Marshall agree to save and indemnify and keep harmless, each other against all liabilities, judgements, costs, and expenses which may in any way come against either County or which in any way result from carelessness, neglect, omissions, or any acts of either party or its agents, employees, or workmen in any respect whatsoever.
7. Each party to this Agreement warrants that the execution of the Agreement, in two original copies, has been authorized by the Board of Supervisors of Hardin and Marshall.

**- HARDIN COUNTY -**

**- MARSHALL COUNTY -**

\_\_\_\_\_  
BJ Hoffman, Chairperson  
Hardin County Board of Supervisors

\_\_\_\_\_  
David Thompson, Chairperson  
Marshall County Board of Supervisors

ATTEST:

ATTEST:

\_\_\_\_\_  
Hardin County Auditor

\_\_\_\_\_  
Marshall County Auditor

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date

**RESOLUTION 2021-\_\_\_\_**

**WHEREAS**, the Board of Supervisors, hereafter referred to as “the Board”, believes the Iowa River's Edge joint trail projects NRT-C042(87)--9G-42 and TAP-R-C042(104)--8T-42, hereafter referred to as “the project” is in the best interest of Hardin County, Iowa, and the residents thereof. The project is defined as bridge rehabilitation and concrete paving; and

**WHEREAS**, the Board has sought appropriate professional guidance for the concept and planning for the project and followed the steps as required by the Code of Iowa for notifications, hearings, and bidding/letting; and

**WHEREAS**, The Board finds this resolution appropriate and necessary to protect, preserve, and improve the rights, privileges, property, peace, safety, health, welfare, comfort, and convenience of Hardin County and its citizens, all as provided for in and permitted by section 331.301 of the Code of Iowa; and

**IT IS THEREFORE RESOLVED** by Board to accept the bid from Jasper Construction Services, Inc. in the amount of \$1,847,131.75 and awards the associated contract(s) to the same;

**BE IT FURTHER RESOLVED** that all other resolutions or parts of resolutions in conflict with this resolution are hereby repealed. If any part of this resolution is adjudged invalid or unconstitutional, such adjudication shall not affect the validity of the resolution or action of The Board as a whole or any part thereof not adjudged invalid or unconstitutional. This resolution shall be in full force and effect from and after the date of its approval as provided by law; and

**BE IT FURTHER RESOLVED** by the Board of Supervisors of Hardin County, Iowa, that after receiving the necessary contract documents, including but not limited to, the contractor’s bond and certificate of insurance, Taylor Roll, the Engineer for Hardin County, Iowa, be and is hereby designated, authorized, and empowered on behalf of the Board of Supervisors of said County to execute the contracts in connection with the afore awarded construction project let through the DOT for this county.

Dated at Eldora, Hardin County, Iowa, this 8th day of September, 2021.

Board of Supervisors of Hardin County, Iowa

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ATTEST:

By \_\_\_\_\_  
County Auditor

SEAL

**Abbott Deed Descriptions, / Map 8/19/21**

***Maple Grove Investments Inc.***

- 1) A 20 foot-wide (north-south) alley lying west and adjacent to lots 1 through 6 in block 11, located in the unincorporated town of Abbott, Hardin County, Iowa.

***OHP 1, LC***

- 2) East 160 feet of First Street lying between block 10 and 11, located in the unincorporated town of Abbott, Hardin County, Iowa.
- 3) A 20 foot-wide (north-south) alley lying west and adjacent to lots 1 through 6 in block 10, located in the unincorporated town of Abbott, Hardin County, Iowa.
- 4) East half of Johnson Street lying west and adjacent to lots 7 through 10 in block 10, and the east half of Johnson Street lying west and adjacent to Second Street, located in the unincorporated town of Abbott, Hardin County, Iowa.
- 4A) Second Street lying south and adjacent to lot 7, block 10, located in the unincorporated town of Abbott, Hardin County, Iowa.

***Abby Trust***


- 5) East 160 feet of Second Street lying between blocks 9 and 10, located in the unincorporated town of Abbott, Hardin County, Iowa.
- 6) A 20 foot-wide (north-south) alley lying west and adjacent to lots 1 and 2 in block 9, located in the unincorporated town of Abbott, Hardin County, Iowa.

***Birch Grove Investments Inc.***

- 7) East half of a 20 foot-wide (north-south) alley lying west and adjacent to lots 4,5,6 in block 9, located in the unincorporated town of Abbott, Hardin County, Iowa.

# A Portion of Abbott Plat

## PROPOSED DEEDS TO STREETS & ALLEYS FOR TAX SALE



## **Robertson Alley Deed Descriptions**

### ***Dona Allen LLC.***

The South half of a 20 foot-wide (east-west) alley laying north and adjacent to lots 9 and 10 in block 2, located in the unincorporated town of Robertson, Hardin County, Iowa.

The North half of First Street adjacent to lots 9 and 10 in block 2, located in the unincorporated town of Robertson, Hardin County, Iowa.



1" = 100'  
Scale

Mabel R. Brass


Alley  
Deed

Alley Vacated 1899

NOREM'S  
Parcel

Alley Deed

VACATIONS IN  
ROBERTSON, IOWA  
SEC. 19 T-89N R-19W





Serving Northeast Iowa with regional offices in Decorah, Dubuque, Marshalltown, and Waterloo

August 27, 2021

**FILED**

AUG 30 2021

**HARDIN COUNTY AUDITOR**

BJ Hoffman  
Chairperson  
Hardin County Board of Supervisors  
1215 Edgington Avenue  
Eldora, IA 50627

Dear BJ,

My purpose in writing stems from an opinion that came out of the State Auditor's office dealing with private non-profit organizations and the concerns about how cities, counties, and other governmental entities are ensuring the public use of funds distributed to these organizations, along with a recommendation for the use of contracts, like 28E agreements.

To that end, I have engaged Auditor Sands in a conversation about how NEI3A might partner with our 18-county service area and assist all of those who have been so generous with our agency while ensuring that our partnership with all our county supporters is clearly documented through a contract for purchase of services, like a 28E agreement. Auditor Sands was highly supportive of a single document that could be adopted by all counties in our service area.

We have worked with one of our county attorneys to draft a 28E agreement that can be used by all 18 counties. I have attached this along with a request that at your next county supervisor meeting you might take action to adopt/execute the same. By its nature, it is designed to address all programming services provided by NEI3A so that as our roster of programs grows in the post-pandemic times or perhaps you find interest in a different program, from the one you assist us with today, we have a single document that will continue to apply while maintaining compliance with use of public fund policy. This same information will be emailed if you choose to respond electronically.

Funding action that is directed to NEI3A is very important to our funding models, as it allows us to leverage this funding as matching funds for larger grant opportunities that support our services in those counties. NEI3A has a service area of 18 counties, which means our agency would have to manage 18 different 28E agreements for grant funding so we are hopeful you will support us in removing this administrative burden while ensuring your counties compliance with such funding.



Even if your county has already created a 28E agreement, contract or even if your county has not historically funded NEI3A, we would ask your support in adopting this single document with the hope we can continue to efficiently expand services and develop partnerships with all 18 of our counties.

If there are any questions about our agency or the attached 28E agreement, I will do my best to get you the answers you need. Your feedback is critical and welcome at your earliest convenience. I can be reached at 563-419-9766. If there are no questions, please execute the signature page and return to me at our Waterloo office.

Thank you for your support of NEI3A and look forward to hearing from you soon.

Regards,

A handwritten signature in black ink, appearing to read "Michael J. Donohue". The signature is fluid and cursive, with a long horizontal stroke at the end.

Michael J. Donohue  
CEO  
Northeast Iowa Area Agency on Aging

Cc: Hardin County Auditor

**28E AGREEMENT FOR FUNDING FOR SERVICES BETWEEN NORTHEAST IOWA AREA AGENCY ON AGING AND ALLAMAKEE COUNTY, IOWA, BLACK HAWK COUNTY, IOWA, BREMER COUNTY, IOWA, BUCHANAN COUNTY, IOWA, BUTLER COUNTY, IOWA, CHICKASAW COUNTY, IOWA, CLAYTON COUNTY, IOWA, DELAWARE COUNTY, IOWA, DUBUQUE COUNTY, IOWA, FAYETTE COUNTY, IOWA, GRUNDY COUNTY, IOWA, HARDIN COUNTY, IOWA, HOWARD COUNTY, IOWA, JACKSON COUNTY, IOWA, MARSHALL COUNTY, IOWA, POWESHIEK COUNTY, IOWA, TAMA COUNTY, IOWA, AND WINNESHIEK COUNTY, IOWA.**

THIS AGREEMENT (hereinafter " Agreement ") is made and entered into pursuant to Iowa Code Chapter 28E, to be effective on the date herein provided, by and between Allamakee County, Iowa, Black Hawk County, Iowa, Bremer County, Iowa, Buchanan County, Iowa, Butler County, Iowa, Chickasaw County, Iowa, Clayton County, Iowa, Delaware County, Iowa, Dubuque County, Iowa, Fayette County, Iowa, Grundy County, Iowa, Hardin County, Iowa, Howard County, Iowa, Jackson County, Iowa, Marshall County, Iowa, Poweshiek County, Iowa, Tama County, Iowa, Winneshiek County, Iowa, all organized and existing under the laws of the State of Iowa (hereinafter collectively referred to as "Counties" and individually as "County") and Northeast Iowa Area Agency on Aging, an Iowa non-profit corporation (hereinafter "Agency") (collectively referred to herein as the "Parties"). This Agreement shall not create a separate entity.

WHEREAS the Agency is a private agency as defined in Iowa Code Section 28E.2, and is a nonprofit corporation duly formed and existing pursuant to the laws of the State of Iowa; and

WHEREAS the County is a political subdivision duly formed and existing pursuant to the laws of the State of Iowa and is a public agency as defined in Iowa Code Chapter 28E; and

WHEREAS Iowa Code Chapter 28E authorizes public agencies to enter into agreements for joint or cooperative action with public or private entities; and

WHEREAS Agency is designated an instrumentality of the State of Iowa by the Iowa Department of Aging; and,

WHEREAS there is a long-term shift in the aging demographics of our state requiring increased need for community supports and services to assist this population; and,

WHEREAS Agency and the County have determined it to be in the best interest of the respective Parties to enter a 28E Agreement to coordinate efforts to improve the lives of older Iowans in each County by transforming services to better serve older Iowans, support their caregivers, and collaborate with community partners; and,

WHEREAS the Parties believe it is in their best interest to enter into a written agreement setting forth their respective rights and obligations.

NOW THEREFORE, in consideration of the mutual promises and agreements contained herein, and upon the following terms and conditions, Agency and the County agree as follows:

1. Purpose. Pursuant to the provisions of Chapter 28E of the Code of Iowa, the purpose of this Agreement shall be to provide for the joint exercise of the respective powers of the parties hereto in connection with achieving the goals of assisting older persons to remain in their homes independently, and to support their caregivers.
2. Administration. No separate legal or administrative entity or joint board will be established by this Agreement. The Winneshiek County Auditor and the CEO of the Agency will be designated as the administrators of the Agreement for the purpose of Iowa Code Section 28E.6. No joint budget will be established or maintained for the purpose of carrying out the terms of this Agreement.
3. Duration. This Agreement shall be for a one-year term with an effective commencement date of July 1, 2021 and shall automatically renew for a one (1) year period under the same terms and conditions unless otherwise terminated as forth below in Paragraph 7.
4. Goals Of Funding. The goal of this joint action between the County and Agency shall be to serve older Iowans and their caregivers in County through programs and services including option counseling, case management, meal programs, caregiver support, respite services, evidence base health programs, advocacy, and recreation and education programs.
5. Funding. The Agency shall, in consideration of receiving an annual payment from County in an amount determined annually by County, provides direct services in the form of programs identified in paragraph 4, above, that impact the health and welfare of County residents.  
Funding provided by County will be used for:
  - A portion of Family Services Outreach staffing, administrative and indirect costs in County.
  - Local match requirements for Agency programs serving residents of County.
  - Support for additional funding needs of Agency programs serving residents of County.Expenditures will be tracked and be reported to County at its request. Agency will reimburse County for any funds paid to Agency that the Agency cannot document as having been used for the purposes described in this Agreement. Agency shall be audited annually by an independent auditor to include review of public purpose requirements.
6. Supervision. It is agreed that the policies and activities of the Agency shall be determined and overseen by the Board of Directors of the Agency.
7. Termination. This Agreement shall automatically renew for one (1) year periods, commencing from its effective date under the same terms and conditions unless the terms are modified in writing by the joint action of the Parties or by written notice of termination provided by one party to the other no less than thirty (30) days prior to the expiration of any one (1) year term. This Agreement may also be terminated by any Party upon the breach of any provisions of this Agreement by another Party. This Agreement shall remain in full force and effect to the end of the specified term or until terminated or cancelled pursuant to this Agreement.
8. Compliance. Each party agrees that it will comply with all Federal, State and Local laws and regulations applicable to its performance under this Agreement.

9. Status of the parties. It is expressly understood and agreed by the parties that nothing contained in this Agreement will be construed to create a partnership, association or other affiliation or like relationship between the parties, it being specifically agreed that the relation is and will remain that of independent parties to a cooperative contractual relationship. In no event will either party be liable for the debts or obligations of the other party.
10. Notices. All notices and other communications to be given under this Agreement will be deemed given when either personally delivered or mailed by first class mail, postage prepaid, with proper address to the following addresses until otherwise notified:

To the Agency:

Northeast Iowa Area Agency on Aging  
Attn: CEO  
3840 W 9<sup>th</sup> St.  
Waterloo, IA 50702

To the County:

At the address on the signature page approving this Agreement.

11. Construction. This Agreement shall be construed so as to comply with the requirements of the laws of the State of Iowa. The provisions of this Agreement and all paragraphs and sections under it are to be construed with a view to affect its objects and to promote the intent of the parties who have fixed their signatures herein.
12. Forum/Law. The Parties consent to the jurisdiction of the Iowa District Court in and for the County wherein a dispute arose for all matters relating to this Agreement and agree that this Agreement will be governed by the laws of the State of Iowa.
13. Severability. If any provision of this Agreement is held illegal or invalid, the illegality or invalidity of such provision will not affect any of the remaining provisions and this Agreement will be construed and enforced as if such illegal or invalid provision had not been contained herein.
14. Waiver. The failure of either of the parties to enforce any right or provision under this Agreement will not constitute a waiver of such right or provision unless acknowledged and agreed to by such party in writing. In addition, no waiver of a party's right or remedy will affect the other provisions of this Agreement.
15. Force Majeure. Notwithstanding anything contained in this Agreement to the contrary, no party will be liable to the other for failure to comply with any obligation under this Agreement if such party is prevented from doing so by reason of events beyond the reasonable control of the party.
16. Assignment. No party may assign any right or obligation under this Agreement, in whole or in part, without the other party's prior written consent. This Agreement will be binding upon and will inure to the benefit of the parties and their respective successors and permitted assignees.

17. No Third-Party Beneficiaries. This Agreement is entered into by and between the Parties hereto for their benefit. There is no intent by any Party to create, imply, or establish a third-party beneficiary or status or rights in any person except as expressly set forth in this Agreement, and no such third party will have any right to enforce any benefit created or established under this Agreement.
18. Method Of Approval. The parties hereto shall approve this Agreement by resolution, which respective resolutions shall authorize the representative of the Agency Board of Directors and the respective County Board of Supervisors to execute this Agreement.
19. Counterparts. This Amendment may be executed in nineteen (19) counterparts, each of which so executed shall be deemed to be an original.
20. Effect of any County Not Approving Agreement. Should any County choose not to approve this Agreement, that County's decision will not impact the enforceability of the terms of this Agreement as between the Agency and those Counties that do approve the Agreement.
21. Entire Agreement. This Agreement supersedes all previous agreements, amendments, arrangements, and understandings between the parties with respect to the subject matter hereof and constitutes the entire agreement between the parties.
22. Amendments. This Agreement may be amended by a written instrument approved and executed by the Agency and the County and filed with the Iowa Secretary of State in accordance with Iowa Code Section 28E.8.
23. Agreement - Filing. When this Agreement has been approved by the Parties hereto, it shall be filed with the Secretary of State of the State of Iowa in accordance with the provisions of the Iowa Code Section 28E.8.
24. Agreement - Effective Date. This Agreement shall be effective from, on and after the date which this Agreement is recorded and filed as herein provided.

IN WITNESS WHEREOF, this Agreement has been approved by appropriate action and duly executed by the parties on the dates written below.

DATED by Agency this 27 day of August, 2021.

**NORTHEAST IOWA AREA  
AGENCY ON AGING**

  
\_\_\_\_\_  
Michael J. Donohue, CEO

  
\_\_\_\_\_  
NEI3A Board of Directors, Secretary

DATED by County this \_\_\_\_ day of \_\_\_\_\_, 2021.

**HARDIN COUNTY  
BOARD OF SUPERVISORS**

---

BJ Hoffman  
Chairperson  
1215 Edgington Avenue  
Eldora, IA 50627

Attest:

---

Jolene Pieters  
County Auditor

# PROCLAMATION

## National Voter Registration Month

**WHEREAS**, registering to vote empowers eligible citizens to exercise their right to vote on Election Day; and

**WHEREAS**, Iowa consistently ranks among the top 10 states in the nation for voter registration and voter participation, with more than two-million residents currently registered to vote; and

**WHEREAS**, 17-year-olds are now eligible to register to vote in Iowa; and

**WHEREAS**, Iowa's voter registration process is easier and more convenient than ever before, with online voter registration, Election Day registration, and applications available through government agencies across the state; and

**WHEREAS**, the State of Iowa's online voter registration system enables citizens to register to vote and update their registration status quickly and easily, any time of day; and

**WHEREAS**, we encourage all interested citizens and all appropriate media outlets and civic organizations to participate in this non-partisan voter registration awareness campaign to encourage the maximum participation of qualified voters in Iowa.

**NOW, THEREFORE**, We, the Hardin County Board of Supervisors, do hereby proclaim September 2021 as National Voter Registration Month and Tuesday, September 28th, 2021, as National Voter Registration Day.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 2021

---

BJ Hoffman, Chair  
Hardin County Board of Supervisors

ATTEST:

---

Jolene Pieters, Hardin County Auditor



# HARDIN COUNTY

## Auditor's Office

Order # 5929

Date: 9/3/2021

To the Treasurer of Hardin County Iowa:

You are hereby authorized to: Abate the 2020 taxes of:  
(Add/Abate/Suspend)

<u>Hoyt, David L &amp; Renee L</u>	<u>690 Eldora City</u>
<small>Owner's Name</small>	<small>Tax District</small>
<u>87-19-07-152-019</u>	<u>Lot 15 &amp; E 1/2 of Lot 14 , Otter Creek Estates, Eldora</u>
<small>Parcel Number</small>	<small>Property Description</small>

Credits	Military Values	Homestead Credit	Ag Land Credit	Family Farm Credit	Elderly Credit	BPTC Credit
Gross Value	-	4,850.00	-	-	-	-
% Funded			-			
Net	-	220.00	-	-	-	-

Class R Levy Rate 0.04521147 Rollback 56.4094%  
56.4094%

### VALUES

Old Bldg Value	<u>                    </u>	New 100% Bldg Value	<u>\$ -</u>	New Taxable Bldg	<u>\$ -</u>
Old Land Value	<u>\$ 25,850</u>	New 100% Land Value	<u>\$ 25,850</u>	New Taxable Land	<u>\$ 14,582</u>
Old Dwelling	<u>\$ 210,950</u>	New 100% Dwelling	<u>\$ -</u>	New Taxable Dwell	<u>\$ -</u>
Military Credit					<u>\$ -</u>
Total Old Value	<u>\$ 236,800</u>	Total New Value	<u>\$ 25,850</u>	Total New Taxable	<u>\$ 14,582</u>

### TAX AMOUNTS

Old Tax Amount	<u>\$ 5,820.00</u>		
New Gross Tax	<u>\$ 660.00</u>	Less Credits	<u>\$ 220.00</u>
		New Net Tax	<u>\$ 440</u>

Reason For Change Urban Revite Tax Exemption was not applied

Amount Due	<u>\$ 440.00</u>	Tax Receipt #	<u>254718</u>
Net change	<u>\$ 5,380.00</u>		

\_\_\_\_\_  
Jolene Pieters, Auditor

\_\_\_\_\_  
Board of Supervisors Chairman



Real Estate Parcel: 871907152019

Parcel: 871907152019 District: 69000 - ELDORA CITY Class: R - Residential

Owner: Hoyt, David Lynn Hoyt, Ren. Alerts: (0) Legal: LOT 14-15 OTTER CREEK ESTA.

Year: 2021 Assessor Situs: 2468 DOLE DR

Overview	2021 Full Value	Exempt Value	Assessed Value	Prior Full (2020)	Prior Assessed
General					
Ownership					
Situs Address					
Legal					
Values					
Tax Breakdown					
(1) Credits					
(1) Transfers					
(2) Lineage					
(0) Notes					
(0) Certificates					
(0) Advanced Payments					
Charges					
Auditor Parcel					
Treasurer Parcel					
Beacon Map					
Beacon					
Documents					

Property Class	District	Active	Current	Exempt	Assessed	Prior Assessed
R	69000	<input checked="" type="checkbox"/>	234,450	210,950	23,500	236,800
			<b>234,450</b>	<b>210,950</b>	<b>23,500</b>	<b>236,800</b>

This parcel should have had an Urban Revite tax exemption applied for 1/1/2020, exempting the value of \$210,950 for the dwelling, taxes payable 2021/2022. (applies to the dwelling only – taxes on land still due). However, this 5-year graduated exemption was missed and not applied until 1/1/2021, when this omission was caught.

I talked to the taxpayer and assured him that he would get the full benefit of the abatement, however, he didn't want to pay taxes on the dwelling this year and has requested we correct this and apply the exemption for 1/1/2020.

I am requesting an abatement of taxes, applying the 5-year graduated exemption for 1/1/2020.

*Cammie Ansel*  
8/31/2021



# Recorder's Monthly Report to the Treasurer

08/02/2021 to 08/31/2021

## Liability

Account Number	Description	Net
0001-1-07-8000-400000-2	Use Tax-DOR	(\$6,127.50)
0001-1-07-8000-400000-3	State Sales Tax-DOR	(\$4,668.60)
0001-1-07-8000-400000-4	Local Option Tax-DOR	(\$658.10)
0001-1-07-8000-401000-1	Snowmobile Registration Fees-State	(\$16.50)
0001-1-07-8000-401001	Snowmobile Titles - State	(\$6.50)
0001-1-07-8000-402000	RVVRS Boat Registration Fees - State	(\$349.65)
0001-1-07-8000-402001-1	RVVRS Boat Titles - State	(\$24.00)
0001-1-07-8000-402001-2	RVVRS Boat Titles - DOR	(\$80.00)
0001-1-07-8000-402002-1	RVVRS Boat Liens - State	(\$6.00)
0001-1-07-8000-402002-2	RVVRS Boat Liens - DOR	(\$20.00)
0001-1-07-8000-403000-1	Hunting & Fishing Fees-State	(\$409.00)
0001-1-07-8000-404000-2	Real Estate Transfer Tax-State	(\$7,484.62)
0001-1-07-8000-406000-1	Vitals Certified Copies-State	(\$1,232.00)
0001-1-07-8000-407000-1	ATV Registration Fees-State	(\$186.50)
0001-1-07-8000-407000-2	ATV Titles-State	(\$65.00)
0001-1-07-8000-407000-3	ATV Liens-State	(\$6.50)
0001-1-07-8000-413001-1	Marriage License-State	(\$310.00)
<b>Total</b>		<b>(\$21,650.47)</b>

## Revenue

Account Number	Description	Net
0001-1-07-8000-400000	Recording of Instruments	(\$7,565.00)
0001-1-07-8000-400000-1	Over Payment	(\$17.00)
0001-1-07-8000-401000	Snowmobile Writing Fees (\$5.00)-County	(\$5.00)
0001-1-07-8000-402001	RVVRS Boat Titles - County	(\$80.00)
0001-1-07-8000-402002	RVVRS Boat Liens - County	(\$20.00)
0001-1-07-8000-403000	Hunting & Fishing Fees-County	(\$13.50)
0001-1-07-8000-404000	Real Estate Transfer Tax-County	(\$1,560.18)
0001-1-07-8000-406000	Vitals Certified Copies-County	(\$448.00)
0001-1-07-8000-407000	ATV Writing Fees(\$5.00)-County	(\$55.00)
0001-1-07-8000-408000	RVVRS Writing Fees - County	(\$92.50)
0001-1-07-8000-410000	Auditor's Transfer Fees - \$5.00	(\$725.00)
0001-1-07-8000-413001	Marriage License-County	(\$40.00)
0001-1-07-8000-550000	Photocopy/Fax Fees	(\$215.25)
0024-1-07-0000-414000	Document Management Fees	(\$335.00)
5410-1-07-0000-416000	Electronic Transaction Fees	(\$335.00)
<b>Total</b>		<b>(\$11,508.43)</b>

## Grand Total

**(\$33,156.90)**

# Recorder's Monthly Report to the Treasurer

08/02/2021 to 08/31/2021

## Range Summary

Range	Account	Net
<b>Department of Revenue</b>		
	0001-1-07-8000-400000-4 Local Option Tax-DOR	(\$658.10)
	0001-1-07-8000-400000-3 State Sales Tax-DOR	(\$4,668.60)
	0001-1-07-8000-400000-2 Use Tax-DOR	(\$6,127.50)
	0001-1-07-8000-402002-2 RVVRS Boat Liens - DOR	(\$20.00)
	0001-1-07-8000-402001-2 RVVRS Boat Titles - DOR	(\$80.00)
	0001-1-07-8000-404000-2 Real Estate Transfer Tax-State	(\$7,484.62)
<b>Department of Revenue</b>		<b>(\$19,038.82)</b>
<b>Hunting and Fishing</b>		
	0001-1-07-8000-403000 Hunting & Fishing Fees-County	(\$13.50)
	0001-1-07-8000-403000-1 Hunting & Fishing Fees-State	(\$409.00)
<b>Hunting and Fishing</b>		<b>(\$422.50)</b>
<b>Marriage Application</b>		
	0001-1-07-8000-413001-1 Marriage License-State	(\$310.00)
	0001-1-07-8000-413001 Marriage License-County	(\$40.00)
<b>Marriage Application</b>		<b>(\$350.00)</b>
<b>RVVRS County</b>		
	0001-1-07-8000-408000 RVVRS Writing Fees - County	(\$92.50)
	0001-1-07-8000-401000 Snowmobile Writing Fees (\$5.00)-County	(\$5.00)
	0001-1-07-8000-402001 RVVRS Boat Titles - County	(\$80.00)
	0001-1-07-8000-407000 ATV Writing Fees(\$5.00)-County	(\$55.00)
	0001-1-07-8000-402002 RVVRS Boat Liens - County	(\$20.00)
<b>RVVRS County</b>		<b>(\$252.50)</b>
<b>RVVRS State</b>		
	0001-1-07-8000-401001 Snowmobile Titles - State	(\$6.50)
	0001-1-07-8000-402002-1 RVVRS Boat Liens - State	(\$6.00)
	0001-1-07-8000-402000 RVVRS Boat Registration Fees - State	(\$349.65)
	0001-1-07-8000-402001-1 RVVRS Boat Titles - State	(\$24.00)
	0001-1-07-8000-407000-2 ATV Titles-State	(\$65.00)
	0001-1-07-8000-407000-1 ATV Registration Fees-State	(\$186.50)
	0001-1-07-8000-401000-1 Snowmobile Registration Fees-State	(\$16.50)
	0001-1-07-8000-407000-3 ATV Liens-State	(\$6.50)
<b>RVVRS State</b>		<b>(\$660.65)</b>
<b>Transfer Tax</b>		
	0001-1-07-8000-404000 Real Estate Transfer Tax-County	(\$1,560.18)
	0001-1-07-8000-404000-2 Real Estate Transfer Tax-State	(\$7,484.62)
<b>Transfer Tax</b>		<b>(\$9,044.80)</b>
<b>Vitals Certified Copies</b>		
	0001-1-07-8000-406000-1 Vitals Certified Copies-State	(\$1,232.00)
	0001-1-07-8000-406000 Vitals Certified Copies-County	(\$448.00)

# Recorder's Monthly Report to the Treasurer

08/02/2021 to 08/31/2021

---

Vitals Certified Copies

(\$1,680.00)

**HARDIN CO. SHERIFF'S OFFICE**



*A New Century of Service*

David L. McDaniel  
116 14th Avenue  
Idora, Iowa 50627  
41-939-8189  
-800-568-4373  
Fax 641-939-8249

<b>21-22 Fiscal Year</b>	<b>August fees</b>		
0001-1-05-1000-440003	Civil Fees	\$	1,952.62
0001-1-05-1000-440004	Civil Mileage	\$	307.73
0001-4-05-9100-847000	Prescriptions/MH		
		\$	<b>2,260.35</b>

<b>21-22 Fiscal Year</b>	<b>August fees</b>		
0001-1-05-1000-250100	Contract Law	\$	19,263.65
0001-1-05-1000-250200	Care Prisoners/Accomodatio	\$	35,951.94
0001-1-05-9000-440002	Driving Records	\$	6.50
0001-1-05-1000-440006	Purchase Permits	\$	-
0001-1-05-1000-441000	Weapon Permits	\$	420.00
0001-1-05-1000-443000	Work Release	\$	-
0001-1-05-1000-445000	Sex Offender Reg.	\$	75.00
0001-1-05-1000-550001	Copy Reports	\$	50.00
0001-1-05-1000-850100	CO ENF Surcharge	\$	-
0001-1-05-1000-440007	Fingerprint fees	\$	70.00
0001-4-05-1000-49000	Miscellaneous	\$	-
	<b>Total:</b>	\$	<b>55,837.09</b>

**Total fees** \$ **58,097.44**

**Funds paid to Treasurer**

**FY 21/22**

See 2nd page for total revenue

**2020-2021 Civil fees August**

0001-1-05-1000-440003	Civil Fees	\$	574.95
0001-1-05-1000-440004	Civil Mileage	\$	352.05
0001-4-05-9100-847000	Prescription/MH		
	<b>Total:</b>	<b>\$</b>	<b>927.00</b>

**2020-2021 Misc fees August**

0001-1-05-1000-250100	Contract Law	\$	-
0001-1-05-1000-250200	Care Prisoners	\$	-
0001-1-05-9000-440002	Driving Records	\$	-
0001-1-05-1000-440006	Purchase Permits	\$	-
0001-1-05-1000-441000	Weapon Permits	\$	-
0001-1-05-1000-443000	Work Release	\$	-
0001-1-05-1000-445000	Sex Offender Reg.	\$	-
0001-1-05-1000-550001	Copy Reports	\$	-
0001-1-05-1000-850100	CO ENF Surcharge	\$	37.50
0001-1-05-1000-589010	Restitution	\$	352.26
0001-4-05-1000-259465	Social Security Reward	\$	-
0001-1-05-1000-550005	Fingerprint fees	\$	-
	<b>Total:</b>	<b>\$</b>	<b>389.76</b>

**Total fees** \$ **1,316.76**  
31-Aug-21 Funds paid to Treasurer FY 20/21

**Total revenue for month -** \$59,414.20



# HARDIN COUNTY

## Courthouse

HARDIN COUNTY COURTHOUSE  
1215 EDGINGTON AVE.  
ELDORA, IA 50627

### HARDIN COUNTY Employee Change of Status Report

Please enter the following change(s) as of 09/30/2021  
Date

Name: Bruce Haskin  
Address: 1601 15th Avenue  
Eldora IA 50627  
City State Zip Code

Department: Secondary Roads  
Position: Truck Driver  
Salary/Hourly Rate: \$23.02/hour

Fund: 20 - Secondary Roads

Status:  Full-time  Permanent Part-time  Temporary/Seasonal Part-time

Reason of Change:

- Hired
- Promotion
- Demotion
- Pay Increase
- Leave of Absence \_\_\_\_\_  
Dates
- Resignation
- Retirement
- Layoff
- Discharge

Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dates of Employment: 06/29/1987 to 09/30/2021 Last Day of Work 09/30/2021  
From To (if applicable)

Beyond the last day of work, the following vacation time was (or will be paid): \_\_\_\_\_ to \_\_\_\_\_  
From To

Authorized by: \_\_\_\_\_  
Elected Official or Department Head Date

Authorized by: \_\_\_\_\_  
Board of Supervisors Date





# HARDIN COUNTY

## Courthouse

HARDIN COUNTY COURTHOUSE  
1215 EDGINGTON AVE.  
ELDORA, IA 50627

### HARDIN COUNTY Employee Change of Status Report

Please enter the following change(s) as of 12/31/2021  
Date

Name: Kevin Wykle

Department: Secondary Roads

Address: 607 Catherine Street

Position: Truck Driver

Radcliffe                      IA                      50230  
City                                      State                                      Zip Code

Salary/Hourly Rate: \$22.64/hour

Fund: 20 - Secondary Roads

Status:     Full-time             Permanent Part-time             Temporary/Seasonal Part-time

Reason of Change:

- Hired
- Promotion
- Demotion
- Pay Increase
- Leave of Absence \_\_\_\_\_  
Dates
- Resignation
- Retirement
- Layoff
- Discharge

Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dates of Employment: 03/29/1976 to 12/31/2021  
From                                      To

Last Day of Work 12/31/2021  
(if applicable)

Beyond the last day of work, the following vacation time was (or will be paid): \_\_\_\_\_ to \_\_\_\_\_  
From                                      To

Authorized by: \_\_\_\_\_  
Elected Official or Department Head

\_\_\_\_\_  
Date

Authorized by: \_\_\_\_\_  
Board of Supervisors

\_\_\_\_\_  
Date



# HARDIN COUNTY

## Courthouse

HARDIN COUNTY COURTHOUSE  
1215 EDGINGTON AVE.  
ELDORA, IA 50627

### HARDIN COUNTY Employee Change of Status Report

Please enter the following change(s) as of 9/8/2021  
Date

Name: Drake Baade  
Address: 310 W Maple  
Hubbard Iowa 50122  
City State Zip Code

Department: Sheriff  
Position: P/T Correctional Officer  
Salary/Hourly Rate: \$18.90

Fund: 0001-05-1050-000-10108

Status:  Full-time  Permanent Part-time  Temporary/Seasonal Part-time

Reason of Change:

Hired  Resignation  
 Promotion  Retirement  
 Demotion  Layoff  
 Pay Increase  Discharge  
 Leave of Absence \_\_\_\_\_  
Dates

Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dates of Employment: \_\_\_\_\_ to \_\_\_\_\_ Last Day of Work \_\_\_\_\_  
From To (if applicable)

Beyond the last day of work, the following vacation time was (or will be paid): \_\_\_\_\_ to \_\_\_\_\_  
From To

Authorized by: James D. Hopkins 9-1-2021  
Elected Official or Department Head Date

Authorized by: \_\_\_\_\_  
Board of Supervisors Date



# HARDIN COUNTY

## Courthouse

HARDIN COUNTY COURTHOUSE  
1215 EDGINGTON AVE.  
ELDORA, IA 50627

### HARDIN COUNTY Employee Change of Status Report

Please enter the following change(s) as of 09/08/2021  
Date

Name: Jennifer Kappel  
Address: 1016 Worth Street  
Ackley Iowa 50601  
City State Zip Code

Department: Sheriff  
Position: F/T Jailer  
Salary/Hourly Rate: \$19.38

Fund: \_\_\_\_\_

Status:  Full-time  Permanent Part-time  Temporary/Seasonal Part-time

Reason of Change:

Hired  Resignation  
 Promotion  Retirement  
 Demotion  Layoff  
 Pay Increase  Discharge  
 Leave of Absence \_\_\_\_\_  
Dates

Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dates of Employment: 8/1/2015 to 9/8/2021 Last Day of Work 8/25/2021  
From To (if applicable)

Beyond the last day of work, the following vacation time was (or will be paid): 8/27/2021 to 9/8/2021  
From To

Authorized by: James D. Holmes 9-1-2021  
Elected Official or Department Head Date

Authorized by: \_\_\_\_\_  
Board of Supervisors Date



# HARDIN COUNTY

## Courthouse

HARDIN COUNTY COURTHOUSE  
1215 EDGINGTON AVE.  
ELDORA, IA 50627

### HARDIN COUNTY Employee Change of Status Report

Please enter the following change(s) as of 9/8/2021  
Date

Name: Ian N. Showers  
Address: 210 S Jennings Lot # 8  
Conrad Iowa 50621  
City State Zip Code

Department: Sheriff  
Position: P/T Correctional Officer  
Salary/Hourly Rate: \$18.90

Fund: 0001-05-1050-000-10108

Status:  Full-time  Permanent Part-time  Temporary/Seasonal Part-time

Reason of Change:

- Hired
  - Promotion
  - Demotion
  - Pay Increase
  - Leave of Absence
  - Resignation
  - Retirement
  - Layoff
  - Discharge
- \_\_\_\_\_ Dates

Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dates of Employment: \_\_\_\_\_ to \_\_\_\_\_ Last Day of Work \_\_\_\_\_  
From To (if applicable)

Beyond the last day of work, the following vacation time was (or will be paid): \_\_\_\_\_ to \_\_\_\_\_  
From To

Authorized by: *James D. Newman* 9-1-2021  
Elected Official or Department Head Date

Authorized by: \_\_\_\_\_ Board of Supervisors Date



## Iowa Department of Natural Resources

## Construction Permit Application Form Confinement Feeding Operations

**INSTRUCTIONS:**

Prior to constructing, installing, modifying or expanding a confinement feeding operation structure<sup>1</sup>, answer questions 1-8 on Item 3, Section A (page 2), to determine if a construction permit is required. To calculate the animal unit capacity (AUC) of the operation, complete Table 1 (page 4). If a construction permit is required, complete the rest of the form, have the applicant(s) sign it on pages 5 and 6. Mail to the DNR (see address on page 5) this application form, documents and fees requested in Checklist No. 1 or 2 (pages 10-15). See item 5 (page 5), to determine which checklist to use.

If a construction permit is not needed, some pre-construction requirements may still apply prior to the construction of a formed manure storage structure<sup>2</sup>. See page 5 for additional DNR contact information.

**THIS APPLICATION IS FOR:**

1.  A new confinement feeding operation
  2.  An existing confinement feeding operation (*answer all of the following questions*):
    - a) Facility ID No. (5 digit number): \_\_\_\_\_
    - b) Date when the operation was first constructed: \_\_\_\_\_ Separation distance table used: \_\_\_\_\_
    - c) Date when the last construction, expansion or modification was completed: \_\_\_\_\_
- (Not needed if the confinement operation has previously received a construction permit from DNR.)
- d) Is this also an ownership change?  Yes  No      If yes box is checked additional fees apply. See page 8

**ITEM 1 – LOCATION AND CONTACT INFORMATION** (*See page 17 for instructions and an example*):

A) Name of operation: Schiller Site

Location:	NE	SE	03	T89N R22W	Alden	Hardin
	(¼ ¼)	(¼)	(Section)	(Tier & Range)	(Name of Township)	(County)

B) Applicant information:

Name: Kyle Janes Title: \_\_\_\_\_

Address: 14987 120th St., Alden, IA 50006

Telephone: 515-669-1680 Fax: \_\_\_\_\_ Email: \_\_\_\_\_

C) Person to contact with questions about this application (if different than applicant):

Name: Kent Krause Title: \_\_\_\_\_

Address: 620 Country Club Rd., Iowa Falls, IA 50126

Telephone: 641-648-7300 Fax: \_\_\_\_\_ Email: \_\_\_\_\_

Enclose aerial photo or engineering drawing showing the proposed location of the confinement feeding operation structure<sup>1</sup> and all applicable separation distances, as requested in Attachment 1 (pages 11-12 or 14-15). See example of aerial photo on pages 18 to 19, at the end of this form.

I manage or have a 10% or more ownership interest in another confinement feeding operation located within 2,500 feet of the proposed site. Please contact the DNR AFO Program staff at (712) 262-4177 to verify site adjacency requirements.

<sup>1</sup> Confinement feeding operation structure = animal feeding operation structure (confinement building, manure storage structure or egg washwater storage structure) that is part of a confinement feeding operation. Manure storage structures include formed and unformed manure storage structures.

<sup>2</sup> Formed manure storage structure = covered or uncovered concrete or steel tanks, and concrete pits below the building.

**ITEM 2 – SITING INFORMATION:**

A) **Karst Determination:** Go to DNR AFO Siting Atlas at <http://programs.iowadnr.gov/maps/afo/>. Search for your site by either scrolling into your location or entering an address or legal description in the bottom search bar. Left click on the location of your proposed structure. Make sure the karst layer box is checked on the map layers. If you cannot access the map, or if you have questions about this issue, contact the AFO Engineer at (712) 262-4177. Check one of the following:

- The site is not in karst or potential karst. Print and enclose the map with the name and location of the site clearly marked.
- The site is in karst. The upgraded concrete standards of 567 IAC 65.15(14)"c" must be used. Refer to "Applicant's submittal checklist" on page 10 for karst documentation.
- The site is within 1,000 feet of a known sinkhole, Secondary Containment Barrier is required in accordance with 567 IAC 65.15(17).

B) **Alluvial Soils Determination:** Go to the AFO Siting Atlas as described above. Make sure the alluvial layer box is checked on the map legend. If you cannot access the map, or if you have questions about this issue, contact DNR Flood Plain at (866) 849-0321. Check one of the following:

- The site is not in alluvial soils. Print and enclose the map with the name and location of the site clearly marked.
- The site is in alluvial soils. You will need to submit a request for a flood plain determination from DNR Flood Plain (866) 849-0321. After receiving determination submit one of the following:
  - Not in 100-year floodplain or does not require a flood plain permit. Include correspondence from the DNR Flood Plain Section.
  - Requires flood plain permit. Include flood plain permit.
  - Documentation has been submitted to determine site is not in alluvial soils. Refer to "Applicant's Submittal Checklist" on page 10 for alluvial soils documentation.

**ITEM 3 – OPERATION INFORMATION:**

A) A construction permit is required prior to any of the following:

1.  Constructing or modifying any unformed manure storage structure<sup>3</sup>, constructing or modifying a confinement building that uses an unformed manure storage structure<sup>3</sup>, or increasing animal units in a confinement building that uses an unformed manure storage structure.
2.  Constructing, installing or modifying a confinement building or a formed manure storage structure<sup>2</sup> at a confinement feeding operation if, after construction, installation or expansion, the AUC of the operation is 1,000 animal units (AU) or more. This also applies to confinement feeding operations that store manure exclusively in a dry form.
3.  Initiating a change that would result in an increase in the volume of manure or a modification in the manner in which manure is stored in any unformed manure storage structure<sup>3</sup>, even if no construction or physical alteration is necessary. Increases in the volume of manure due to an increase in animal capacity, animal weight capacity or AUC up to the limits specified in a previously issued construction permit do not require a new construction permit.
4.  Initiating a change, even if no construction or physical alteration is necessary, that would result in an increase in the volume of manure or a modification in the manner in which manure is stored in a formed manure storage structure<sup>2</sup> if, after the change, the AUC of the operation is 1,000 AU or more. Increases in the volume of manure due to an increase in animal capacity, animal weight capacity or AUC up to the limits specified in a previously issued construction permit do not require a new construction permit.
5.  Constructing or modifying any egg washwater storage structure or a confinement building at a confinement feeding operation that includes an egg washwater storage structure.
6.  Initiating a change that would result in an increase in the volume of egg washwater or a modification in the manner in which egg washwater is stored, even if no construction or physical alteration is necessary. Increases in the volume of egg washwater due to an increase in animal capacity, animal weight capacity or AUC up to the limits specified in a previously issued construction permit do not require a new construction permit.
7.  Repopulating a confinement feeding operation if it was closed for 24 months or more and if any of the following apply:
  1.  The confinement feeding operation uses an unformed manure storage structure<sup>3</sup> or egg washwater storage structure;
  2.  The confinement feeding operation includes only confinement buildings and formed manure storage structures<sup>2</sup> and has an AUC of 1,000 AU or more.
8.  Installing a permanent manure transfer piping system, unless the department determines that a construction permit is not required.

<sup>3</sup> Unformed manure storage structure = covered or uncovered anaerobic lagoon, earthen manure storage basin, aerobic earthen structure.

**B) In your own words, describe in detail, the proposed construction, expansion, installation, modification or repair being proposed in this project. (Must be completed) Attach additional pages if necessary:**

I will be constructing a 2 barn site that will house 5400 head of finishing swine.

---

---

---

---

**C) Master Matrix (must check one).** If any of boxes 1 to 3 are checked, the operation is required to be evaluated with the master matrix if the county, where the confinement feeding operation structure<sup>1</sup> is or would be located, has adopted a 'Construction Evaluation Resolution' (CER). Select the one that best describes your confinement feeding operation:

1.  A new confinement feeding operation proposed in a county that has adopted a CER.
2.  An existing operation constructed on or after April 1, 2002, in a county that has adopted a CER.
3.  An existing operation constructed prior to April 1, 2002, with a current or proposed AUC of 1,667 AU or more, in a county that has adopted a CER.
4.  None of the above. Therefore, the master matrix evaluation is not required.

**D) Qualified Operation (must check one).** If any of boxes 1 to 4 are checked, the operation is also a 'qualified operation'. A qualified operation is required to use a manure storage structure that employs bacterial action which is maintained by the utilization of air or oxygen, and which shall include aeration equipment. However, this requirement does not apply if box 5 is checked. Select the one that best describes your confinement feeding operation:

1.  A swine farrowing and gestating operation with an AUC of 2,500 AU or more. If the replacement breeding swine are raised and used at the operation, the animal units for those replacement animals do not count in the operations total AUC for the purpose of determining a qualified operation.
2.  A swine farrow-to-finish operation with an AUC of 5,400 AU or more.
3.  A cattle confinement feeding operation (including dairies) with an AUC of 8,500 AU or more.
4.  Other confinement feeding operations with an AUC of 5,333 AU or more.
5.  This is not a qualified operation because:
  - a.  It is below the limits shown on boxes 1 to 4.
  - b.  It includes a confinement feeding operation structure<sup>1</sup> constructed prior to May 31, 1995.
  - c.  It handles manure exclusively in a dry form (poultry).

#### **ITEM 4 – ANIMAL UNIT CAPACITY (AUC) and, if applicable, ANIMAL WEIGHT CAPACITY (AWC):**

##### **A) Calculating AUC – Required for all operations**

For each animal species, multiply the maximum number of animals that you would ever confine at one time by the appropriate factor, then add all AU together on Table 1 (page 4). Use the maximum market weight for the appropriate animal species to select the AU factor.

You must complete all applicable columns in Table 1. Use column a) to calculate the existing AUC, before permit for existing operations only. Use column b) to calculate the 'Total proposed AUC' (after a permit is issued) including new operations. The number obtained in column b) is the AUC of the operation and must be used to determine permit requirements. Use column c) to calculate the 'New AU' to be added to an existing operation. To calculate the indemnity fee (see page 7), also use column c), however, if the "Existing AUC" (column a) is 500 AU or less, enter the "Total proposed AUC" (column b) in the "New AU" (column c).

In calculating the AUC of a confinement feeding operation, you must include the AUC of all confinement buildings which are part of the confinement feeding operation, unless a confinement building has been abandoned. A confinement feeding operation structure<sup>1</sup> is abandoned if the confinement feeding operation structure<sup>1</sup> has been razed, removed from the site of a confinement feeding operation, filled in with earth, or converted to uses other than a confinement feeding operation structure<sup>1</sup> so that it cannot be used as a confinement feeding operation structure<sup>1</sup> without significant reconstruction. Therefore, in Table 1, enter the animal unit capacity of all the confinement buildings, including those that are from an "adjacent" operation located within 2,500 feet. For more information, contact the AFO Program at (712) 262-4177.

**Table 1. Animal Unit Capacity (AUC): (No. HEAD) x (FACTOR) = AUC**

Animal Species	a) Existing AUC (Before permit)			b) Total AUC (After permit)		
	(No. Head)	x (Factor)	= AUC	(No. Head)	x (Factor)	= AUC
Slaughter or feeder cattle		1.0			1.0	
Immature dairy cattle		1.0			1.0	
Mature dairy cattle		1.4			1.4	
Gestating sows		0.4			0.4	
Farrowing sows & litter		0.4			0.4	
Boars		0.4			0.4	
Gilts		0.4			0.4	
Finished (Market) hogs	0	0.4	0	5400	0.4	2160
Nursery pigs 15 lbs to 55 lbs		0.1			0.1	
Sheep and lambs		0.1			0.1	
Goats		0.1			0.1	
Horses		2.0			2.0	
Turkeys 7 lbs or more		0.018			0.018	
Turkeys less than 7 lbs		0.0085			0.0085	
Broiler/Layer chickens 3 lbs or more		0.01			0.01	
Broiler/Layer chickens less than 3 lbs		0.0025			0.0025	
Ducks		0.04			0.04	
Fish 25 grams or more		0.001			0.001	
Fish less than 25 grams		0.00006			0.00006	
<b>TOTALS:</b>	a) Existing AUC: <b>0</b>			b) Total proposed AUC: <b>2160</b>		

Note: If the "Existing AUC" (column a) is 500 AU or less, enter the "Total proposed AUC" (column b) in the "New AU" (column c)

c) New AU = b) - a): **2160**

(This is the AUC of the operation)

**B) Calculating AWC - Only for operations first constructed prior to March 1, 2003**

The AWC is needed for an operation that was first constructed prior to March 1, 2003, to determine some of the minimum separation distance requirements for construction or expansion.

The AWC is the product of multiplying the maximum number of animals that you would ever confine at any one time by their average weight (lbs) during the production cycle. Then add the AWC if more than one animal species is present (examples on how to determine the AWC are provided in 567 IAC 65.1(455B).)

If the operation was first constructed prior to March 1, 2003, you must complete all applicable columns in Table 2:

**Table 2. Animal Weight Capacity (AWC): (No. head) \* (Avg. weight, lbs) = AWC, lbs**

Animal Species	a) Existing AWC (Before Permit)			b) Proposed AWC (After permit)		
	(No. head) x	avg weight	= AWC	(No. head) x	avg weight	= AWC
Slaughter or feeder cattle						
Immature dairy cattle						
Mature dairy cattle						
Gestating sows						
Farrowing sows & litter						
Boars						
Gilts						
Finished (Market) hogs						
Nursery pigs 15 lbs to 55 lbs						
Sheep and lambs						
Goats						
Horses						
Turkeys 7lbs or more						
Turkeys less than 7 lbs						
Broiler/Layer chickens 3 lbs or more						
Broiler/Layer chickens less than 3 lbs						
Ducks						
Fish 25 grams or more						
Fish less than 25 grams						
<b>TOTALS:</b>	a) Existing AWC: <b>0</b>			b) Total proposed AWC: <b>0</b>		

c) New AWC = b) - a): **0**

(This is the AWC of the operation)



**ITEM 5 – SUBMITTAL REQUIREMENTS** Checklists No. 1 or 2 (pages 10-15) describe the submittal requirements, which are based on the type of confinement feeding operation structure<sup>1</sup> and AUC proposed. To determine which checklist to use, choose the option that best describes your confinement feeding operation:

- A)  **Formed manure storage structures<sup>2</sup>:** The proposed confinement feeding operation structure<sup>1</sup> will be or will use a formed manure storage structure<sup>2</sup>. Check one of the following boxes:
- A swine farrowing and gestating operation with an AUC of 1,250 AU or more. Use Submittal Checklist No. 2 (page 13).
  - A swine farrow-to-finish operation with an AUC of 2,750 AU or more. Use Submittal Checklist No. 2 (page 13).
  - A cattle confinement feeding operation (including dairies) with an AUC of 4,000 AU or more. Use Submittal Checklist No. 2 (page 13).
  - Other confinement feeding operations with an AUC of 3,000 AU or more. Use Submittal Checklist No. 2 (page 13).
  - None of the above. Use Submittal Checklist No. 1 (page 10).

If any of boxes 1 to 4 are checked, the operation meets the threshold requirements for an engineer<sup>4</sup> and a Professional Engineer (PE), licensed in Iowa, is required. For these cases, use Submittal Checklist No. 2 (page 13).

If you checked box 5, your operation is below threshold requirements for an engineer<sup>4</sup> and a Professional Engineer (PE) is not required. Use Submittal Checklist No. 1 (page 10).

- B)  **Unformed manure storage structure<sup>3</sup>:** The proposed confinement feeding operation structure<sup>1</sup>, will be or will use an unformed manure storage structure<sup>3</sup> or an egg washwater storage structure. A Professional Engineer (PE) licensed in Iowa must design and sign the engineering documents for any size of operation. Use Submittal Checklist No. 2 (page 13) and Addendum "A" (page 16).

**ITEM 6- UTILIZING RURAL WATER SYSTEM FOR WATER SUPPLY**

- The proposed facility will utilize rural water and the providing rural water system has been notified and is aware of the proposed increase in water use.

**ITEM 7 – SIGNATURE:**

I hereby certify that the information contained in this application is complete and accurate.

Signature of Applicant(s): \_\_\_\_\_  
Date: \_\_\_\_\_

**MAILING INSTRUCTIONS:**

To expedite the application process, follow the submittal requirements explained in Checklist No. 1 or 2 (pages 10 to 16), whichever applies. Page 1 of this form should be the first page of the package. Mail all documents and fees to:

**Iowa DNR  
AFO Program  
1900 N Grand Ave  
Gateway North, Ste E17  
Spencer, IA 51301**

(Note: Incomplete applications will be returned to the sender.)

**Questions**

Questions about construction permit requirements or regarding this form should be directed to an engineer of the animal feeding operations (AFO) Program at (712) 262-4177. To contact the appropriate DNR Field Office, go to <http://www.iowadnr.gov/fieldoffice>.

<sup>4</sup> Threshold requirements for an engineer apply to the construction of a formed manure storage structure<sup>2</sup>. Operations that meet or exceed the threshold requirements for an engineer are required to submit engineering documents signed by a professional engineer licensed in the state of Iowa. Please refer to Checklist No. 2 (pages 13-15).

ITEM 8

Interested Parties Form  
Confinement Feeding Operation

Interest means ownership of a confinement feeding operation as a sole proprietor or a 10 percent or more ownership interest held by a person in a confinement feeding operation as a joint tenant, tenant in common, shareholder, partner, member, beneficiary or other equity interest holder. Ownership interest is an interest when it is held either directly or indirectly through a spouse or dependent child, or both.

**INSTRUCTIONS:**

Please list all persons (including corporations, partnerships, etc.) who have an interest in any part of the confinement feeding operation covered by this permit application.

Full Name	Address	City/State	Zip
Kyle Janes	14987 120th St.	Alden, IA	50006

For each name above, please list below all other confinement feeding operations in Iowa in which that person has an interest. Check box "None", below, if there are no other confinement feeding operations in Iowa in which the above listed person(s) has or have an interest.

Operation Name	Location (¼, ¼, Section, Tier, Range, Township, County)	City
<input type="checkbox"/> None [There are no other confinements in Iowa in which the above listed person(s) has or have an interest].		
	See Attached	

I hereby certify that the information provided on this form is complete and accurate.

Signature of Applicant(s):  Date: 8/12/21



ITEM 9

**Manure Storage Indemnity Fee Form  
for Construction Permits**

<p><b>CASHIER'S USE ONLY</b> 0474-542-474A-0431 Facility ID # County</p>
--

Credit fees to: Kyle Janes

Name of operation: Schiller Site

**INSTRUCTIONS:**

- 1) Use the 'Total Proposed AUC' from column b), Table 1 (page 4), to select the appropriate fee line in the table below. The 'Total Proposed AUC' is the AUC of the operation.
- 2) Select the animal specie and row number (see examples). Enter the 'New AU' from column c), Table 1 (page 4). The 'New AU' is the number of AU to be added to an existing operation or being proposed with a new operation. **Note:** If the "Existing AUC" (column a) is 500 AU or less, enter the "Total proposed AUC" (column b) in "New AU" (column c).
- 3) Multiply the 'New AU' by the appropriate 'Fee per AU'. The resulting number is the indemnity fee due.

- **Example 1:** An existing swine operation is expanding from an 'Existing AUC' of 1,000 AU to a 'Total Proposed AUC' of 1,800 AU, and has previously paid an indemnity fee for the existing 1,000 AU. Calculate the indemnity fee as follows: The 'Total Proposed AUC' is between 1,000 AU and 3,000 AU; the animal specie is other than poultry; enter 800 AU in the 'New AU' column, row 4, and multiply it by \$ 0.15:

$$(800 \text{ AU}) \times (\$ 0.15 \text{ per AU}) = \$ 120.00$$

- **Example 2:** An existing poultry operation is expanding from an 'Existing AUC' of 250 AU to a 'Total Proposed AUC' of 2,000 AU and has not paid the indemnity fee for animals housed in the existing buildings. Calculate the indemnity fee as follows: The 'Total Proposed AUC' is between 1,000 AU and 3,000 AU; the animal specie is poultry and the indemnity fee has not previously been paid, enter 2,000 AU in the 'New AU' column on row 3, and multiply it by \$0.06:

$$(2,000 \text{ AU}) \times (\$ 0.06 \text{ per AU}) = \$ 120.00$$

- **Example 3:** If you are proposing a new swine confinement feeding operation with a 'Total Proposed AUC' of 3,500 AU, enter 3,500 AU in the 'New AU' column, row 6 and multiply it by \$ 0.20:

$$(3,500 \text{ AU}) \times (\$ 0.20 \text{ per AU}) = \$ 700.00$$

- **Example 4:** If you are applying for a construction permit but you are not increasing the AUC of the operation, and has previously paid the applicable indemnity for the animals housed in the existing buildings, there is no indemnity fee due (\$ 0.00). If no indemnity fee is due, do not submit this page.

**Indemnity Fee Table:**

Total Proposed AUC (After Permit (from column B, Table 1))	Row	Animal species	New AU (from column C Table 1)	x	Fee per AU	Indemnity Fee
Less than 1,000 AU	1	Poultry		x	\$ 0.04 =	
	2	Other		x	\$ 0.10 =	
1,000 AU or more to less than 3,000 AU	3	Poultry		x	\$ 0.06 =	
	4	Other	2160	x	\$ 0.15 =	324.00
3,000 AU or more	5	Poultry		x	\$ 0.08 =	
	6	Other		x	\$ 0.20 =	

ITEM 9 (Cont.)

Filing Fees Form  
for Construction Permits

CASHIER'S USE ONLY  
0473-542-473A-0431  
0474-542-474A-0431  
Facility ID #  
County

Credit fees to: Kyle Janes  
Name of operation: Schiller Site

**INSTRUCTIONS:**

1. If the operation is applying for a construction permit enclose a payment for the following:
  - Construction application fee \$250.00.  
(Note: This fee is non-refundable)
2. A manure management plan must be submitted with a filing fee.
  - Manure management plan filing fee \$250.00  
(Note: This fee is non-refundable)
3. If this is a change in ownership then indemnity fees must also be paid on the current (existing) total AUC at the appropriate rate on page 7.
  - Indemnity fee due to ownership change \$ \_\_\_\_\_
4. Total filing fees: Add the fees paid in items 1, 2 and 3 (above): \$ 500.00

SUMMARY:	
- Manure Storage Indemnity Fee (see previous page) to be deposited in the Manure Storage Indemnity Fee Fund (474)	\$ <u>324.00</u>
- Total filing fees (see item 4 on this page) to be deposited in the Animal Agriculture Compliance Fund (473)	\$ <u>500.00</u>
<b>TOTAL DUE:</b>	<b>\$ <u>824.00</u></b>

Make check payable to: Iowa Department of Natural Resources or Iowa DNR; and send it along with the construction application documents (See Submittal Checklist No. 1 or 2, pages 10-15.) Note: Do not send this fee to the county.

ITEM 10

COUNTY VERIFICATION RECEIPT OF DNR CONSTRUCTION PERMIT APPLICATION

This form provides proof that the County Board of Supervisors has been provided with a complete copy of the construction permit application documents (everything except the fees) for the confinement feeding operation or a complete MMP has been provided to the County because manure will be applied in that county:

Applicant: Kyle Janes Telephone: 515-669-1680

Name of operation: Schiller Site

Location: NE SE 03 T89N R22W Alden Hardin (1/4) (1/4) (Section) (Tier & Range) (Name of Township) (County)

Documents being submitted to the county:

- Construction permit application form: submit items 1 to 9 (see Submittal Checklist No. 1 or 2)
Attachment 1 - Aerial photos: Must clearly show the location of the proposed confinement feeding operation structure1 and that all the separation distances are met, including those claimed for points in the master matrix (if applicable).
Attachment 2 - Statement of design certification, submit any of the following (see Checklist No. 1 or 2):
Construction Design Statement form
Professional Engineer (PE) Design Certification form
Engineering report, construction plans and technical specifications
In addition, if proposing an unformed manure storage structure3 or an egg washwater storage structure submit documentation required in Addendum "A" of this construction application form.
Attachment 3 - Manure management plan (MMP).
Attachment 4 - Master Matrix (if required). You must include supporting documents (see Checklist No. 1 or 2)

Revised Documents: Application CDS Matrix MMP Other

THIS SECTION IS RESERVED FOR THE COUNTY

As soon as DNR receives a construction permit application, the DNR will fax your County Auditor a "Courtesy reminder letter" explaining what actions your County Board of Supervisors must complete and the deadlines.

Public Notice is required for all construction permit applications, including those applications not required to be evaluated with the master matrix and applications in counties not participating in the Master matrix.

Counties participating in the master matrix: the county's master matrix evaluation and county's recommendation is required for the following cases:

- A new confinement feeding operation that is applying for a construction permit
An existing confinement feeding operation that was first constructed on or after April 1, 2002 that is applying for a construction permit.
An existing confinement feeding operation that was first constructed prior to April 1, 2002 that is applying for a construction permit with an animal unit capacity (AUC) is 1,667 animal units (AU) or more.

I have read and acknowledge the county's duty with this construction permit application, as specified in 567 IAC 65.10 and Iowa Code 459.304. On behalf of the Board of Supervisors for:

COUNTY: Hardin

NAME: James Deussen

TITLE: Acts Payable (Member of the County Board of Supervisors or its designated official/employee)

Date: Aug 16, 20 21

FILED

AUG 16 2021

HARDIN COUNTY AUDITOR

If you do not receive the courtesy reminder letter within a reasonable time, or if you have any questions, please contact the animal feeding operations (AFO) Program at (712) 262-4177 or visit www.iowaDNR.gov



# Construction Design Statement (CDS)

## Instructions:

- This form is for new or expanding confinement feeding operations with an AUC<sup>1</sup> of more than 500 AU, not required to have a professional engineer (PE)<sup>2</sup>, that are proposing to construct a formed manure storage structure<sup>3</sup>.
- Complete and submit Sections 1, 2 and 3 (pages 1 to 6).
- Complete and submit Section 4 (page 6) only if you are applying for a construction permit and are constructing three or more confinement feeding operation structures<sup>4</sup>.
- Mail only pages 1 to 6, as instructed on page 6 and 7. Do not mail the remainder of this form.
- If the site-specific design is sealed by a PE<sup>2</sup>, do not use this CDS instead use DNR Form 542-8122.

## **Section 1 - Information about the proposed formed manure storage structure<sup>3(s)</sup>**

### **A) Information about the operation:**

Name of operation: Schiller Site Facility ID No.: \_\_\_\_\_

Location: NE SE O3 T89N R22W Alden Hardin

(¼ ¼) (¼) (Section) (Tier & Range) (Name of Township) (County)

- B) Description of the proposed formed manure storage structure<sup>3</sup>.** Include dimensions (length, width, or diameter, depth). Indicate if it is aboveground or belowground; covered or uncovered, made of concrete or steel, address location of pit fans, if applicable, and address water line entry into buildings. If necessary attach more pages:

Two 71' 10" x 277' x 8' deep, below ground, covered, formed concrete manure storage tanks will be built.

No water lines will enter through the concrete manure storage or floors and all pit fans will be mounted on top of concrete pump outs

### **C) Utilizing Rural Water System and Domestic Sewage Disposal**

- The proposed facility will utilize rural water and the providing rural water system has been notified and is aware of the proposed increase in water use.
- I understand that no domestic wastewater (toilets, showers, or sinks) or laundry facilities can be discharged to the manure storage structure.

- D) Aerial photos:** Aerial photos must be submitted that clearly show the location of all existing and proposed confinement feeding operation structures and show at least a one-mile radius around the structures. The photos must either show roads on the north and south or east and west sides of a section (so that a mile distance is apparent), or include a distance scale.

The photo(s) must show that the proposed structures comply with all statutory minimum required separation distances to the objects listed below:

- Residences (not owned by the permit applicant), churches, businesses, schools, public use areas
- Water wells (depends on type)
- Major water sources, wellhead or cistern of an agricultural drainage well or known sinkholes
- Water sources (other than major water sources) and surface intakes of an agricultural drainage well
- Designated wetlands
- Road right-of-way

The separation distance to each of the above objects must be noted with a straight line between the proposed structure(s) and the object. If any of the above objects is not located within one mile from the proposed structures, note the fact on the photo(s) or use additional pages. (Example: "No agricultural drainage wells within one mile.")

All separation distances that are not clearly in excess of the required minimum separation distance must be measured according to 567 IAC 65.11(9) using standard survey methods. Go to the [DNR Fact Sheet Page](#) on our website and select DNR fact sheet "Distance Requirements for Construction" to find the required separation distances. Or, go directly to the [Minimum Separation Distances for Construction or Expansion of Confinement Feeding Operation Structures Form](#). An [example aerial photo](#) can be found on pages 18 to 19 of the AFO Construction Permit Application (DNR Form 542-1428), or at the previously listed link.

<sup>1</sup> To determine the AUC see the 'Manure Storage Indemnity Fee' (Form 542-4021) or the 'Construction Permit Application' (Form 542-1428), or visit <http://www.iowadnr.gov>

<sup>2</sup> PE is a professional engineer licensed in the state of Iowa or a NRCS-Engineer working for the USDA-Natural Resources Conservation Service (NRCS).

<sup>3</sup> Formed manure storage structure means a covered or uncovered concrete or steel tank, including concrete pits below the floor.

<sup>4</sup> Confinement feeding operation structure = A confinement building, a formed or unformed manure storage structure, or an egg washwater storage structure.

**Note:** If a master matrix is required, the photos must also show that the additional separation distances required for any points claimed in matrix criteria one through ten will be met for the objects listed above. Note the additional separation distance by drawing a straight line between the proposed structures and the matrix item.

J) **Karst Determination:** Go to DNR AFO Siting Atlas at <http://programs.iowadnr.gov/maps/af/>. Search for your site by either scrolling into your location or entering an address or legal description in the bottom search bar. Left click on the location of your proposed structure. Make sure the karst layer box is checked on the map layers. If you cannot access the map, or if you have questions about this issue, contact the AFO Engineer at 712-262-4177. Check one of the following:

- The site is not in karst or potential karst. Print and enclose the map with the name and location of the site clearly marked.
- The Siting Atlas has indicated that the site is in karst. The upgraded concrete standards of 567 IAC 65.15(14)"c" must be used. Complete and sign Section 3.H (page 5).


F) **Alluvial Soils Determination:** Go to the AFO Siting Atlas as described above. Make sure the alluvial box is checked on the map layers. If you cannot access the map, or if you have questions about this issue, contact DNR Flood Plain at 866-849-0321. Check one of the following:

- The site is not in alluvial soils. Print and enclose the map with the name and location of the site clearly marked.
- If the site is in alluvial soils contact DNR Flood Plain at 866-849-0321. You will be required to submit a petition for a declaratory order if less than 1000 AU or request a flood plain determination if 1000 AU or greater. After receiving Flood Plain determination, submit one of the following:
  - Include correspondence from the DNR showing the site is not in 100-year flood plain or does not require a Flood Plain permit.
  - Include copy of the Flood Plain permit if a Flood Plain permit is required.

NOTE: You may not be in a flood plain per DNR, however in a County Flood Hazard Area and need a county permit.

**Section 2 - Manure management plan:**

An original manure management plan (MMP) is enclosed with this form, even if a MMP was previously filed.

<i>Lyle Janes</i> Owner's Name (print)	 Owner's Signature	<i>9/14/11</i> Date
---	---	------------------------

**Section 3 - Construction design standards:** The person responsible for constructing the formed manure storage structure(s)<sup>3</sup> must complete Section 3.

A) **Liquid and semi-liquid manure:** The proposed formed manure storage structure<sup>3</sup> will be (check one):

- A.1  A non-circular concrete tank, belowground, with walls laterally braced or below the building concrete pit designed according to 567 IAC Chapter 65, Appendix D.
- A.2  A non-circular concrete tank, belowground, walls designed according to MidWest Plan Service (MWPS), publication MWPS-36. Include design calculations.
- A.3  A circular concrete tank, walls designed according to MidWest Plan Service (MWPS), publication MWPS TR-9. Include design calculations.
- A.4  Will be made of steel, constructed aboveground according to the manufacturer's recommendations.

B) **Dry manure:** The proposed formed manure storage structure<sup>3</sup> will be (check one):

- B.1  An aboveground concrete tank, with walls designed according to MWPS-36. Include design calculations.
- B.2  Will be made of steel, constructed aboveground according to the manufacturer's recommendations.
- B.3  Will be a belowground or partially belowground concrete tank, with walls laterally braced designed according to 567 IAC Chapter 65, Appendix D or MWPS-36. Include design calculations.



C) **Details of the proposed design:** Submit an additional completed copy of this page 3 for each formed manure storage structure<sup>3</sup> that have different dimensions. Complete all of the following information:

Number of buildings: two Building name: swine finisher

Dimensions of proposed formed manure storage structure<sup>3</sup>

	Length	Width	Height or depth	Wall thickness	Diameter (circular tanks only)
Feet	277	71	8	0	N/A
Inches		10		8	N/A

To determine the appropriate vertical steel in walls, first check one of the following boxes (must check one):

- a.  To use Tables D-1 and D-2 (on pages 7-8), backfilling of walls shall be performed with gravel, sand, silt, and clay mixtures (less than 50 percent fines), with coarse sand with silt or clay (less than 50 percent fines), or cleaner granular material (see page 9 for the unified soils classification). You will need to submit a copy of a USDA soil survey map with the proposed location of the formed manure storage structures<sup>3</sup> clearly marked showing the unified soil classification; or a statement signed by a qualified organization or NRCS staff.
- b.  Use Tables D-3 and D-4 (on pages 8-9) if backfilling of walls will be performed with soils that are unknown or with low plasticity silts and clays with some sand or gravel (50 percent or more fines); or fine sands with silt or clay (less than 50 percent fines); or low to medium plasticity silts and clays with little sand or gravel (50 percent or more fines); or high plasticity silts and clays (see page 9 for unified soils classification). You must use Tables D-3 and D-4 if you do not submit the soils information requested in box "a", above.

Maximum spacing of steel, in inches

Description of reinforcing steel in walls	Proposed vertical steel in walls [see boxes "a" and "b", above]				Proposed horizontal steel in walls (use Table D-5)
	Walls where vehicles are <b>not</b> allowed within 5 feet (use Table D-1) <sup>a</sup>	All walls with pumpout ports and walls where vehicles are allowed within 5 feet (use Table D-2) <sup>a</sup>	Walls where vehicles are <b>not</b> allowed within 5 feet (use Table D-3) <sup>b</sup>	All walls with pumpout ports and walls where vehicles are allowed within 5 feet (use Table D-4) <sup>b</sup>	
Grade 40, No. 4					
Grade 40, No. 5					
Grade 60, No. 4			10	9	12
Grade 60, No. 5					

D) **Aboveground tanks or partially aboveground tanks:** Liquid and semi-liquid manure (check the following box):

- If the proposed tank is to be constructed **aboveground or partially aboveground** and will have an external outlet or inlet below the liquid level, the tank will also be constructed according to the 567 IAC 65.15(20).

E) **Steel Tanks:** Certification that the tank will be constructed according to the tank manufacturer's specifications:

Name of tank manufacturer company: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

Fax: \_\_\_\_\_

F) **Additional construction design standards:**

To determine the additional requirements set forth in 567 IAC 65.15(14) that would apply to the proposed formed manure storage structure<sup>3</sup>, check any of the following 3 boxes based on the information entered on Sections 3.A or 3.B (page 2):

- If you checked boxes A.1, A.2, A.3 or B.3 (on page 2) **all** of the following 15 additional requirements apply. Complete the numbered items 1 to 15 (below).
- If you checked box B.1 (on page 2), only the requirements of numbered items 1, 3, 4, 5, 6, 8 and 12 apply and need to check those boxes (below).
- If you checked boxes A.4 or B.2 (on page 2) and the steel tank will have a concrete floor, only the requirements of numbered items 1, 2, 3, 4, 5, 8, 9, 12, apply and need to check those boxes (below).

**Additional Requirements that will be followed during construction of the formed manure storage structure(s)<sup>3</sup>:**

1. Site preparation (check the following box):
  - The finished subgrade of a formed manure storage structure shall be graded and compacted to provide a uniform and level base and shall be free of vegetation, manure and debris. For the purpose of this subrule, "uniform" means a finished subgrade with similar soils.
  
2. Groundwater separation requirements (check one of the following boxes):
  - When the groundwater table, as determined in 65.15(7)"c," is above the bottom of the formed structure, a drain tile shall be installed along the footings to artificially lower the groundwater table pursuant to 65.15(7)"b"(2). The drain tile shall be placed within 3 feet of the footings as indicated in Appendix D, Figure D-1, at the end of this chapter and shall be covered with a minimum of 2 inches of gravel, granular material, fabric or a combination of these materials to prevent plugging the drain tile. A device to allow monitoring of the water in the drainage tile lines installed to lower the groundwater table and a device to allow shutoff of the drainage tile lines shall be installed if the drainage tile lines do not have a surface outlet accessible on the property where the formed manure storage structure is located. **Perimeter tiles must be tied into existing tile, day light, or have an operating sump pump installed in tile riser. Perimeter tiles CANNOT dead end at riser or monitoring port.**
  
  - In lieu of the drain tile, a certification signed by a PE<sup>2</sup>, a groundwater professional certified pursuant to 567 Chapter 134, or a qualified staff from NRCS, is being submitted indicating that the groundwater elevation, according to 65.15(7)"c", is below the bottom of the formed structure.
  
3. Minimum as-placed concrete compressive strength (check the following box):
  - All concrete shall have the following minimum as-placed compressive strengths and shall meet American Society for Testing and Materials (ASTM) standard ASTM C 94: 4,000 pounds per square inch (psi) for walls, floors, beams, columns and pumpouts and 3,000 psi for the footings. The average concrete strength by testing shall not be below design strength. No single test result shall be more than 500 psi less than the minimum compressive strength.
  
4. Cement and aggregates specifications (check the following box):
  - Cementitious materials shall consist of Portland cement conforming to ASTM C 150. Aggregates shall conform to ASTM C 33. Blended cements in conformance with ASTM C 595 are allowed only for concrete placed between March 15 and October 15. Portland-pozzolan cement or Portland blast furnace slag blended cements shall contain at least 75 percent, by mass, of Portland cement.
  
5. Concrete consolidation and vibration requirements (check the following box):
  - All concrete placed for walls shall be consolidated or vibrated, by manual or mechanical means, or a combination, in a manner which meets ACI 309.
  
6. Minimum rebar specifications: (check the following box):
  - All rebar used shall be a minimum of grade 40 steel. All rebar, with the exception of rebar dowels connecting the walls to the floor or footings, shall be secured and tied in place prior to the placing of concrete.
  
7. Wall reinforcement placement specifications (check the following box):
  - All wall reinforcement shall be placed so as to have a rebar cover of 2 inches from the inside face of the wall for a belowground manure storage structure. Vertical wall reinforcement should be placed closest to the inside face. Rebar placement shall not exceed tolerances specified in ACI 318.
  
8. Minimum floor specifications. Complete part a) and b):
  - a) Floor thickness requirements (check the following box):
    - The floor slab shall be a minimum of 5 inches thick. Nondestructive methods to verify the floor slab thickness may be required by the department. The results shall indicate that at least 95 percent of the floor slab area meets the minimum required thickness. In no case shall the floor slab thickness be less than 4½ inches.
  
  - b) The floor slab reinforcement shall be located in the middle of the thickness of the floor slab (check one of the following boxes):
    - Formed manure storage structures with a depth of 4 feet or more shall have primary reinforcement consisting of a minimum of #4 rebar placed a maximum of 18 inches on center in each direction placed in a single mat.
  
    - Formed manure storage structure with a depth less than 4 feet shall have shrinkage reinforcement consisting of a minimum of 6 × 6-W1.4 × W1.4 welded wire fabric.

9. Minimum footing specifications (check the following box):  
 The footing or the area where the floor comes in contact with the walls and columns shall have a thickness equal to the wall thickness, but in no case be less than 8 inches, and the width shall be at least twice the thickness of the footing. All exterior walls shall have footings below the frostline. Tolerances shall not exceed  $-\frac{1}{2}$  inch of the minimum footing dimensions.

10. Requirement to connect walls to footings (check one of the following boxes):  
 The vertical steel of all walls shall be extended into the footing, and be bent at 90°, OR  
 A separate dowel shall be installed as a #4 rebar that is bent at 90° with at least 20 inches of rebar in the wall and extended into the footing within 3 inches of the bottom of the footing and extended at least 3 inches horizontally, as indicated in Appendix D, Figure D-1 (page 10). Dowel spacing (bend or extended) shall be the same as the spacing for the vertical rebar.  
 As an alternative to the 90° bend, the dowel may be extended at least 12 inches into the footing, with a minimum concrete cover of 3 inches at the bottom, as indicated in Appendix D, Figure D-1 (page 10). Dowel spacing (bend or extended) shall be the same as the spacing for the vertical rebar.  
 In lieu of dowels, mechanical means or alternate methods may be used as anchorage of interior walls to footings. Please submit structural calculations and details of this proposal.

11. Concrete forms specifications (check the following box):  
 All walls shall be formed with rigid forming systems and shall not be earth-formed. Form ties shall be non-removable.

12. Curing of concrete requirements (check the following box):  
 All concrete shall be cured for at least seven days after placing, in a manner which meets ACI 308, by maintaining adequate moisture or preventing evaporation. Proper curing shall be done by ponding, spraying or fogging water; or by using a curing compound that meets ASTM C 309; or by using wet burlap, plastic sheets or similar materials.

13. Construction joints and waterstops specifications (check the following box):  
 All construction joints in exterior walls shall be constructed to prevent discontinuity of steel and have properly spliced rebar placed through the joint. Waterstops shall be installed in all areas where fresh concrete will meet hardened concrete as indicated in Appendix D, Figures D-1 and D-2, at the end of this chapter. The waterstops shall be made of plastic, rolled bentonite or similar materials approved by the department.

14. Backfilling of walls specifications (check the following box):  
 Backfilling of the walls shall not start until the floor slats or permanent bracing have been installed. Backfilling shall be performed with material free of vegetation, large rocks or debris.

15. Additional design requirements (check the following box, if applicable):  
 A formed manure storage structure with a depth greater than 12 feet shall be designed by a PE or an NRCS engineer.

G) Construction Certification: The person responsible for constructing the formed manure storage structure<sup>3</sup> must sign this page. Any change(s) to the specifications of the formed manure storage structure must be first approved by DNR:

"I hereby certify that I have read and understand the minimum design and construction standards of Iowa Code chapter 459, Subchapter III, and the 567 Iowa Administrative Code (IAC) 65.15(14) "Minimum concrete standards" or 567 IAC 65 (if other than concrete)." The proposed formed manure storage structure(s)<sup>3</sup> at the operation:

Name of operation: Schiller Site County: Hardin


Owner's name: Kyle Janes

will be constructed in accordance with these minimum requirements. Included with this certification are:

Page 1-3, for each formed manure storage structure<sup>3</sup> that have different dimensions

Pages 4 to 6 (applicable sections)

Other documents (specify): \_\_\_\_\_

<u>Brent V Rastetter</u> (Print name)	 (Signature)	<u>8/6/21</u> (Date)
<u>Quality Ag, Inc.</u> (Company)	<u>15481 Hwy D20, Alden, IA 50006</u> (Address)	<u>515-859-7824 ext. 11</u> (Phone No.)

(See page 7 for mailing instructions)

# Schiller Site

## Site Placement



- No Well within 100'
- No Public Use within 4001'
- No Wetlands within 4001'
- No HQ & Protected Water within 2000'

Date: 8/5/21  
 Site  
 Harwin County, IA  
 Section 03, T89N, R22W

Grower : Schiller Site  
 Farm : Site Placement  
 Field : Distance




Distance to Well (ft) 364	Distance Between Barns (ft) 86
Distance to Fence (ft) 500 755	Drive Dimensions (ft) 138 307
Composter	Drive
500ft Water Buffer	Feature ID Site



# Schiller Site

## Site Placement



No Well within 100'  
 No Public Use within 4001'  
 No Wetlands within 4001'  
 No HQ & Protected Water within 2000'

Date: 8/5/21  
 Site  
 Harwin County, IA  
 Section 03, T89N, R22W

Grower : Schiller Site  
 Farm : Site Placement  
 Field : Distance



Distance to CAFO (ft)	Distance to Water (ft)
4660	3693
2525	
4755	
4617	
Distance to Residence (ft)	Distance to Major Water (ft)
4285	4911
3724	
3740	
5080	
4567	
4462	
4260	
2216	
	1 Mile Buffer
	■
	Feature ID
	■ Site





Map of Iowa showing AFO Siting Data

Map layers Legend

- AFO Siting Data
  - Sinkholes (Year added to Atlas)
    - 2006
    - 2010
    - 2018
    - 2021
  - Sinkhole or Potential Karst
  - Sinkhole w/ 1000 ft radius
  - Karst and Potential Karst
  - Ag Drainage Well
  - Wells
    - Public Water Supply Well
    - IGS GeoSam Well
    - Water Use Well
    - Private Well Tracking System
    - Agricultural Drainage Well
    - County or Test Well
    - Plugged Well
  - Animal Feeding Operation
    - Active, Confined/Open
    - Active, Confinement
    - Active, Open Feedlot
    - Inactive
  - Public Drainage Infrastructure
  - Drainage Districts





# Natione' Flood Hazard Layer FIRMette

93°25'39"W 42°33'7"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

**SPECIAL FLOOD HAZARD AREAS**

- Without Base Flood Elevation (BFE)  
*Zone A, V, A99*
- With BFE or Depth  
*Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

**OTHER AREAS OF FLOOD HAZARD**

- 0.2% Annual Chance Flood Hazard, Area of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *(Zone X)*
- Future Conditions 1% Annual Chance Flood Hazard *(Zone X)*
- Area with Reduced Flood Risk due to Levee. See Notes. *(Zone V)*
- Area with Flood Risk due to Levee *(Zone P)*

**OTHER AREAS**

- NO SCREEN
- Area of Minimal Flood Hazard *(Zone K)*
- Effective LOMRS
- Area of Undetermined Flood Hazard *(Zone K)*

**GENERAL STRUCTURES**

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

**OTHER FEATURES**

- Cross Sections with 1% Annual Chance
- Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

**MAP PANELS**

- Digital Data Available
- No Digital Data Available
- Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/12/2021 at 11:56 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



93°25'1"W 42°32'40"N

## APPENDIX C MASTER MATRIX

### Proposed Site Characteristics

The following scoring criteria apply to the site of the proposed confinement feeding operation. Mark one score under each criterion selected by the applicant. The proposed site must obtain a minimum overall score of 440 and a score of 53.38 in the "air" subcategory, a score of 67.75 in the "water" subcategory and a score of 101.13 in the "community impacts" subcategory.

- Additional separation distance, above minimum requirements, from proposed confinement structure to the closest:

- \* Residence not owned by the owner of the confinement feeding operation,
- \* Hospital,
- \* Nursing home, or
- \* Licensed or registered child care facility.

*2216-1875 = 341'*

	Score	Air	Water	Community
250 feet to 500 feet	25	16.25		8.75
501 feet to 750 feet	45	29.25		17.50
751 feet to 1,000 feet	65	42.25		22.75
1,001 feet to 1,250 feet	85	55.25		29.75
1,251 feet or more	100	65.00		35.00

- Refer to the construction permit application package to determine the animal unit capacity (or animal weight capacity if an expansion) of the proposed confinement feeding operation. Then refer to Table 6 of 567--Chapter 65 to determine minimum required separation distances.
- The department will award points only for the single building, of the four listed above, closest to the proposed confinement feeding operation.
- "Licensed child care center" – a facility licensed by the department of human services providing child care or preschool services for seven or more children, except when the facility is registered as a child care home.
- "Registered child development homes" - child care providers certify that they comply with rules adopted by the department of human services. This process is voluntary for providers caring for five or fewer children and mandatory for providers caring for six or more children.
- A full listing of licensed and registered child care facilities is available at county offices of the department of human services.

- Additional separation distance, above minimum requirements, from proposed confinement structure to the closest public use area.

*1501 + 2500 = none within 4001'*

	Score	Air	Water	Community
250 feet to 500 feet	5	2.00		3.00
501 feet to 750 feet	10	4.00		6.00
751 feet to 1,000 feet	15	6.00		9.00
1,001 feet to 1,250 feet	20	8.00		12.00
1,251 feet to 1,500	25	10.00		15.00
1,501 feet or more	30	12.00		18.00

- Refer to the construction permit application package to determine the animal unit capacity (or animal weight capacity if an expansion) of the proposed confinement feeding operation. Then refer to Table 6 of 567--Chapter 65 to determine minimum required separation distances.
- "Public use area" - a portion of land owned by the United States, the state, or a political subdivision with facilities which attract the public to congregate and remain in the area for significant periods of time. Facilities include, but are not limited to, picnic grounds, campgrounds, cemeteries, lodges, shelter houses, playground equipment, lakes as listed in Table 2 of 567--Chapter 65, and swimming beaches. It does not include a highway, road right-of-way, parking areas, recreational trails or other areas where the public passes through, but does not congregate or remain in the area for significant periods of time.



3. Additional separation distance, above minimum requirements, from proposed confinement structure to the closest:

- \* Educational institution,
- \* Religious institution, or
- \* Commercial enterprise.

$1501 + 1875 = \text{None within } 3376'$

	Score	Air	Water	Community
250 feet to 500 feet	5	2.00		3.00
501 feet to 750 feet	10	4.00		6.00
751 feet to 1,000 feet	15	6.00		9.00
1,001 feet to 1,250 feet	20	8.00		12.00
1,251 feet to 1,500	25	10.00		15.00
1,501 feet or more	30	12.00		18.00

- (A) Refer to the construction permit application package to determine the animal unit capacity (or animal weight capacity if an expansion) of the proposed confinement feeding operation. Then refer to Table 6 of 567--Chapter 65 to determine minimum required separation distances.
- (B) The department will award points only for the single building, of the three listed above, closest to the proposed confinement feeding operation.
- (C) "Educational institution" - a building in which an organized course of study or training is offered to students enrolled in kindergarten through grade 12 and served by local school districts, accredited or approved nonpublic schools, area educational agencies, community colleges, institutions of higher education under the control of the state board of regents, and accredited independent colleges and universities.
- (D) "Religious institution" - a building in which an active congregation is devoted to worship.
- (E) "Commercial enterprise" - a building which is used as a part of a business that manufactures goods, delivers services, or sells goods or services, which is customarily and regularly used by the general public during the entire calendar year and which is connected to electric, water, and sewer systems. A commercial enterprise does not include a farm operation.

4. Additional separation distance, above minimum requirement of 500 feet, from proposed confinement structure to the closest water source.

$3693 - 500 = 3193'$

	Score	Air	Water	Community
250 feet to 500 feet	5		5.00	
501 feet to 750 feet	10		10.00	
751 feet to 1,000 feet	15		15.00	
1,001 feet to 1,250 feet	20		20.00	
1,251 feet to 1,500	25		25.00	
1,501 feet or more	30		30.00	

"Water source" - a lake, river, reservoir, creek, stream, ditch, or other body of water or channel having definite banks and a bed with water flow, except lakes or ponds without an outlet to which only one landowner is riparian.

5. Separation distance of 300 feet or more from the proposed confinement structure to the nearest thoroughfare.

	Score	Air	Water	Community
300 feet or more	30	9.00		21.00

- (A) "Thoroughfare" - a road, street, bridge, or highway open to the public and constructed or maintained by the state or a political subdivision.
- (B) The 300-foot distance includes the 100-foot minimum setback plus additional 200 feet.

6. Additional separation distance, above minimum requirements, from proposed confinement structure to the closest critical public area.

$500 + 2500 = \text{None within } 3000'$

	Score	Air	Water	Community
500 feet or more	10	4.00		6.00

- (A) All critical public areas as defined in 567--65.1(455B), are public use areas, and therefore subject to public use area minimum separation distances.
- (B) Refer to the construction permit application package to determine the animal unit capacity (or animal weight capacity if an expansion) of the proposed confinement feeding operation. Then refer to Table 6 of 567--Chapter 65 to determine minimum required separation distance.

7. Proposed confinement structure is at least two times the minimum required separation distance from all private and public water wells.

	Score	Air	Water	Community
Two times the minimum separation distance	30		24.00	6.00

Refer to Table 6 of 567--Chapter 65 for minimum required separation distances to wells.

8. Additional separation distance, above the minimum requirement of 1,000 feet, from proposed confinement structure to the closest:

- \* Agricultural drainage well,
- \* Known sinkhole, or
- \* Major water source.

*4911 - 1000 = 3911'*

	Score	Air	Water	Community
250 feet to 500 feet	5	0.50	2.50	2.00
501 feet to 750 feet	10	1.00	5.00	4.00
751 feet to 1,000 feet	15	1.50	7.50	6.00
1,001 feet to 1,250 feet	20	2.00	10.00	8.00
1,251 feet to 1,500 feet	25	2.50	12.50	10.00
1,501 feet to 1,750 feet	30	3.00	15.00	12.00
1,751 feet to 2,000 feet	35	3.50	17.50	14.00
2,001 feet to 2,250 feet	40	4.00	20.00	16.00
2,251 feet to 2,500 feet	45	4.50	22.50	18.00
2,501 feet or more	50	5.00	25.00	20.00

(A) The department will award points only for the single item, of the three listed above, that is closest to the proposed confinement feeding operation.

(B) "Agricultural drainage wells" - include surface intakes, cisterns and wellheads of agricultural drainage wells.

(C) "Major water source" - a lake, reservoir, river or stream located within the territorial limits of the state, or any marginal river area adjacent to the state which can support a floating vessel capable of carrying one or more persons during a total of a six-month period in one out of ten years, excluding periods of flooding. Major water sources in the state are listed in Tables 1 and 2 in 567--Chapter 65.

9. Distance between the proposed confinement structure and the nearest confinement facility that has a submitted department manure management plan.

	Score	Air	Water	Community
Three-quarter of a mile or more (3,960 feet)	25	7.50	7.50	10.00

Confinement facilities include swine, poultry, and dairy and beef cattle.

10. Separation distance from proposed confinement structure to closest:

- \* High quality (HQ) waters,
- \* High quality resource (HQR) waters, or
- \* Protected water areas (PWA)

is at least two times the minimum required separation distance

*1000 x 2 = None within 2000'*

	Score	Air	Water	Community
Two times the minimum separation distance	30		22.50	7.50

(A) The department will award points only for the single item, of the three listed above, closest to the proposed confinement feeding operation.

(B) HQ waters are identified in 567--Chapter 61.

(C) HQR waters are identified in 567--Chapter 61.

(D) A listing of PWAs is available at:

<http://www.iowadnr.gov/Recreation/CanoeingKayaking/StreamCare/ProtectedWaterAreas.aspx>

11. Air quality modeling results demonstrating an annoyance level less than 2 percent of the time for residences within two times the minimum separation distance.

	Score	Air	Water	Community
University of Minnesota OFFSET model results demonstrating an annoyance level less than 2 percent of the time	10	6.00		4.00e

(A) OFFSET can be found at

<http://www.extension.umn.edu/agriculture/manure-management-and-air-quality/feedlots-and-manure-storage/offset-odor-from-feedlots/>. For more information, contact Dr. Larry Jacobson, University of Minnesota, (612) 625-8288, [jacob007@tc.umn.edu](mailto:jacob007@tc.umn.edu).

(B) A residence that has a signed waiver for the minimum separation distance cannot be included in the model. (C) Only the OFFSET model is acceptable until the department recognizes other air quality models

12. Liquid manure storage structure is covered.

	Score	Air	Water	Community
Covered liquid manure storage	30	27.00		3.00

- (A) "Covered" - organic or inorganic material, placed upon an animal feeding operation structure used to store manure, which significantly reduces the exchange of gases between the stored manure and the outside air. Organic materials include, but are not limited to, a layer of chopped straw, other crop residue, or a naturally occurring crust on the surface of the stored manure. Inorganic materials include, but are not limited to, wood, steel, aluminum, rubber, plastic, or Styrofoam. The materials shall shield at least 90 percent of the surface area of the stored manure from the outside air. Cover shall include an organic or inorganic material which current scientific research shows reduces detectable odor by at least 75 percent. A formed manure storage structure directly beneath a floor where animals are housed in a confinement feeding operation is deemed to be covered.
- (B) The design, operation and maintenance plan for the manure cover must be in the construction permit application and made a condition in the approved construction permit.

13. Construction permit application contains design, construction, operation and maintenance plan for emergency containment area at manure storage structure pump-out area.

	Score	Air	Water	Community
Emergency containment area	20		18.00	2.00

- (A) The emergency containment area must be able to contain at least 5 percent of the total volume capacity of the manure storage structure.
- (B) The emergency containment area must be constructed on soils that are fine-grained and have low permeability.
- (C) If manure is spilled into the emergency containment area, the spill must be reported to the department within six hours of onset or discovery.
- (D) The design, construction, operation and maintenance plan for the emergency containment area must be in the construction permit application and made a condition in the approved construction permit.

14. Installation of a filter(s) designed to reduce odors from confinement building(s) exhaust fan(s).

	Score	Air	Water	Community
Installation of filter(s)	10	8.00		2.00

The design, operation and maintenance plan for the filter(s) must be in the construction permit application and made a condition in the approved construction permit.

15. Utilization of landscaping around confinement structure.

	Score	Air	Water	Community
Utilization of Landscaping	20	10.00		10.00

The design, operation and maintenance plan for the landscaping must be in the construction permit application and made a condition in the approved construction permit. The design should contain at least three rows of trees and shrubs, of both fast and slow-growing species that are well suited for the site.

16. Enhancement, above minimum requirements, of structures used in stockpiling and composting activities, such as an impermeable pad and a roof or cover.

	Score	Air	Water	Community
Stockpile and compost facility enhancements	30	9.00	18.00	3.00

- (A) The design, operation and maintenance plan for the stockpile or compost structure enhancements must be in the construction permit application and made a condition in the approved construction permit.
- (B) The stockpile or compost structures must be located on land adjacent or contiguous to the confinement building.

17. Proposed manure storage structure is formed

	Score	Air	Water	Community
Formed manure storage structure	30		27.00	3.00

- (A) "Formed manure storage structure" -a covered or uncovered impoundment used to store manure from an animal feeding operation, which has walls and a floor constructed of concrete, concrete block, wood, steel, or similar materials. Similar materials may include, but are not limited to, plastic, rubber, fiberglass, or other synthetic materials. Materials used in a formed manure storage structure shall have the structural integrity to withstand expected internal and external load pressures.
- (B) The design, operation and maintenance plan for the formed manure storage structure must be in the construction permit application and made a condition in the approved construction permit.

18. Manure storage structure is aerated to meet departmental standards as an aerobic structure, if aeration is not already required by the department.

	Score	Air	Water	Community
Aerated manure storage structure	10	8.00		2.00

- (A) Aerobic structure - an animal feeding operation structure other than an egg wash water storage structure which relies on aerobic bacterial action which is maintained by the utilization of air or oxygen and which includes aeration equipment to digest organic matter. Aeration equipment shall be used and shall be capable of providing oxygen at a rate sufficient to maintain an average of 2 milligrams per liter dissolved oxygen concentration in the upper 30 percent of the depth of manure in the structure at all times.
- (B) The design, operation and maintenance plan for the aeration equipment must be in the construction permit application and made a condition in the approved construction permit.

19. Proposed confinement site has a suitable truck turnaround area so that semitrailers do not have to back into the facility from the road

	Score	Air	Water	Community
Truck turnaround	20			20.00

- (A) The design, operation and maintenance plan for the truck turn around area must be in the construction permit application and made a condition in the approved construction permit.
- (B) The turnaround area should be at least 120 feet in diameter and be adequately surfaced for traffic in inclement weather.

20. Construction permit applicant's animal feeding operation environmental and worker protection violation history for the last five years at all facilities in which the applicant has an interest.

	Score	Air	Water	Community
No history of Administrative Orders in last five years	30			30.00

- (A) "Interest" - means ownership of a confinement feeding operation as a sole proprietor or a 10 percent or more ownership interest held by a person in a confinement feeding operation as a joint tenant, tenant in common, shareholder, partner, member, beneficiary or other equity interest holder. Ownership interest is an interest when it is held either directly, indirectly through a spouse or dependent child, or both.
- (B) An environmental violation is a final Administrative Order (AO) from the department of natural resources or final court ruling against the construction permit applicant for environmental violations related to an animal feeding operation. A Notice of Violation (NOV) does not constitute a violation.

21. Construction permit applicant waives the right to claim a Pollution Control Tax Exemption for the life of the proposed confinement feeding operation structure.

	Score	Air	Water	Community
Permanent waiver of Pollution Control Tax Exemption	5			5.00

- (A) Waiver of Pollution Control Tax Exemption is limited to the proposed structure(s) in the construction permit application.
- (B) The department and county assessor will maintain a record of this waiver, and it must be in the construction permit application and made a condition in the approved construction permit.

22. Construction permit applicant can lawfully claim a Homestead Tax Exemption on the site where the proposed confinement structure is to be constructed

- OR -

the construction permit applicant is the closest resident to the proposed confinement structure.

	Score	Air	Water	Community
Site qualifies for Homestead Tax Exemption or permit applicant is closest resident to proposed structure	25			25.00

- (A) Proof of Homestead Tax Exemption is required as part of the construction permit application.
- (B) Applicant includes persons who have ownership interests. "Interest" - means ownership of a confinement feeding operation as a sole proprietor or a 10 percent or more ownership interest held by a person in a confinement feeding operation as a joint tenant, tenant in common, shareholder, partner, member, beneficiary or other equity interest holder. Ownership interest is an interest when it is held either directly, indirectly through a spouse or dependent child, or both.

23. Construction permit applicant can lawfully claim a Family Farm Tax Credit for agricultural land where the proposed confinement feeding operation is to be located pursuant to Iowa Code chapter 425A.

	Score	Air	Water	Community
Family Farm Tax Credit qualification	25			25.00

Applicant includes persons who have ownership interests. "Interest" - means ownership of a confinement feeding operation as a sole proprietor or a 10 percent or more ownership interest held by a person in a confinement feeding operation as a joint tenant, tenant in common, shareholder, partner, member, beneficiary or other equity interest holder. Ownership interest is an interest when it is held either directly, indirectly through a spouse or dependent child, or both.

24. Facility size.

$5400 \times .4 = 2160 \text{ AU}$

	Score	Air	Water	Community
1 to 2,000 animal unit capacity	20			20.00
2,001 to 3,000 animal unit capacity	10			10.00
3,001 animal unit capacity or more	0			0.00

- (A) Refer to the construction permit application package to determine the animal unit capacity of the proposed confinement structure at the completion of construction.
- (B) If the proposed structure is part of an expansion, animal unit capacity (or animal weight capacity) must include all animals confined in adjacent confinement structures.
- (C) Two or more animal feeding operations under common ownership or management are deemed to be a single animal feeding operation if they are adjacent or utilize a common area or system for manure disposal. In addition, for purposes of determining whether two or more confinement feeding operations are adjacent, all of the following must apply:
- (a) At least one confinement feeding operation structure must be constructed on and after May 21, 1998.
  - (b) A confinement feeding operation structure which is part of one confinement feeding operation is separated by less than a minimum required distance from a confinement feeding operation structure which is part of the other confinement feeding operation. The minimum required distance shall be as follows:
    - (1) 1,250 feet for confinement feeding operations having a combined animal unit capacity of less than 1,000 animal units.
    - (2) 2,500 feet for confinement feeding operations having a combined animal unit capacity of 1,000 animal units or more.

25. Construction permit application includes livestock feeding and watering systems that significantly reduce manure volume.

	Score	Air	Water	Community
Wet/dry feeders or other feeding and watering systems that significantly reduce manure volume	25		12.50	12.50

The design, operation and maintenance plan for the feeding system must be in the construction permit application and made a condition in the approved construction permit.

### Proposed Site Operation and Manure Management Practices

The following scoring criteria apply to the operation and manure management characteristics of the proposed confinement feeding operation. Mark one score under each criterion that best reflects the characteristics of the submitted manure management plan.

26. Liquid or dry manure (choose only one subsection from subsections "a" - "e" and mark one score in that subsection).

		Score	Air	Water	Community
a.	Bulk dry manure is sold under Iowa Code Chapter 200A and surface-applied	15		15.00	
	Bulk dry manure is sold under Iowa Code Chapter 200A and incorporated on the same date it is land-applied	30	12.00	12.00	6.00
b.	Dry manure is composted and land-applied under the requirements of an approved department manure management plan	10	4.00	4.00	2.00
	Dry manure is composted and sold so that no manure is applied under the requirements of an approved department manure management plan	30	12.00	12.00	6.00
c.	Methane digester is used to generate energy from manure and remaining manure is surface-applied under the requirements of an approved department manure management plan	10	3.00	3.00	4.00
	After methane digestion is complete, manure is injected or incorporated on the same date it is land-applied under the requirements of an approved department manure management plan	30	12.00	12.00	6.00
d.	Dry manure is completely burned to generate energy and no remaining manure is applied under the requirements of an approved department manure management plan	30	9.00	9.00	12.00
	Some dry manure is burned to generate energy, but remaining manure is land-applied and incorporated on the same date it is land applied	30	12.00	12.00	6.00
e.	Injection or incorporation of manure on the same date it is land-applied	30	12.00	12.00	6.00

- (A) Choose only ONE line from subsection "a", "b," "c," "d," or "e" above and mark only one score in that subsection.
- (B) The injection or incorporation of manure must be in the construction permit application and made a condition in the approved construction permit.
- (C) If an emergency arises and injection or incorporation is not feasible, prior to land application of manure the applicant must receive a written approval for an emergency waiver from a department field office to surface-apply manure.
- (D) Requirements pertaining to the sale of bulk dry manure under pursuant to Iowa Code chapter 200A must be incorporated into the construction permit application and made a condition of the approved construction permit.
- (E) The design, operation and maintenance plan for utilization of manure as an energy source must be in the construction permit application and made a condition in the approved construction permit.
- (F) The design, operation and maintenance plan for composting facilities must be in the construction permit application and made a condition in the approved construction permit.

27. Land application of manure is based on a two-year crop rotation phosphorus uptake level.

	Score	Air	Water	Community
Two-year phosphorus crop uptake application rate	10		10.00	

- (A) Land application of manure cannot exceed phosphorus crop usage levels for a two-year crop rotation cycle.
- (B) The phosphorus uptake application rates must be in the construction permit application and made a condition in the approved construction permit.

28. Land application of manure to farmland that has USDA Natural Resources Conservation Service (NRCS) approved buffer strips contiguous to all water sources traversing or adjacent to the fields listed in the manure management plan.

	Score	Air	Water	Community
Manure application on farmland with buffer strips	10		8.00	2.00

- (A) The department may request NRCS maintenance agreements to ensure proper design, installation and maintenance of filter strips. If a filter strip is present but not designed by NRCS, it must meet NRCS standard specifications.
- (B) The application field does not need to be owned by the confinement facility owner to receive points.
- (C) On current and future manure management plans, the requirement for buffer strips on all land application areas must be in the construction permit application and made a condition in the approved construction permit.

29. Land application of manure does not occur on highly erodible land (HEL), as classified by the USDA NRCS.

	Score	Air	Water	Community
No manure application on HEL farmland	10		10.00	

Manure application on non-HEL farmland must be in the construction permit application and made a condition in the approved construction permit.

30. Additional separation distance, above minimum requirements (0 or 750 feet, see below), for the land application of manure to the closest:

- \* Residence not owned by the owner of the confinement feeding operation,
- \* Hospital,
- \* Nursing home, or
- \* Licensed or registered child care facility.

	Score	Air	Water	Community
Additional separation distance of 200 feet	5	3.25		1.75
Additional separation distance of 500 feet	10	6.50		3.50

- (A) The department will award points only for the single building, of the four listed above, closest to the proposed confinement feeding operation.
- (B) Minimum separation distance for land application of manure injected or incorporated on the same date as application: 0 feet.
- (C) Minimum separation distance for land application of manure broadcast on soil surface: 750 feet.
- (D) The additional separation distances must be in the construction permit application and made a condition in the approved construction permit.
- (E) "Licensed child care center" – a facility licensed by the department of human services providing child care or preschool services for seven or more children, except when the facility is registered as a child care home.
- (F) "Registered child development homes" - child care providers certify that they comply with rules adopted by the department of human services. This process is voluntary for providers caring for five or fewer children and mandatory for providers caring for six or more children.
- (G) A full listing of licensed and registered child care facilities is available at county offices of the Department of Human Services

31. Additional separation distance, above minimum requirements (0 or 750 feet, see below), for land application of manure to closest public use area.

	Score	Air	Water	Community
Additional separation distance of 200 feet	5	2.00		3.00

- (A) "Public use area" - a portion of land owned by the United States, the state, or a political subdivision with facilities which attract the public to congregate and remain in the area for significant periods of time. Facilities include, but are not limited to, picnic grounds, campgrounds, cemeteries, lodges, shelter houses, playground equipment, lakes as listed in Table 2 in 567--Chapter 65, and swimming beaches. It does not include a highway, road right-of-way, parking areas, recreational trails or other areas where the public passes through, but does not congregate or remain in the area for significant periods of time.
- (B) Minimum separation distance for land application of manure injected or incorporated on the same date as application: 0 feet.
- (C) Minimum separation distance for land application of manure broadcast on soil surface: 750 feet.
- (D) The additional separation distances must be in the construction permit application and made a condition in the approved construction permit.



32. Additional separation distance, above minimum requirements (0 or 750 feet, see below), for the land application of manure to the closest:

- \* Educational institution,
- \* Religious institution, or
- \* Commercial enterprise.

	Score	Air	Water	Community
Additional separation distance of 200 feet	5	2.00		3.00

- (A) Minimum separation distance for land application of manure broadcast on soil surface: 750 feet.
- (B) Minimum separation distance for land application of manure injected or incorporated on same date as application: 0 feet.
- (C) The additional separation distances must be in the construction permit application and made a condition in the approved construction permit.
- (D) "Educational institution" - a building in which an organized course of study or training is offered to students enrolled in kindergarten through grade 12 and served by local school districts, accredited or approved nonpublic schools, area educational agencies, community colleges, institutions of higher education under the control of the state board of regents, and accredited independent colleges and universities.
- (E) "Religious institution" - a building in which an active congregation is devoted to worship.
- (F) "Commercial enterprise" - a building which is used as a part of a business that manufactures goods, delivers services, or sells goods or services, which is customarily and regularly used by the general public during the entire calendar year and which is connected to electric, water, and sewer systems. A commercial enterprise does not include a farm operation.

33. Additional separation distance of 50 feet, above minimum requirements (0 or 200 feet, see below), for the land application of manure to the closest private drinking water well or public drinking water well - OR well is properly closed under supervision of county health officials.

	Score	Air	Water	Community
Additional separation distance of 50 feet or well is properly closed	10		8.00	2.00

- (A) Minimum separation distance for land application of manure injected or incorporated on the same date as application or 50-foot vegetation buffer exists around well and manure is not applied to the buffer: 0 feet.
- (B) Minimum separation distance for land application of manure broadcast on soil surface: 200 feet.
- (C) If applicant chooses to close the well; the well closure must be incorporated into the construction permit application and made a condition in the approved construction permit.

34. Additional separation distance, above minimum requirements, for the land application of manure to the closest:

- \* Agricultural drainage well,
- \* Known sinkhole,
- \* Major water source, or
- \* Water source

	Score	Air	Water	Community
Additional separation distance of 200 feet	5	0.50	2.50	2.00
Additional separation distance of 400 feet	10	1.00	5.00	4.00

- (A) "Agricultural drainage wells" - include surface intakes, cisterns and wellheads of agricultural drainage wells.
- (B) "Major water source" - a lake, reservoir, river or stream located within the territorial limits of the state, or any marginal river area adjacent to the state, which can support a floating vessel capable of carrying one or more persons during a total of a six-month period in one out of ten years, excluding periods of flooding. Major water sources in the state are listed in Tables 1 and 2 in 567--Chapter 65.
- (C) "Water source" - a lake, river, reservoir, creek, stream, ditch, or other body of water or channel having definite banks and a bed with water flow, except lakes or ponds without an outlet to which only one landowner is riparian.
- (D) The additional separation distances must be in the construction permit application and made a condition in the approved construction permit.



35. Additional separation distance above minimum requirements, for the land application of manure, to the closest:

- \* High quality (HQ) water,
- \* High quality resource (HQR) water, or
- \* Protected water area (PWA).

	Score	Air	Water	Community
Additional separation distance of 200 feet	5		3.75	1.25
Additional separation distance of 400 feet	10		7.50	2.50

(A) HQ waters are identified in 567--Chapter 61.

(B) HQR waters are identified in 567--Chapter 61.

(C) A listing of PWAs is available at:

<http://www.iowadnr.gov/Recreation/CanoeingKayaking/StreamCare/ProtectedWaterAreas.aspx>.

36. Demonstrated community support.

	Score	Air	Water	Community
Written approval of 100% of the property owners within a one mile radius	20			20.00

37. Worker safety and protection plan is submitted with the construction permit application.

	Score	Air	Water	Community
Submission of worker safety and protection plan	10			10.00

(A) The worker safety and protection plan must be in the construction permit application and made a condition in the approved construction permit.

(B) The worker safety and protection plan and subsequent records must be kept on site with the manure management plan records.

38. Applicant signs a waiver of confidentiality allowing public to view confidential manure management plan land application records

	Score	Air	Water	Community
Manure management plan confidentiality waiver	5			5.00

The waiver of confidentiality must be in the construction permit application and made a condition in the approved construction permit. The applicant may limit public inspection to reasonable times and places.

39. Added economic value based on quality job development (number of full time equivalent (FTE) positions), and salary equal to or above Iowa department of workforce development median (45-2093)

-OR-

the proposed structure increases commercial property tax base in the county.

	Score	Air	Water	Community
Economic value to local community	10			10.00

The Iowa Department of Workforce Development regional profiles are available at

<http://www.iowaworkforce.org/centers/regional/sites.htm>. Select the appropriate region and then select "Regional Profile."

40. Construction permit application contains an emergency action plan.

	Score	Air	Water	Community
Emergency action plan	5		2.50	2.50

(A) Iowa State University Extension publication PM 1859 lists the components of an emergency action plan. The emergency action plan submitted should parallel the components listed in the publication.

(B) The posting and implementation of an emergency action plan must be in the construction permit application and made a condition in the approved construction permit.

(C) The emergency action plan and subsequent records must be kept on site with the manure management plan records.

41. Construction permit application contains a closure plan.

	Score	Air	Water	Community
Closure Plan	5		2.50	2.50

(A) The closure plan must be in the construction permit application and made a condition in the approved construction permit.

(B) The closure plan must be kept on site with the manure management plan records.

42. Adoption and implementation of an environmental management system (EMS) recognized by the department.

	Score	Air	Water	Community
EMS	15	4.50	4.50	6.00

- (A) The EMS must be in the construction permit application and made a condition in the approved construction permit.
- (B) The EMS must be recognized by the department as an acceptable EMS for use with confinement operations.

43. Adoption and implementation of NRCS approved Comprehensive Nutrient Management Plan (CNMP).

	Score	Air	Water	Community
CNMP	10	3.00	3.00	4.00

The implementation and continuation of a CNMP must be in the construction permit application and made a condition in the approved construction permit.

44. Groundwater monitoring wells installed near manure storage structure, and applicant agrees to provide data to the department.

	Score	Air	Water	Community
Groundwater monitoring	15		10.50	4.50


- (A) Monitoring well location, sampling and data submission must meet department requirements.
- (B) The design, operation and maintenance plan for the groundwater monitoring wells, and data transfer to the department, must be in the construction permit application and made a condition in the approved construction permit.

Score to pass

Total Score	Air	Water	Community
880	213.50	271.00	404.50
440	53.38	67.75	101.13

# Schiller Site

## Site Placement



No Well within 100'  
 No Public Use within 4001'  
 No Wetlands within 4001'  
 No HQ & Protected Water within 2000'

Date: 8/5/21  
 Site  
 Harwin County, IA  
 Section 03, T89N, R22W

Grower : Schiller Site  
 Farm : Site Placement  
 Field : Distance




Distance to Well (ft) 364	Distance Between Barns (ft) 86
Distance to Fence (ft) 500 755	Drive Dimensions (ft) 138 307
Composter	Drive
500ft Water Buffer	Feature ID Site



# Schiller Site

## Site Placement



No Well within 100'  
 No Public Use within 4001'  
 No Wetlands within 4001'  
 No HQ & Protected Water within 2000'

Date: 8/5/21  
 Site  
 Harwin County, IA  
 Section 03, T89N, R22W  
 Grower : Schiller Site  
 Farm : Site Placement  
 Field : Distance



Distance to CAFO (ft)	Distance to Water (ft)
4660	3693
2525	
4755	
4617	
Distance to Residence (ft)	Distance to Major Water (ft)
4285	4911
3724	
3740	
5080	
4567	
4462	
4260	
2216	
	1 Mile Buffer
	Feature ID
	Site

Site: Schiller Site

Date: 8/5/21

**APPENDIX C  
MASTER MATRIX**

Question	Score	Air	Water	Community
1	25	16.25	0	8.75
2	30	12	0	18
3	30	12	0	18
4	30	0	30	0
5	30	9	0	21
6	10	4	0	6
7	0	0	0	0
8	50	5	25	20
9	0	0	0	0
10	30	0	22.5	7.5
11	0	0	0	0
12	30	27	0	3
13	0	0	0	0
14	0	0	0	0
15	0	0	0	0
16	30	9	18	3
17	30	0	27	3
18	0	0	0	0
19	20	0	0	20
20	30	0	0	30
21	0	0	0	0
22	0	0	0	0
23	25	0	0	25
24	10	0	0	10
25	25	0	12.5	12.5
26	30	12	12	6
27	0	0	0	0
28	0	0	0	0
29	0	0	0	0
30	0	0	0	0
31	0	0	0	0
32	0	0	0	0
33	0	0	0	0
34	0	0	0	0
35	0	0	0	0
36	0	0	0	0
37	0	0	0	0
38	0	0	0	0
39	0	0	0	0
40	0	0	0	0
41	5	0	2.5	2.5
42	0	0	0	0
43	0	0	0	0
44	0	0	0	0

Only for: "b, c, or d"    Only for: "a & e"

**Total            470            106.25            149.5            214.25**

**Total to Pass    440            53.38            67.75            101.13**

Requires: "Design, Operation, and Maintenance Plan"

Requires: "Supporting Documentation"



# **Design, Operating, & Maintenance Plans & Supporting Documentation**

**SITE NAME – Schiller Site**

## **Master Matrix #1**

The swine facility is located an additional **341 feet**, above the required **1,875 feet**, away from the closest residence not owned by the owner of the confinement feeding operation, Hospital, Nursing Home, and Licensed or registered child care facility. Refer to site map. Credits of **25 pts** have been counted in the Master Matrix for **Item 1**.

## **Master Matrix #2**

The swine facility is located at least an additional **1501 feet**, above the required **2500 feet**, away from the closest Public Use Area; defined as a portion of land owned by the United States, the state, or a political subdivision with facilities which attract the public to congregate and remain in the area for significant periods of time. Refer to site map. Credits of **30 pts** have been counted in the Master Matrix for **Item 2**.

## **Master Matrix #3**

The swine facility is located at least an additional **1501 feet**, above the required **1,875 feet**, away from the closest Educational Institute, Religious Institution, or Commercial Enterprise. Refer to site map. Credits of **30 pts** have been counted in the Master Matrix for **Item 3**.

## **Master Matrix #4**

The swine facility is located an additional **3193 feet**, above the required **500 feet**, away from the closest water source. Refer to site map. Credits of **30 pts** have been counted in the Master Matrix for **Item 4**.

## **Master Matrix #5**

The swine facility is located **300 feet** or more from the closest thoroughfare. Refer to site map. Credits of **30 pts** have been counted in the Master Matrix for **Item 5**.

## **Master Matrix #6**

The swine facility is located an additional **500 feet**, above the required **2,500 feet**, away from the closest critical public area. Refer to site map. Credits of **10 pts** have been counted in the Master Matrix for **Item 6**.

## **Master Matrix #8**

The swine facility is located an additional **3911 feet**, above the required **1,000 feet**, away from the closest Agricultural drainage well, known sinkhole, or major water source. Refer to site map. Credits of **50 pts** have been counted in the Master Matrix for **Item 8**.

### **Master Matrix #10**

The swine facility is located at least two times the minimum separation distance of **1000 feet**, from the closest high quality water, high quality resource water, or protected water areas. Refer to site map.

Credits of **30** pts have been counted in the Master Matrix for **Item 10**.

### **Master Matrix #12**

**Points:** We are claiming 30 points because this Manure Storage Structure has a cover. Iowa Code states that "a formed manure storage structure directly beneath a floor where animals are housed in a confinement feeding operation is deemed to be covered." On this Site the building roof is the cover.

**Design:** The site will consist of **2** swine finishing buildings that have manure storage pits directly beneath the roof and floor where the pigs are housed, as required by DNR rules to be considered covered liquid manure storage. The roof has been designed and warranted using ribbed painted, or galvanized steel to withstand appropriate snow and wind loads for **Hardin** County, Iowa.

**Operation:** The roof is part of the Structure and has no moving parts, therefore it does not require an operating plan.

**Maintenance:** Each building's roof and floor will be maintained to provide coverage of the manure storage structure. Maintenance of this cover will be minimal since it consists of steel. This facility will have a caretaker on site and in the buildings daily, if there is evidence of storm damage, or any holes/water leaks, which would be evidence of a hole; if found, they will be immediately repaired with appropriate materials to achieve as-built condition.

Credits of **30** points have been counted in the Master Matrix for **Item 12**.

### **Master Matrix #16**

**Design:** A structure consisting of a packed lime or concrete floor, steel roof, and wooden or concrete walls will be constructed to contain the mortality and composting materials. We will construct a primary bin with a minimum capacity of **2295** cubic feet based on ISU PM 1917 for a **5400** head **Grow** to finish site turning **2.5** groups per year, finishing **13,500** head of pigs per year. We will also be constructing a secondary bin with a minimum capacity of **2295** cubic feet, and potentially a third bin for storage of finished compost waiting for field application. As an example, a structure with dimensions of **40' x 30' x 5'** deep divided into two equal bins would have a total capacity of **6000** cubic feet (**131%** of requirement) satisfying the primary and secondary bin capacity requirements. The composting unit is located outside of wetlands and 100- year floodplain areas. It is also located at least 100 feet from all private wells, 200 feet from public wells, 50 feet from property lines, 500 feet from neighboring residences, and 100 feet from flowing or intermittent streams, lakes, or ponds.

**Operation:** The facility will be used for stockpiling and composting activities. All carcasses will be placed on a bed of 12" of composting material and then covered with 12" of composting material to allow proper decomposing. Dead animals will be placed in the composter within 24 hours of death. Following the primary heating cycle, the partially composted carcasses are removed from the primary bin and placed in a secondary bin. The mechanical action of moving the compost breaks up the pile, redistributes excess moisture, and introduces a new oxygen supply. The design of the

composting facility does not allow the release of leachate, preventing runoff or leaching of pollutants into surfaces or groundwater, controls flies, rodents and other vermin. The compost will not be removed from the composting unit until fully stabilized and all flesh, organs and soft tissue are fully decomposed. The optional third storage bin used for finished compost, shall be limited to 18 months and shall be applied to cropland or pastureland at rates consistent with the nitrogen use levels necessary to obtain optimum crop yields and shall be applied in a manner as to prevent runoff to surface waters of the state.

**Maintenance:** The facility will be inspected weekly for required maintenance, and kept up to "as built" standards. Credits of **30 pts** have been counted in the Master Matrix for **Item 16**.

### **Master Matrix # 17**

**Points:** We are claiming 30 points because the manure storage structure is formed. The pit is "cast in place" reinforced concrete.

**Design:** The site will utilize an 8' deep cast in place reinforced concrete pit. The reinforced cast in place structure meets requirements of Chapter 65 for manure storage, the housing of swine, and the support of roof, slats and walls. Tables for steel grade, size and spacing are reviewed by a DNR engineer through the permitting process. Wall and floor thickness, concrete strength, backfill soil categories, and traffic patterns are also reviewed. There will be a wall poured over an approved footing and floor incorporating a water stop that prevents infiltration/exfiltration. Refer to the Construction Design Statement for specifics. The Construction Design Statement has been completed and signed by the building contractor and contains a Construction Certification stating that it was designed in accordance with DNR rules.

**Operation:** The Manure Storage Structure is static and has no moving parts. The pit will be cleaned and inspected before animals are placed in building looking for any defects, such as cracks or honeycombing, and if discovered will be repaired to industry standards. The facility will be operated as a below building concrete pit. There will be a Caretaker on site and in the buildings daily, and will visually monitor manure levels. In addition water usage meters are routinely monitored by the caretaker to insure the ample water supply to pigs, and will also be used to identify excessive usage or leaks. The concrete walls of the manure storage pit are designed for heavy equipment to be operated no less than 5 feet from the walls. The pump-out pits are designed to allow heavy equipment to be operated closer than 5 feet, and are constructed using stronger design specifications. Perimeter Tile are requirement of this CDS and every tile outlet will have a monitoring location consisting of either a monitoring port including a valve in case of leak, or an outlet to the surface.

**Maintenance:** Due to the concrete design and specifications for the formed structure, maintenance is expected to be minimal for this structure. As a requirement of the CDS all concrete will be cured to minimize shrinking and cracking. Approximately 12" of pit will be exposed above the soil surface. There will be a Caretaker on site and in the buildings daily, and will routinely looking for cracks in the walls. The building contractor will be notified if any cracking is discovered.



The Caretaker will make routine observations of the perimeter footing tile discharge point, or monitoring port for signs of contamination; such as manure odor, visual discoloration, excessive liquid in the tile during dry periods, and dead foliage. If contamination is observed, an immediate investigation will be conducted to locate the source and the problem will immediately be corrected. A groundwater and/or structural expert will direct the investigation, and the investigation will include closing the tile shutoff valve and taking water samples for visual and laboratory analysis.

Initial Settling of soils will be monitored and corrected to eliminate standing water next to the manure storage structure.

Credits of **30** pts have been counted in the Master Matrix for **Item 17**.

#### **Master Matrix # 19**

**Design:** The site will have a truck turnaround area at least 120 feet in diameter and adequately surfaced for traffic in inclement weather. The site will have a truck turnaround area allowing the trucks to pull in to the site completely off of the road and turn around.

**Operation:** The driveway will be operated to provide for safe entrance and exit to the property for delivery vehicles and not obstruct the public thoroughfare.

**Maintenance:** The driveway will be maintained to a level that will support regular truck traffic. The driveway will be constructed with a 2-3 inch base. Road rock gravel will be used as a road surface that will be monitored for the purposes of leveling, filling potholes, and adequate snow removal.

Credits of **20** pts have been counted in the Master Matrix for **Item 19**.

#### **Master Matrix #20**

The construction permit applicant has no history of Administrative Orders in the last five years at any site in which the applicant has any interest.

Credits of **30** pts have been counted in the Master Matrix for **Item 20**.

#### **Master Matrix # 23**

The construction permit applicant, **Kyle Janes**, can lawfully claim the Family Farm Tax Exemption on the site where the confinement structure is being constructed. The owner, Kyle Janes, holds 100% ownership interest and also farms the contiguous farm ground.

Credits of **25** pts have been counted in the Master Matrix for **Item 23**.

#### **Master Matrix #24**

The facility has a capacity of **2001 to 3000** animal units. Refer to Construction Permit Application, page 3.

Credits of **10** pts have been counted in the Master Matrix for **Item 24**.

#### **Master Matrix #25**

**Design:** The buildings on the site will utilize a wet/dry feeder, dry feeder with watering cups, or swinging nipples. Industry wide accepted data shows significant water savings from any of the three options as compared to a gate mounted watering nipple. Please

refer to the attached scientific article illustrating the water savings and benefits any of the three methods mentioned above.

**Operation:** Feeders, watering cups, or swinging nipples will be adjusted to reduce waste and optimize feed efficiency for the facility. The water savings result in reducing the gallons of water in the pit that later has to be hauled out onto farm fields.

**Maintenance:** The feeders, watering cups, or swinging nipples will be inspected on a regular basis and adjusted as needed. Water flow will be monitored and adjusted to control waste and excess manure volume.

Credits of 25 pts have been counted in the Master Matrix for **item 25**.

#### **Master Matrix # 26 “e”**

All manure will be injected or incorporated on the same date that it is applied.

Credits of 30 pts have been counted in the Master Matrix for **Item 26e**.

#### **Master Matrix #41**

**THIS CLOSURE PLAN MUST BE KEPT ON SITE WITH ALL OTHER MMP DOCUMENTS.** Closure Plan as of 8/9/21. This plan has been written in accordance with NRCS Conservation Practice Standard “Closure of Waste Impoundments”. The closure plan is based on NRCS Code #360. This also meets the standards and requirements, which are set forth by the Iowa DNR. The closure shall comply with all federal, State of Iowa, local, and tribal laws, rules and regulations that are in place at the time of the closure. **Kyle Janes** will notify the DNR Filed office of their intent to close the structures on this farm which consists of two 8’ deep pit barns, subsequent to six (6) months of the structure being empty of livestock. Applicant will follow any closure rules that may be established at that time that is more stringent than this closure plan. **Kyle Janes** and the DNR will establish a time line of completion for the closure plan.

1. Manure should be well agitated to try to remove as much manure as possible. The effluent, solids and any sludge will have an analysis for both nitrogen and phosphorus. This analysis will be used in determining the amount of material to be applied on a per acre basis according to the Manure Management Plan.
2. Non-concrete construction material should be removed and disposed of following DNR guidelines.
3. Slats should be removed for pit cleaning. Slats can be broken and added back after the pit is clean and walls have been knocked in.
4. All solids left in concrete containment shall be removed and field applied using agronomic rates.
5. After concrete containment is cleaned, applicant shall contact the DNR Field Office for visual inspection if DNR so advises. If DNR determines containment is clean enough to no create environmental impact, applicant may proceed to the next step.
6. Floor of containment shall be broken up so as to not impound water. Sub drain tile may be removed. Containment walls will be broken up and pulled into pit area. Demolished building materials shall be placed on top of concrete if not disposed of in another way.
7. Materials are to be covered with soil to a settled depth of one foot, and the backfill be sufficiently mounded such that runoff will be diverted from the site after the backfill settles.

8. Measures shall be taken during the construction to minimize site erosion and pollution of downstream water resources. This may include such items as silt fences, hag able barriers, temporary vegetation, and mulching.
- Credits of 5 pts have been taken for **Item 41**.

# Composting Swine Mortalities in Iowa

## Composting Gains Popularity

With more than 25 million hogs produced annually in Iowa, cost effective mortality disposal alternatives that minimize risks to herd health and the environment are essential. Following the lead of the poultry industry, where composting has been used successfully for more than a decade, swine producers are finding that composting is a flexible and reasonably priced disposal method that can be used year round. Results of a statewide survey of Iowa swine producers conducted by Iowa State University and the Iowa Pork Producers Association during March of 2001 show that about 12 percent of producers now rely exclusively on composting to dispose of their mortalities. An additional 6 percent of producers say they rely on composting as a backup disposal method when timely rendering service is not available.

Swine producers say they are attracted to composting for a variety of reasons. Composting allows them to manage mortalities promptly, as they occur. With properly designed composting facilities, there is no need to call for rendering service or to worry about options if the rendering truck can't make it that day. Composting also eliminates the need to wait for the ground to dry up or thaw out so that burial can be accomplished.

## Composting facilities and equipment

### Covered bins versus open windrows?

Composting in moderately sized roofed bins is the recommended method for Iowa's highly variable climate. Use of covered bins simplifies management of the composting operation and maximizes the potential for success regardless of weather conditions. Covered bin systems reduce the potential for seasonal odor problems caused by overly wet compost. Bins also minimize space requirements, improve heat retention during cold weather, and help to avoid problems with scavenging insects and animals. Bin systems need not be complicated or costly. Old corn cribs, open front livestock buildings, and other types of unused farm structures can often be converted for composting at a relatively low cost.

Though sometimes used for emergencies, composting in open piles or windrows is not recommended for day-to-day mortality management. Open systems are vulnerable to saturation during wet weather, which can lead to



Figure 1. Composting rapidly decomposes swine mortalities, producing a soil-like product that can be spread on cropland. (Photo by Tom Glamville, Iowa State University.)

odor production and release of contaminated leachate. While these problems can be reduced to some extent by using extra cover material and turning the piles more frequently to break up wet spots, the material, labor, and management resources required to successfully operate open systems during adverse weather conditions will be higher than for bin composting systems.

### Equipment

Most of the equipment used in swine mortality composting is commonly found on livestock farms. Machinery needs include a skid loader, or tractor with front-end loader, to load and unload composting bins or windrow; and a solid manure spreader to spread finished compost on cropland. A stainless steel composting thermometer with a three- or four-foot long stem is needed to check internal pile temperatures.

### Cover material

The material used to cover the carcasses is an important part of the composting system. The ideal cover material retains heat, absorbs excess moisture, and provides a barrier that helps discourage insects and scavengers. Cover materials also must provide much of the carbon, which is essential to the microbes that decompose animal carcasses. Due to its excellent ability to retain heat and absorb excess moisture, sawdust is generally acknowledged as the best cover material. Unfortunately, sawdust and recycled wood products are in high demand for many other uses, making them increasingly hard to obtain and raising their prices substantially in recent years.

Alternative cover materials that are much easier to obtain include chopped cornstalks or straw. Since these tend to be less absorptive and have poorer insulating properties than sawdust, their use requires more care during cold or wet weather. Poultry litter, a mixture of sawdust and poultry manure produced during turkey and broiler production, has been used successfully for carcass composting in the poultry industry. Not only does litter have the desirable characteristics of sawdust, the bacteria and nitrogen added by the manure make this mixture more biologically active than sawdust alone. Bedding from swine hoop buildings also can be used as cover material. Since the quality of used bedding from hoop buildings varies considerably, care should be taken to avoid materials that are saturated with liquid or that contain high proportions of manure because these conditions can lead to slow decay and/or excessive odor production.



Figure 2. This low-cost bin composting system was constructed with used materials and is located inside a converted farm building. (photo by Kris Kohl, Iowa State University)

### Disposal area

Swine composting operations require cropland or pasture land for final disposal of the finished compost. The finished compost will contain some recognizable bones, particularly if large breeding animals or finishing hogs are composted, so locating the disposal area away from non-farm residences is recommended. If the composting operation is functioning properly, however, bones will be free of all soft tissues, and they will be dry, brittle, and of little or no attraction to scavenging animals or insects.

Producers frequently ask about the fertilizer value of their compost. Unfortunately, the nitrogen value of the compost is difficult to predict because it can vary considerably depending on the type and amount of cover material used. Sampling and testing the compost for nutrient content is the only reliable way to determine its fertilizer value.

## Composting procedures

Mortality composting is begun by placing a 12-inch layer of cover material in the bottom of the bin. Decaying carcasses release excess moisture, so a thick absorptive base layer plays an important role in preventing release of excess liquid.

Carcasses placed in the composting bins should not touch each other and should be at least 9 to 12 inches from bin walls. Too many carcasses in one spot leads to localized wet spots and poor decay. Carcasses that are too close to the cool exterior side walls of the bin will decay slowly and are less likely to be exposed to the high temperatures necessary to kill disease-causing microorganisms. After a layer of carcasses has been placed in the bin, add 6 to 9 inches of cover material. Complete coverage is essential to avoid problems with insects, rodents, and scavengers. Daily layering of new carcasses and cover material continues until the bin is filled to a depth of about 5 feet. In some instances, it may help to segregate large and small carcasses in separate bins. This allows smaller carcasses to move through the treatment process quickly, minimizing the amount of bin space tied up in lengthy treatment cycles. To ensure continuous coverage throughout the composting cycle, it may be necessary to add cover material from time to time as material within the bins settles. This is particularly true when large carcasses are composted.

In a properly operating facility, new material added to bins reaches temperatures of 120 to 150°F within 24 to 48 hours. Internal temperatures can be monitored with a long-stemmed (36- to 48-inch) composting thermometer. For an accurate picture of internal conditions, probe the bin at several locations. It is normal to find hot and cool spots within the same bin, so a single temperature measurement can be misleading. If a bin fails to heat up, too much or too little moisture is the most common cause. It may be necessary to unload the bin and mix in compost from an active (hot) bin to remedy the problem.




Figure 3. Animal carcasses should not touch each other, and should not be placed in the cool zone near composting bin walls.



After a bin is completely filled, it must undergo a primary heating cycle of 60 to 90 days. The length of the primary heating cycle will vary with the size of carcasses placed in the bin. For farrowing house and nursery losses, an initial heating cycle of as little as 30 days may be adequate. If the bin is filled with larger market-weight animals or breeding stock, primary heating cycles as long as 6 months may be necessary.

Following the primary heating cycle, the partially composted carcasses are removed from the primary bin and placed in a secondary bin. The mechanical action of moving the compost breaks up the pile, redistributes excess moisture, and introduces a new oxygen supply. Once this takes place, a secondary heating cycle occurs, accompanied by further decomposition. By the end of a 60- to 90-day secondary heating cycle, even large carcasses of breeding stock are normally reduced to a few large bones that are free of soft tissues which cause odors or attract insects and predators.

### Sizing and layout

Bin-type composting systems located under a roof are recommended for best year-round performance, optimal processing, and minimal problems with runoff and scavengers. Total bin volume for a swine mortality composting operation is based on average daily weight of animals to be composted. Typically, about 20 cubic feet of primary bin volume is recommended for each pound of average daily loss, with an equal amount of secondary bin space.



Figure 4. Checking internal temperatures with a composting thermometer is a quick way to determine if moisture and other conditions are suitable for rapid decay and pathogen reduction. (Photo by Tom Glanville, Iowa State University.)

Use Table 1 to estimate the amount of primary bin volume for your particular operation. Write in the annual number of pre-wean and nursery pig litters produced by your operation in the first two rows of column B. The annual number of pigs produced by your finishing operation, and the average breeding stock population, are entered in the bottom two rows of column C. Multiply the values in columns B and C by the composter volume factor in column D, and enter the result in column E. The sum of all the values in column E (entered in Total box) is the estimated total amount of primary composting volume needed for your operation. You will need an equal volume of secondary bin space.

Table 1. Simplified method for estimating primary bin volume				
(A) Phase of operation	(B) Litters per year	(C)* Number of animals	(D)** Volume factor	(E) Primary bin volume (cubic feet)
Pre-wean pigs	675 litters		X 0.41	= 277
Nursery pigs	675 litters		X 0.26	= 176
Finishing pigs		5,800 pigs	X 0.17	= 986
Breeding stock		300 sows	X 0.57	= 171
<b>Total</b>				<b>= 1610</b>

\* For finishing pigs, use annual number marketed. For breeding stock, use average year-round population.

\*\* Volume factors based on 20 cubic feet of primary bin capacity per pound of average daily loss. Weight of mortalities is calculated assuming average mortality rates as follows: pre-wean mortality, 25 pigs/litter @ 3 lbs./pig, nursery mortality, 2 percent (assume 95 pigs/litter) @ 25 lb./pig, finishing mortality, 2 percent @ 150 lb./pig, and breeding stock mortality, 3 percent annually @ 350 lbs./animal.

Example values shown in italics in columns B and C of Table 1 are for a 300-sow farrow-to-finish operation producing 675 litters per year, and marketing 5,800 finished pigs per year.

Approximate dimensions for each bin can be estimated following these steps:

**Step 1: Estimate minimum bin width.** Side-to-side dimensions of at least twice the loader bucket width are recommended to provide sufficient maneuvering room. For a skid loader with a 4 ft. wide bucket, for example, bin widths of at least 8 ft. are suggested.

**Step 2: Select front-to-back bin dimension.** One to two times the minimum bin width is suggested. For the 8 ft. wide bins in this example, a front-to-back dimension of 12 ft. is used.

**Step 3: Calculate individual bin volume:** Multiply bin width (from step 1) by the front-to-back dimension (from step 2) to obtain bin floor area. Then multiply the floor area by the anticipated working depth to obtain the bin volume. Working depths of 5 ft. or less are recommended (bin walls should be about 1 ft. higher than the working depth). In this example the bin floor area is 8 ft. X 12 ft. = 96 square ft. Using a 5 ft. working depth, the individual bin volume is: 96 sq. ft. X 5 ft. = 480 cubic feet.

**Step 4: Estimate number of primary bins:** To determine the number of primary bins needed, divide the estimated Total Primary Bin Volume (sum of values in column E of Table 1) by the Individual Bin Volume (step 3). If a fractional value is obtained, round UP to next whole number. For this example, dividing the total primary bin volume of 1610 cubic feet by the individual bin volume of 480 cubic feet yields a value of 3.35. Rounding this value UP, 4 primary bins are recommended.



Figure 5. This simple four-bin swine mortality composting unit includes space for dry storage of cover material behind the bins. (Photo by Palmer Holden, Iowa State University.)

**Step 5: Estimate number of secondary bins:** The number of secondary bins should equal the number of primary bins. In this case, 4 secondary bins are recommended.

**Step 6: Additional bins for cover material:** If space to stockpile dry cover material is NOT available in adjacent buildings, construction of 2 or more additional bins for this purpose is recommended.

**Step 7: Select bin layout:** Bin layout is usually dictated by the geometry of the available space. Linear and tandem layouts, like the floor plans shown in Figure 6, are most common. If bins will be located outdoors where they are not shielded from wind, the tandem layout is recommended to help retain heat during cold weather.




Figure 6. Typical floor plans for bin-type composting systems.

## Frequently Asked Questions

- Q. My composting operation is very odorous, the decay is slow, and internal pile temperatures are low even during summer months. What can I do to improve this?**
- A.** Excessive odor production accompanied by low internal temperatures is typical of compost that is too wet. Excess water is normal in the immediate vicinity of the swine carcasses, but each carcass should be surrounded by sufficient amounts of cover material to absorb the liquid and prevent any from seeping out of the base or sides of the pile. Material in the outer envelope of the compost pile (a few inches beneath the outer surface) should feel slightly damp, but if squeezing a handful of the envelope material causes water to drip out, it is too wet. Excess moisture is usually caused by failure to protect the composting operation or cover material stockpiles from excess precipitation, or by using too little absorptive cover material over and around the animal carcasses.
- Q. My compost fails to heat up, even during warm weather. Excess moisture does NOT seem to be the problem. What else could cause this?**
- A.** Likely causes are use of cover material that is extremely dry, or too little nitrogen in the cover material. Animal carcasses release considerable

moisture into the cover material immediately surrounding them, but dry or extremely porous cover materials can draw moisture away from the carcasses or encourage excessive moisture evaporation. If so, the zone around the carcasses may become too dry for rapid bacterial decay and heat production. If this happens, do not add water directly to the top of the compost bin. This can saturate the pile, causing seepage, anaerobic conditions, and excessive odor. To increase the water content in a controlled way, add water to stockpiled cover material, and then mix the moistened cover material into the compost pile. If moisture content appears adequate, insufficient nitrogen in the cover material is a likely cause of low internal temperatures. To boost the nitrogen content, mix a small amount of manure into the cover material. Avoid adding large amounts of manure at one time as this can lead to odorous releases of ammonia.

**Q. I have trouble getting my compost bins to heat up during cold weather. What can I do to improve heat production and retention?**

**A.** If your composting operation works well in warm weather, but not during the winter, try increasing the size of your cover material stockpile or of your composting bins. Most cover materials produce small amounts of heat while stockpiled. Larger stockpiles help to retain this heat, providing warmer material with which to cover the carcasses that are added to the composting bin. It's also important to use composting bins that are large enough to retain heat during cold weather. Small bins contain insufficient amounts of biodegradable material to produce and retain heat during cold, windy weather. It's also important to not let carcasses freeze before putting them into the compost bin. Frozen carcasses require tremendous amounts of heat for thawing before decomposition can begin.

**Q. How can I tell if a material will make a good cover material for carcass composting?**

**A.** Stockpile some of the potential cover material and use your composting thermometer to monitor internal temperatures. Good cover materials have sufficient moisture, porosity, and nutrient content to promote self-heating. Avoid cover materials that show little potential for self-heating.

**Q. Can I reuse finished compost as cover material to compost subsequent mortalities?**

**A.** Yes, if the moisture content of the finished compost is acceptable (neither too wet nor too dry), limited reuse is possible. Continuous reuse may ultimately

lead to a nutrient imbalance that reduces biological activity.

**Q. My swine composting operation is working great and I would like to make some extra money by composting pigs from neighboring farms. Are there any limits on the size of on-farm composting operations or other regulations that I need to know about?**

**A.** Composting dead animals that do not originate on the same farm where the composting facility is located requires a permit from the Iowa Department of Natural Resources (IDNR). Contact IDNR for further information about permits and operating requirements for commercial composting facilities.

### Iowa's animal mortality composting regulations

Administrative rules of the IDNR state that on-farm composting of dead animals generated on the same farm as the composting facility is exempt from having a permit if the following operating requirements are met:

- Dead animals are incorporated into the composting process within 24 hours of death and covered with sufficient animal manure, animal bedding, crop residues, or clean wood waste (free of coatings and preservatives) necessary as bulking agents and to prevent access by domestic or wild animals.
- Composting is done in a manner that prevents formation and release of runoff and leachate and controls odors, flies, rodents, and other vermin.
- Dead animals are not removed from composting until all flesh, internal organs, and other soft tissue are fully decomposed.
- Storage of finished compost shall be limited to 18 months and shall be applied to cropland or pasture land at rates consistent with the nitrogen use levels necessary to obtain optimum crop yields and shall be applied in a manner as to prevent runoff to surface waters of the state.
- Application of compost to other lands shall require prior approval by IDNR.
- Composting must be done on an all-weather surface of compacted soil, compacted granular aggregates, asphalt, concrete or similar relatively impermeable material that will permit accessibility during periods of inclement weather and prevent contamination of surface and groundwater.



- If composting is done in a permanent structure, composter construction shall utilize weather and rot-resistant materials capable of supporting composting operations without damage. (Although not mandatory, a roof over the composting facility is recommended to prevent excess moisture accumulation that can lead to production of undesirable odors and leachate.)
- Composting must be done outside of wetlands or the 100-year flood plain and at least 100 feet from private wells, 200 feet from public wells, 50 feet from property lines, 500 feet from inhabited residences, and 100 feet from flowing or intermittent streams, lakes, or ponds.

### More information

For additional information visit Iowa State University's award winning swine mortality composting web site on the Internet at: [www.abe.iastate.edu/pigsgone/](http://www.abe.iastate.edu/pigsgone/)

Written by Tom Glanville, Ph.D, Department of Agricultural & Biosystems Engineering, Iowa State University, Ames, Iowa.

Special thanks to Jay Harmon, Ph.D., Department of Agricultural & Biosystems Engineering, Iowa State University, and Ubbo Agena, Iowa Department of Natural Resources, for their technical review of this publication.

This publication was made possible, in part, through a research and demonstration grant from the Leopold Center for Sustainable Agriculture, Iowa State University, and by support from Iowa State University Extension.

#### ... and justice for all

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Many materials can be made available in alternative formats for ADA clients. To file a complaint of discrimination, write USDA, Office of Civil Rights, Room 326-W, Whitten Building, 14<sup>th</sup> and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964. Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Jack M. Payne, director, Cooperative Extension Service, Iowa State University of Science and Technology, Ames, Iowa.



LEOPOLD CENTER

IOWA STATE UNIVERSITY  
University Extension

# Original research

## Impact of feeders and drinker devices on pig performance, water use, and manure volume

Michael C. Brumm, MS, PhD; James M. Dahlquist, MS; Jill M. Heemstra, MS

### Summary

**Objective:** To determine the impact of feeder and drinker designs on pig performance, water use, and manure volume.

**Methods:** Experiment One compared a wet/dry feeder to a dry feeder with wall-mounted nipple drinker. Experiment Two compared a swinging nipple drinker to a gate-mounted nipple, and Experiment Three compared a bowl drinker to the swinging drinker of Experiment Two. In all experiments, pigs were housed in pens of 20–24 pigs per pen in partially slatted, mechanically ventilated facilities.

**Results:** In Experiment One, water disappearance (L per pig per day) was 4.49 for the wet/dry feeder versus 6.06 for the dry feeder plus nipple drinker. In Experiment Two, water disappearance was 4.90 L per pig per day for the swinging drinker versus 5.50 for the gate-mounted drinker. In Experiment Three, water disappearance was 3.78 for the bowl versus 5.01 for the swinging drinker. Summer manure production in Experiment One was 4.96 L per pig per day for the wet-dry feeder versus 7.02 for the nipple drinker. Winter manure production was 3.96 L per pig per day for the swinging drinker versus 4.59 for the nipple drinker in Experiment Two.

**Implications:** These results document the wide range in water use and manure volume associated with feeder and drinker devices installed in swine facilities. They also suggest lower amounts of total water use and manure volume than those currently cited in the literature or used by regulatory officials.

For the overall experiment, pigs on wet/dry feeders used 1 kg of water less per kg of feed than did pigs on the conventional system.

The overall W:F ratio was lowest for the wet/dry feeder (1.78; Experiment One) and similar to the bowl drinker (1.89; Experiment Three).

In observations consistent with ours in Experiment One, Maton and Daelemans<sup>14</sup> concluded that all wet feeders included in their experiments reduced water spillage so that water consumption was only 70%–80% of that observed from conventional feeders and nipple drinkers. In addition, slurry (manure) volume was reduced by 20%–30% in their study.

**Table 2:** Manure production

	Experiment One (summer)		Experiment Two	
	Dry	Wet/dry	Swing	Nipple
<b>Per pig per day</b>				
Volume	7.02 L (1.85 gal)	4.96 L (1.31 gal)	3.96 L (1.05 gal)	4.59 L (1.21 gal)
Mass <sup>a</sup>	7.0 kg (15.4 lb)	4.9 kg (10.8 lb)	3.9 kg (8.6 lb)	4.5 kg (9.9 lb)
<b>Per 1000 kg bodyweight</b>				
Mass	109 kg (240 lb)	76 kg (167 lb)	61 kg (134 lb)	70 kg (154 lb)

<sup>a</sup> 990 kg per m<sup>3</sup> (61.8 lb per cu. foot); ASAE<sup>6</sup>

## References - refereed

1. Thulin AJ, Brumm MC. Water: The forgotten nutrient. In: Miller ER, Ullrey DE, Lewis AJ, Eds. *Swine Nutrition*. Boston, Massachusetts: Butterworth-Heinemann. 1991;315-324.
3. NRC. Nutrient Requirements of Swine (9th Ed.) National Academy Press, Washington, DC. 1988
4. NRC. Nutrient Requirements of Swine (10th Ed.) National Academy Press, Washington, DC. 1998.
5. Brumm MC, Sutton AL, Jones DD. Effect of season and pig size on swine waste production. *Trans ASAE*. 1980;23:165-168.
10. Patterson DC. A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs. *Anim Feed Sci Tech*. 1989;26:261-270.
11. Patterson DC. A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering. *Anim Feed Sci Tech*. 1991;34:29-36.
12. Walker N. A comparison of single- and multispace feeders for growing pigs fed non-pelleted diets ad libitum. *Anim Feed Sci Tech*. 1990;30:169-173.
13. Young RJ, Lawrence AB. Feeding behaviour of pigs in groups monitored by a computerized feeding system. *Anim Prod*. 1994;58:145-152.
14. Maton A, Daelemans J. Third comparative study viz. the circular wet-feeder versus the dry-feed hopper for ad libitum feeding and general conclusions concerning wet feeding versus dry feeding of finishing pigs. *Landbouwtijdschrift-Revue de l'Agriculture* 1992;45(3):531-539.
15. Miyawaki K, Hoshina K, Itoh S. Effects of feed and water mixture for finishing pigs on eating speed and feed intake. *Jpn J Swine Sci*. 1997;34:1-8.
16. Miyawaki K, Itoh S, Hoshina K. Effects of wet/dry feeding for finishing pigs on eating behavior and frequency of trough use. *Jpn J Swine Sci*. 1996;33:88-96.
17. Miyawaki K, Itoh S, Hoshina K. Water requirement and water-saving effect in finishing pigs fed with wet/dry feeders. *Jpn J Swine Sci*. 1994;31:35-42.
18. Crumby TR. Design requirements of liquid feeding systems for pigs: A review. *J Agric Eng Res*. 1986;34:153-172.
19. Mount LE, Holmes CW, Close WH, Morrison SR, Start IB. A note on the consumption of water by the growing pig at several environmental temperatures and levels of feeding. *Anim Prod*. 1971;13:561-563.
21. Brumm MC, Sutton AL, Mayrose VB, Nye JC, Jones HW. Effect of arsenic acid in swine diets on fresh waste production, composition and anaerobic decomposition. *J Anim Sci*. 1977; 44:521-531.
22. Brumm MC. *The Effect of Dietary Copper Sulfate and Arsonic Acids on Swine Waste Production and Anaerobic Waste Decomposition*. PhD Thesis, West Lafayette, Indiana:Purdue University. 1978.

## References - nonrefereed


2. Reese DE, Thaler RC, Brumm MC, Hamilton CR, Lewis AJ, Libal GW, Miller PS. Nebraska and South Dakota Swine Nutrition Guide. Univ. of Nebraska, Lincoln. Nebraska Coop. Ext. 1995;EC95-273
6. Melvin SW, Humenik FJ, White RK. *Swine Waste Management Alternatives*. PIH-67. Coop Ext Service, West Lafayette, Indiana:Purdue University. 1979.
7. MWPS-8 Swine Housing and Equipment Handbook. Midwest Plan Service. Iowa State University, Ames, Iowa. 1983.
8. American Society of Agricultural Engineers (ASAE). ASAE D384.1 DEC 93. Manure production and characteristics. In: *ASAE Standards*. American Society of Agriculture Engineers, St. Joseph, Michigan. 1995;546-548
9. National Pork Producers Council. *Procedures to Evaluate Market Hogs* (3rd Ed.) Des Moines, Iowa: National Pork Producers Council. 1991.
20. Nebraska DEQ. Form WP-42 (6/96), Confined Feeding or Dairy Barn Applications for Permit to Construct and Operate a Livestock Waste Control Facility. Nebraska Dept of Environmental Quality, Lincoln. 1996.

T-89-N

# ALDEN PLAT

(Landowners)

R-21-22-W




SEE PAGE 68 FOR ADDITIONAL NAMES NOT LISTED ON MAPS.



Color versions of this map  
available in digital version.


# Popejoy City Map



T-90-N

## OAKLAND PLAT

R-22-W



**OAKLAND TOWNSHIP**

- SECTION 3**  
1. Weenberg, Dennis et al 7
- SECTION 7**  
1. Oriscoll, Matthew 6

- SECTION 10**  
1. Summit Pork I L L P 8
- SECTION 11**  
1. Krause, Karlton 9
- SECTION 12**  
1. Foley, William et al 5
- SECTION 18**  
1. Sawtelle, James et ux 5

- SECTION 19**  
1. Folstead Jr. Robert et al 10
- SECTION 21**  
1. Oakland Farms LLC 7
- SECTION 23**  
1. Wall, James 9

- SECTION 27**  
1. Stewart, Roger et ux 8
- SECTION 28**  
1. County of Franklin 10
- 2. Braun, Lynn et al 13
- 3. Hoversten Trust 9
- SECTION 29**  
1. Peterson, Beverly et al 12

- SECTION 30**  
1. Oehert, Trent 14
- 2. County of Franklin 9
- SECTION 32**  
1. Summit Farms LLC 9
- 2. Anderson, Levi et al 10
- SECTION 33**  
1. Doering Livestock LLC 5

- SECTION 34**  
1. Husted, Roger et al 6
- SECTION 35**  
1. Phipps, Christopher et ux 5
- SECTION 36**  
1. Jass, Victor 8



# Manure Management Plan Form

## Animal Feeding Operation Information

**Instructions:** Complete this form for your animal feeding operation. Footnotes are provided on page 4.

The information within this form, and the attachments, describes my animal feeding operation, my manure storage and handling system, and my planned manure management system. I (we) will manage the manure, and the nutrients it contains, as described within this manure management plan (MMP) and any revisions of the plan, individual field information, and field summary sheet, and in accordance with current rules and regulations. Deviations permitted by Iowa law will be documented and maintained in my records.

Signed: \_\_\_\_\_ Date: 8/12/11  
(Signature) Kyle Janes (Print name)

Name of operation: Schiller Site Facility ID No. N/A

Location of the operation: 10567 D Ave.  
(911 address)  
Alden IA 50006  
(Town) (State) (Zip)  
NE 1/4 of the SE 1/4 of Sec 3 T 89 R 22 Alden Hardin  
(1/4 1/4) (1/4) (Section) (Tier & Range) (Township Name) (County)

**Owner and contacts of the animal feeding operation:**

Owner Kyle Janes Phone 515-859-7664  
 Address 14987 120th St, Alden, IA, 50006  
 E-mail address (optional) \_\_\_\_\_ Cell phone (optional) \_\_\_\_\_

Contact person (if different than owner) Kent Krause Phone 641-648-7300  
 Address 620 Country Club Road Iowa Falls, IA 50126  
 E-mail address (optional) kkrause@pinnacleiowa.com Cell phone (optional) \_\_\_\_\_

Contract company (if applicable) \_\_\_\_\_ Phone \_\_\_\_\_  
 Address \_\_\_\_\_

**This manure management plan is for: (check one)**

existing operation, not expanding     existing operation, expanding     existing operation, new owner     new operation

**Construction and Expansion Dates:**

\_\_\_\_\_ date of initial construction  
 \_\_\_\_\_ and all expansions

**Table 1. Information about livestock production and manure management system**

1	2	3	4	5	6	7	8
Animal type/ Production phase <sup>a</sup>	Max # of animals confined	Manure Storage Structure <sup>b</sup>	N <sup>c</sup>	P <sub>2</sub> O <sub>5</sub> <sup>c</sup>	gal/space/dy <sup>d</sup>	Days/yr Facility occupied	Annual Manure Produced <sup>e</sup>
Grow/ finish (wet/ dry) ▼	5400	BBP	58	40	0.9	365	1,773,900
Select production phase ▼			0	0	0.0		000
Select production phase ▼			0	0	0.0		000
<b>Total Gallons</b>							<b>1,773,900</b>

Estimated annual animal production<sup>f</sup>: 13,500 animals/year

Source of Manure Nutrient Content Data (standard tables, manure analysis, other): Tables



# Manure Management Plan Form

## Determining Maximum Allowable Manure Application Rates

**Instructions:** Complete a worksheet for each unique combination of the following factors (crop rotation, optimum crop yield, manure nutrient concentration, remaining crop N need, method of application) that occurs at this operation. Complete form by filling in blanks, yellow-colored cells, and drop down menus. Gray shaded cells will calculate automatically. Footnotes are given on pages 4, 5 and 6.

### Management Identification (Mgt ID)<sup>f</sup>

### Corn-Corn N-Rate Hardin (A)

(identify this application scenario by letter)

Method to determine optimum crop yield<sup>g</sup>  Timing of application

Method of application<sup>h</sup>  Application loss factor

If spray irrigation is used, identify method<sup>i</sup> \_\_\_\_\_

**Table 2. Manure nutrient concentration**

Manure Nutrient Content (lbs/1000gal or lbs/ton) <sup>j</sup>					
Total N	58	P <sub>2</sub> O <sub>5</sub>		40	
%TN Available 1st year <sup>k</sup>	90%	2nd year	0%	3rd year	0%
Available N 1st year <sup>l</sup>	51.2	2nd year <sup>m</sup>	0.0	3rd year <sup>n</sup>	0.0

**Table 3. Crop usage rates<sup>o</sup>**

lb/bu or lb/ton	N	P <sub>2</sub> O <sub>5</sub>
Corn	1.2	0.32
Soybean	3.8	0.72
Alfalfa	50	13
Other crop	0	0

\*Use blank space above to add crop not listed.

**Table 4. Calculations for rate based on nitrogen (always required)**

		Corn	Corn	Corn	Corn
1	Applying Manure For (crop to be grown) <sup>p</sup>	Corn	Corn	Corn	Corn
2	Optimum Crop Yield <sup>g</sup>	bu or ton/acre	219	219	219
3	P <sub>2</sub> O <sub>5</sub> removed with crop by harvest <sup>q</sup>	lb/acre	70.1	70.1	70.1
4	Crop N utilization <sup>r</sup>	lb/acre	263	263	263
5a	Legume N credit <sup>s</sup>	lb/acre	0.00	0	0
5b	Commercial N planned <sup>t</sup>	lb/acre	0	0	0
5c	Manure N carryover credit <sup>u</sup>	lb/acre	0	0.0	0.0
6	Remaining crop N need <sup>v</sup>	lb/acre	263	263	263
7	Manure rate to supply remaining N <sup>w</sup>	gal/acre	5137	5137	5137
8	P <sub>2</sub> O <sub>5</sub> applied with N-based rate <sup>x</sup>	lb/acre	205	205	205

**Table 5. Calculations for rate based on phosphorus (fill out only if P-based rates are planned)**

9	Commercial P <sub>2</sub> O <sub>5</sub> planned <sup>y</sup>	lb/acre	0	0	0	0
10	Manure rate to supply P removal <sup>z</sup>	gal/acre	1752	1752	1752	1752
11	Manure rate for P based plan <sup>aa</sup>	gal/acre	1752	1752	1752	1752
12	Manure N applied with P-based plan <sup>bb</sup>	lb/acre	90	90	90	90

**Table 6. Application rates that will be carried over to page 3**

13	Planned manure application rate <sup>cc</sup>	gal/acre	5137	5137	5137	5137
----	---	----------	------	------	------	------

When applicable, manure application rates must be based on the P index value as follows:

(1-2) N-based manure management.

.5) N-based manure management but P application rate cannot exceed two times the P removal rate of the crop schedule.

(>5-15) No manure application until practices are adopted to reduce P index to 5 or below. .

(>15) No manure application.



42892203P4000



Grower : Janes

Farm : Fields

Field : 42892203P4000

Latitude : 42.54757620


Longitude : -93.42961001



Feature ID  
■ Total Acres (177.8 ac)



# 42892211P3000 - Eide West



Grower : Janes

Farm : Fields

Field : 42892211P3000 - Eide West

Latitude : 42.52987192


Longitude : -93.42050394



Feature ID  
■ Total Acres (141.3 ac)



# 42892211P4000 - Home



Grower : Janes

Farm : Fields

Field : 42892211P4000 - Home

Latitude : 42.53194646

Longitude : -93.41069013



Feature ID  
■ Total Acres (172.7 ac)



# 42892213P2500 - Dorothy's



Grower : Janes

Farm : Fields

Field : 42892213P2500 - Dorothy's

Latitude : 42.52291112


Longitude : -93.40077508



Feature ID  
■ Total Acres (78.9 ac)



# 42892214P3000 - McCord North



Grower : Janes

Farm : Fields

Field : 42892214P3000 - McCord North

Latitude : 42.51601901

Longitude : -93.42044454



Feature ID  
■ Total Acres (154.0 ac)



# 42892214P4000 - Tjada Highway



Grower : Janes

Farm : Fields

Field : 42892214P4000 - Tjada Highway

Latitude : 42.51509210

Longitude : -93.40562291



Feature ID  
■ Total Acres (116.7 ac)



# 42892223P2600 - McCord South



Grower : Janes

Farm : Fields

Field : 42892223P2600 - McCord South

Latitude : 42.51030524

Longitude : -93.41290741



Feature ID  
■ Total Acres (79.5 ac)



# 42892225P3000 - Combellick



Grower : Janes

Farm : Fields

Field : 42892225P3000 - Combellick

Latitude : 42.48549815

Longitude : -93.40022649



Feature ID  
■ Total Acres (159.9 ac)





# Manure Management Plan Form

## Determining Maximum Allowable Manure Application Rates

**Instructions:** Complete a worksheet for each unique combination of the following factors (crop rotation, optimum crop yield, manure nutrient concentration, remaining crop N need, method of application) that occurs at this operation. Complete form by filling in blanks, yellow-colored cells, and drop down menus. Gray shaded cells will calculate automatically. Footnotes are given on pages 4, 5 and 6.

### Management Identification (Mgt ID)<sup>f</sup>

### Corn-Corn-Beans N-Rate Hardin (B)

(identify this application scenario by letter)

Method to determine optimum crop yield<sup>g</sup>  Timing of application

Method of application  Application loss factor

If spray irrigation is used, identify method

**Table 2. Manure nutrient concentration**

Manure Nutrient Content (lbs/1000gal or lbs/ton) <sup>j</sup>					
Total N	58	P <sub>2</sub> O <sub>5</sub>		40	
%TN Available 1st year <sup>k</sup>	90%	2nd year	0%	3rd year	0%
Available N 1st year <sup>l</sup>	51.2	2nd year <sup>m</sup>	0.0	3rd year <sup>n</sup>	0.0

**Table 3. Crop usage rates<sup>o</sup>**

lb/bu or lb/ton	N	P <sub>2</sub> O <sub>5</sub>
Corn	1.2	0.32
Soybean	3.8	0.72
Alfalfa	50	13
Other crop <input type="text"/>	0	0

\*Use blank space above to add crop not listed.

**Table 4. Calculations for rate based on nitrogen (always required)**

		Corn <input type="text"/>	Corn <input type="text"/>	Soybean <input type="text"/>	Corn <input type="text"/>
1	Applying Manure For (crop to be grown) <sup>p</sup>				
2	Optimum Crop Yield <sup>g</sup>	bu or ton/acre	219	219	63
3	P <sub>2</sub> O <sub>5</sub> removed with crop by harvest <sup>q</sup>	lb/acre	70.1	70.1	45.4
4	Crop N utilization <sup>r</sup>	lb/acre	263	263	239
5a	Legume N credit <sup>s</sup>	lb/acre	50.00	0	0
5b	Commercial N planned <sup>t</sup>	lb/acre	0	0	0
5c	Manure N carryover credit <sup>u</sup>	lb/acre	0	0.0	0.0
6	Remaining crop N need <sup>v</sup>	lb/acre	213	263	239
7	Manure rate to supply remaining N <sup>w</sup>	gal/acre	4160	5137	4680
8	P <sub>2</sub> O <sub>5</sub> applied with N-based rate <sup>x</sup>	lb/acre	166	205	187

**Table 5. Calculations for rate based on phosphorus (fill out only if P-based rates are planned)**

9	Commercial P <sub>2</sub> O <sub>5</sub> planned <sup>y</sup>	lb/acre	0	0	0	0
10	Manure rate to supply P removal <sup>z</sup>	gal/acre	1752	1752	1134	1752
11	Manure rate for P based plan <sup>aa</sup>	gal/acre	1752	2886	0	1752
12	Manure N applied with P-based plan <sup>bb</sup>	lb/acre	90	148	0	90

**Table 6. Application rates that will be carried over to page 3**

13	Planned manure application rate <sup>cc</sup>	gal/acre	4160	5137	0	4160
----	---	----------	------	------	---	------

When applicable, manure application rates must be based on the P index value as follows:

(1-2) N-based manure management.

(3-5) N-based manure management but P application rate cannot exceed two times the P removal rate of the crop schedule.

(>5-15) No manure application until practices are adopted to reduce P index to 5 or below.

(>15) No manure application.

42892202P2500



Grower : Janes

Farm : Fields

Field : 42892202P2500

Latitude : 42.55097736

Longitude : -93.41977858



Feature ID  
■ Total Acres (81.7 ac)



# 42892211P7000 - Home/Faye's



Grower : Janes

Farm : Fields

Field : 42892211P7000 - Home/Faye's

Latitude : 42.53695986

Longitude : -93.41996772



Feature ID

■ Total Acres (262.0 ac)



# 42892212P3000 - Bessman



Grower : Janes

Farm : Fields

Field : 42892212P3000 - Bessman

Latitude : 42.53183519

Longitude : -93.40102808



Feature ID  
■ Total Acres (93.1 ac)



42892212P4800 - Bessman



Grower : Janes

Farm : Fields

Field : 42892212P4800 - Bessman

Latitude : 42.52941542

Longitude : -93.38909877



Feature ID  
■ Total Acres (13.1 ac)



# 42892214P7000 - Bob's



Grower : Janes

Farm : Fields

Field : 42892214P7000 - Bob's

Latitude : 42.52375333

Longitude : -93.42021826



Feature ID  
■ Total Acres (306.5 ac)





# Manure Management Plan Form

## Determining Maximum Allowable Manure Application Rates

**Instructions:** Complete a worksheet for each unique combination of the following factors (crop rotation, optimum crop yield, manure nutrient concentration, remaining crop N need, method of application) that occurs at this operation. Complete form by filling in blanks, yellow-colored cells, and drop down menus. Gray shaded cells will calculate automatically. Footnotes are given on pages 4, 5 and 6.

### Management Identification (Mgt ID)<sup>f</sup>

### Corn-Corn N-Rate Franklin (C)

(identify this application scenario by letter)

Method to determine optimum crop yield<sup>g</sup>  Timing of application

Method of application  Application loss factor

If spray irrigation is used, identify method <sup>i</sup> \_\_\_\_\_

**Table 2. Manure nutrient concentration**

Manure Nutrient Content (lbs/1000gal or lbs/ton) <sup>j</sup>					
Total N	58	P <sub>2</sub> O <sub>5</sub>		40	
%TN Available 1st year <sup>k</sup>	90%	2nd year	0%	3rd year	0%
Available N 1st year <sup>l</sup>	51.2	2nd year <sup>m</sup>	0.0	3rd year <sup>n</sup>	0.0

**Table 3. Crop usage rates<sup>o</sup>**

lb/bu or lb/ton	N	P <sub>2</sub> O <sub>5</sub>
Corn	1.2	0.32
Soybean	3.8	0.72
Alfalfa	50	13
Other crop <input type="text"/>	0	0

\*Use blank space above to add crop not listed.

**Table 4. Calculations for rate based on nitrogen (always required)**

	Applying Manure For (crop to be grown) <sup>p</sup>		Corn <input type="text"/>	Corn <input type="text"/>	Corn <input type="text"/>	Corn <input type="text"/>
2	Optimum Crop Yield <sup>g</sup>	bu or ton/acre	220	220	220	220
3	P <sub>2</sub> O <sub>5</sub> removed with crop by harvest <sup>q</sup>	lb/acre	70.4	70.4	70.4	70.4
4	Crop N utilization <sup>r</sup>	lb/acre	264	264	264	264
5a	Legume N credit <sup>s</sup>	lb/acre	0.00	0	0	0
5b	Commercial N planned <sup>t</sup>	lb/acre	0	0	0	0
5c	Manure N carryover credit <sup>u</sup>	lb/acre	0	0.0	0.0	0.0
6	Remaining crop N need <sup>v</sup>	lb/acre	264	264	264	264
7	Manure rate to supply remaining N <sup>w</sup>	gal/acre	5161	5161	5161	5161
8	P <sub>2</sub> O <sub>5</sub> applied with N-based rate <sup>x</sup>	lb/acre	206	206	206	206

**Table 5. Calculations for rate based on phosphorus (fill out only if P-based rates are planned)**

9	Commercial P <sub>2</sub> O <sub>5</sub> planned <sup>y</sup>	lb/acre	0	0	0	0
10	Manure rate to supply P removal <sup>z</sup>	gal/acre	1760	1760	1760	1760
11	Manure rate for P based plan <sup>aa</sup>	gal/acre	1760	1760	1760	1760
12	Manure N applied with P-based plan <sup>bb</sup>	lb/acree	90	90	90	90

**Table 6. Application rates that will be carried over to page 3**

13	Planned manure application rate <sup>cc</sup>	gal/acre	5161	5161	5161	5161
----	---	----------	------	------	------	------

When applicable, manure application rates must be based on the P index value as follows:

(1-2) N-based manure management.

(3-5) N-based manure management but P application rate cannot exceed two times the P removal rate of the crop schedule.

(>5-15) No manure application until practices are adopted to reduce P index to 5 or below.

(>15) No manure application.

35902230P2500



Grower : Janes

Farm : Fields 2

Field : 35902230P2500

Latitude : 42.57964120

Longitude : -93.49921261



Feature ID  
■ Total Acres (74.6 ac)











## RUSLE2 Profile Erosion Calculation Record

Info: 35902230P2500

File: profiles\default

**Inputs:**

Location: USA\Iowa\Franklin County  
 Soil: SSURGO\Franklin County, Iowa\1226 Lawler loam, 0 to 2 percent slopes, rarely flooded\Lawler Loam rarely flooded 80%  
 Slope length (horiz): 300 ft  
 Avg. slope steepness: 1.0 %

Management	
managements\CMZ 04\c.Other Local Mgt Records\*CC North	Vegetation vegetations\Corn, grain, high yield
	Yield units bushels
	# yield units, #/ac 174.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 3.0 t/ac/yr  
 Soil loss erod. portion: 0.56 t/ac/yr  
 Detachment on slope: 0.56 t/ac/yr  
 Soil loss for cons. plan: 0.56 t/ac/yr  
 Sediment delivery: 0.56 t/ac/yr

Crit. slope length: 300 ft  
 Surf. cover after planting: 59 %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb. 30 inch		
11/2/0	Chisel, st. pt.		84
4/12/1	Cultivator, field 6-12 in sweeps		61
4/15/1	Planter, double disk opnr w/fluted coulter		57
10/20/1	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	59
			85



# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Erosion				Runoff				Tile / Subsurface Recharge				Overall P Index
	Gross Erosion	Sediment Trap Factor	SDR x Factor	Buffer Enrichment x Factor	STP x Factor	RCN Factor x ( STP Factor + P App Factor )	STP Factor	Runoff PI	Flow Factor	STP Factor	Tile/Sub PI	Recharge PI	
3590230P2500 --	0.56	1.00	0.07	1.00	1.10	0.80	0.17	0.00	0.33	1.00	0.07	0.07	0.43



## RUSLE2 Profile Erosion Calculation Record

Info: 42892202P2500

**File:** profiles\default

**Inputs:**

Location: USAlowa\Hardin County  
 Soil: Hardin County, Iowa\138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CCB North		vegetations\Corn, grain	bushels	222.00
managements\CMZ 04\c.Other Local Mgt Records\*CCB North		vegetations\Corn, grain	bushels	222.00
managements\CMZ 04\c.Other Local Mgt Records\*CCB North		vegetations\Soybean, mw 30 in rows	bu	64.000

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 1.00 t/ac/yr  
 Detachment on slope: 1.00 t/ac/yr  
 Soil loss for cons. plan: 1.00 t/ac/yr  
 Sediment delivery: 1.00 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: -- %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
10/30/0	Manure injector, liquid high disturb.30 inch		
4/16/1	Cultivator, field 6-12 in sweeps		80
4/24/1	Planter, double disk opnr		60
10/23/1	Harvest, killing crop 50pct standing stubble	Corn, grain	57
10/31/1	Manure injector, liquid high disturb.30 inch		90
4/17/2	Cultivator, field 6-12 in sweeps		90
			82

4/4				
10/23/2	Planter, double disk opnr			
5/8/3	Harvest, killing crop 50pct standing stubble		Corn, grain	83
10/12/3	Planter, double disk opnr			93
	Harvest, killing crop 50pct standing stubble		Soybean, mw 30 in rows	92
				91





## RUSLE2 Profile Erosion Calculation Record

Info: 42892203P4000

File: profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowal138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units bushels	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CC North	vegetations\Corn, grain, high yield	Vegetation	bushels	222.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 0.72 t/ac/yr  
 Detachment on slope: 0.72 t/ac/yr  
 Soil loss for cons. plan: 0.72 t/ac/yr  
 Sediment delivery: 0.72 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 65 %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch	Vegetation	
11/2/0	Chisel, st. pt.		89
4/12/1	Cultivator, field 6-12 in sweeps		67
4/15/1	Planter, double disk opr w/fluted coulter	Corn, grain, high yield	63
10/20/1	Harvest, killing crop 50pct standing stubble		65
			90

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index	
	Erosion	Trap Factor	Sediment	Buffer Factor	Enrichment	STP Factor	RCN Factor	STP Factor	P App Factor	Runoff PI	Flow Factor	STP Factor		Tile/Sub PI
42892203P4000 --	0.72	1.00	1.00	1.00	1.10	0.80	1.53	0.16	0.00	0.25	1.00	0.07	0.07	0.37





## RUSLE2 Profile Erosion Calculation Record

Info: 42892211P3000

**File:** profiles/default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: Hardin County, Iowa\638C2 Clarion-Storden loams, 5 to 9 percent slopes, moderately eroded\Clarion loam moderately eroded 55%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 7.0 %

Management	
managements\CMZ 04\c.Other Local Mgt Records\*CC North	Vegetation vegetations\Corn, grain
	Yield units bushels
	# yield units, #/ac 185.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 2.4 t/ac/yr  
 Detachment on slope: 2.4 t/ac/yr  
 Soil loss for cons. plan: 2.4 t/ac/yr  
 Sediment delivery: 2.4 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 63 %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb. 30 inch		87
11/2/0	Chisel, st. pt.		65
4/12/1	Cultivator, field 6-12 in sweeps		60
4/15/1	Planter, double disk opnr	Corn, grain	63
10/20/1	Harvest, killing crop 50pct standing stubble		88

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index					
	Erosion x	Trap Factor	x	SDR	x	Factor	x	Enrichment Factor	STP Factor	Erosion PI	RCN Factor	x		STP Factor	Tile/Sub PI	Flow Factor	x	Recharge PI
4289221P3000	2.40	1.00	1.00	0.06	1.00	1.10	1.28	1.10	1.28	0.20	1.53	0.75	0.00	1.14	1.00	0.15	0.15	1.49



## RUSLE2 Profile Erosion Calculation Record

Info: 42892211P4000

**File:** profiles\default

**Inputs:**

Location: USAlowa\Hardin County  
 Soil: Hardin County, Iowa\138C2 Clarion loam, 6 to 10 percent slopes, moderately eroded\Clarion Loam moderately eroded 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 8.0 %

Management	
managements\CMZ 04\c.Other Local Mgt Records\*CC North	Vegetation vegetations\Corn, grain, high yield
	Yield units bushels
	# yield units, #/ac 213.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 2.1 t/ac/yr  
 Detachment on slope: 2.1 t/ac/yr  
 Soil loss for cons. plan: 2.1 t/ac/yr  
 Sediment delivery: 2.1 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 64 %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch		
11/2/0	Chisel, st. pt.		88
4/12/1	Cultivator, field 6-12 in sweeps		66
4/15/1	Planter, double disk opnr w/fluted coultter		62
10/20/1	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	64
			89

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index					
	Erosion x	Trap Factor	Sediment	Buffer	Enrichment	STP	RCN	STP	P App	Runoff	Flow	STP	Tile/Sub	Factor x	PI	Factor x	PI	
4289221P4000 --	2.10	1.00	1.00	1.00	1.10	1.44	1.76	0.93	0.00	1.62	1.00	0.15	0.15	1.00	0.15	1.00	0.15	1.98



## RUSLE2 Profile Erosion Calculation Record

Info: 42892211P7000

File: profiles/default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\638C2 Clarion-Storden complex, 6 to 10 percent slopes, moderately eroded\Clarion Loam moderately eroded 45%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 8.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 041c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	200.00	
managements\CMZ 041c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	200.00	
managements\CMZ 041c.Other Local Mgt Records\*CCB North	vegetations\Soybean, mw 7 in rows	bu	58.000	

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 3.8 t/ac/yr  
 Detachment on slope: 3.8 t/ac/yr  
 Soil loss for cons. plan: 3.8 t/ac/yr  
 Sediment delivery: 3.8 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: -- %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
10/30/0	Manure injector, liquid high disturb.30 inch		
11/1/0	Chisel, st. pt.		73
4/16/1	Cultivator, field 6-12 in sweeps		34
4/24/1	Planter, double disk opnr	Corn, grain, high yield	25
10/23/1	Harvest, killing crop 50pct standing stubble		23
			85



10,	Manure injector, liquid high disturb. 30 inch		
11/1/1	Chisel, st. pt.		85
4/17/2	Cultivator, field 6-12 in sweeps		62
4/22/2	Planter, double disk opnr		57
10/23/2	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	60
10/25/2	Chisel, st. pt.		88
5/1/3	Cultivator, field 6-12 in sweeps		66
5/8/3	Planter, double disk opnr		64
10/12/3	Harvest, killing crop 30pct standing stubble	Soybean, mw 7in rows	68
			88



v. 1/22/2007

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index					
	Erosion x	Trap Factor	Sediment	SDR x	Factor	Buffer	Enrichment	STP	Factor	RCN	Factor	x		STP	Factor	x	Tile/Sub	Recharge
4289221P7000 --	3.80	1.00	1.00	0.06	1.00	1.10	1.10	1.09	1.09	1.53	0.52	0.00	0.79	1.00	0.07	0.07	0.07	1.13



## RUSLE2 Profile Erosion Calculation Record

Info: 42892212P3000

File: profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	222.00	
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	222.00	
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Soybean, mw 7in rows	bu	64.000	

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 1.2 t/ac/yr  
 Detachment on slope: 1.2 t/ac/yr  
 Soil loss for cons. plan: 1.2 t/ac/yr  
 Sediment delivery: 1.2 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: -- %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
10/30/0	Manure injector, liquid high disturb.30 inch		
11/1/0	Chisel, st. pt.		76
4/16/1	Cultivator, field 6-12 in sweeps		37
4/24/1	Planter, double disk opnr	Corn, grain, high yield	27
10/23/1	Harvest, killing crop 50pct standing stubble		25
10/31/1	Manure injector, liquid high disturb.30 inch		87
			87

1.	Chisel, st. pt.		
4/17/2	Cultivator, field 6-12 in sweeps		65
4/22/2	Planter, double disk opnr		60
10/23/2	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	63
10/25/2	Chisel, st. pt.		90
5/1/3	Cultivator, field 6-12 in sweeps		69
5/8/3	Planter, double disk opnr		67
10/12/3	Harvest, killing crop 30pct standing stubble	Soybean, mw 7 in rows	71
			90



v. 1/22/2007

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index														
	Erosion	x	Factor	SDR	x	Factor	Buffer	x	Factor	Enrichment	x	Factor		STP	x	Factor	Flow	x	Factor	STP	x	Factor	Tile/Sub	PI			
42892212P3000 --	1.20		1.00	0.08		1.00	1.10		0.85		0.08	1.53		0.23		0.00		0.00	0.35		1.00		0.07		0.07		0.51





## RUSLE2 Profile Erosion Calculation Record

Info: 42892212P4800

File: profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\27B Terril loam, 2 to 6 percent slopes\Terril Loam 80%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	219.00	
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Corn, grain, high yield	bushels	219.00	
managements\CMZ 04\c.Other Local Mgt Records\*CCB North	vegetations\Soybean, mw 7in rows	bu	64.000	

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 1.4 t/ac/yr  
 Detachment on slope: 1.4 t/ac/yr  
 Soil loss for cons. plan: 1.4 t/ac/yr  
 Sediment delivery: 1.4 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: -- %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
10/30/0	Manure injector, liquid high disturb.30 inch		
11/1/0	Chisel, st. pt.		76
4/16/1	Cultivator, field 6-12 in sweeps		37
4/24/1	Planter, double disk opnr	Corn, grain, high yield	27
10/23/1	Harvest, killing crop 50pct standing stubble		25
10/31/1	Manure injector, liquid high disturb.30 inch		87
			87

1	Chisel, st. pt.		
4/17/2	Cultivator, field 6-12 in sweeps		65
4/22/2	Planter, double disk opnr		60
10/23/2	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	62
10/25/2	Chisel, st. pt.		89
5/1/3	Cultivator, field 6-12 in sweeps		69
5/8/3	Planter, double disk opnr		67
10/12/3	Harvest, killing crop 30pct standing stubble	Soybean, mw 7in rows	70
			90



v. 11/22/2007

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Erosion				Runoff				Tile / Subsurface Recharge							
	Gross Erosion	Sediment Trap Factor	SDR x Factor	Buffer Factor	Enrichment Factor	STP Factor	Erosion PI	RCN Factor	STP Factor	P App Factor	Runoff PI	Flow Factor	STP Factor	Tile/Sub PI	Recharge PI	Overall P Index
42892212P4800 --	1.40	1.00	0.12	1.00	1.10	0.84	0.16	1.53	0.22	0.00	0.34	1.00	0.07	0.07	0.07	0.57



## RUSLE2 Profile Erosion Calculation Record

Info: 42892213P2500

File: profiles/default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: Hardin County, Iowa\138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 041c.Other Local Mgt Records\*CC North	vegetations\Corn, grain, high yield	Corn, grain, high yield	bushels	222.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 0.72 t/ac/yr  
 Detachment on slope: 0.72 t/ac/yr  
 Soil loss for cons. plan: 0.72 t/ac/yr  
 Sediment delivery: 0.72 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 65 %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch		89
11/2/0	Chisel, st. pt.		67
4/12/1	Cultivator, field 6-12 in sweeps		63
4/15/1	Planter, double disk opnr w/fluted couller	Corn, grain, high yield	65
10/20/1	Harvest, killing crop 50pct standing stubble		90

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Sediment Trap			SDR			Buffer Enrichment			STP Factor			Erosion PI			Runoff P App Factor			RCN Factor			STP Factor			Tile / Subsurface Recharge			Overall P Index							
	Erosion	x	Factor	Trap	x	Factor	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor	x	Factor					
42892213P2500 --	0.72	x	1.00	1.00	x	0.07	1.00	x	1.10	1.10	x	1.13	1.13	x	0.06	1.76	1.76	x	0.57	0.57	0.57	x	0.00	0.00	0.00	1.00	1.00	x	1.00	1.00	x	0.15	0.15	0.15	x	1.21	1.21	1.21





## RUSLE2 Profile Erosion Calculation Record

Info: 42892214P3000

File: profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\138C2 Clarion loam, 6 to 10 percent slopes, moderately eroded\Clarion Loam moderately eroded 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 8.0 %

Management	Vegetation
managements\CMZ 04\c.Other Local Mgt Records\*CC North	vegetations\Corn, grain, high yield
	Yield units bushels
	# yield units, #/ac 213.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 2.1 t/ac/yr  
 Detachment on slope: 2.1 t/ac/yr  
 Soil loss for cons. plan: 2.1 t/ac/yr  
 Sediment delivery: 2.1 t/ac/yr  
 Crit. slope length: 98 ft  
 Surf. cover after planting: 64 %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch		
11/2/0	Chisel, st. pt.		88
4/12/1	Cultivator, field 6-12 in sweeps		66
4/15/1	Planter, double disk opnr w/fluted coultter		62
10/20/1	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	64
			89





## RUSLE2 Profile Erosion Calculation Record

Info: 42892214P4000

File: profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: Hardin County, Iowa\138B Clarion loam, 2 to 5 percent slopes\Clarion loam 100%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CC North		vegetations\Corn, grain	bushels	223.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 0.74 t/ac/yr  
 Detachment on slope: 0.74 t/ac/yr  
 Soil loss for cons. plan: 0.74 t/ac/yr  
 Sediment delivery: 0.74 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 69 %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb. 30 inch		91
11/2/0	Chisel, st. pt.		71
4/12/1	Cultivator, field 6-12 in sweeps		67
4/15/1	Planter, double disk opnr	Corn, grain	69
10/20/1	Harvest, killing crop 50pct standing stubble		92



V. 1/22/2007

# Iowa Phosphorus Index

Credits: Iowa State University  
 USDA National Soil Tilth Laboratory  
 USDA Natural Resource Conservation Service

Field Number	Gross Erosion			Erosion			Runoff			Tile / Subsurface Recharge			Overall P Index		
	Erosion x	Sediment Trap Factor	SDR x	Buffer Factor	Enrichment Factor	STP Factor	Erosion PI	RCN Factor	STP Factor	P App Factor	Runoff PI	Flow Factor		STP Factor	Tile/Sub PI
42892214P4000 --	0.74	1.00	0.06	1.00	1.10	1.02	0.05	1.53	0.44	0.00	0.67	1.00	0.07	0.07	0.79



## RUSLE2 Profile Erosion Calculation Record

Info: 42892214P7000

File: profiles/default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: Hardin County, Iowa\138C2 Clarion loam, 5 to 9 percent slopes, moderately eroded\Clarion loam moderately eroded 95%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 8.0 %

Management		Vegetation	Yield units	# yield units, #/ac
managements\CMZ 041c.Other Local Mgt Records\*CCB North		vegetations\Corn, grain	bushels	213.00
managements\CMZ 041c.Other Local Mgt Records\*CCB North		vegetations\Corn, grain	bushels	213.00
managements\CMZ 041c.Other Local Mgt Records\*CCB North		vegetations\Soybean, mw 30 in rows	bu	62.000

Contouring: a, rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 2.9 t/ac/yr  
 Detachment on slope: 2.9 t/ac/yr  
 Soil loss for cons. plan: 2.9 t/ac/yr  
 Sediment delivery: 2.9 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: -- %  
 Avg. ann. forage harvest: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
10/30/04	Manure injector, liquid high disturb.30 inch		
4/16/11	Cultivator, field 6-12 in sweeps		79
4/24/11	Planter, double disk opnr		58
10/23/11	Harvest, killing crop 50pct standing stubble	Corn, grain	55
10/31/11	Manure injector, liquid high disturb.30 inch		89
4/17/12	Cultivator, field 6-12 in sweeps		89
			80



4/12/2	Planter, double disk opnr	Corn, grain	82
10/23/2	Harvest, killing crop 50pct standing stubble		92
5/8/3	Planter, double disk opnr	Soybean, mw 30 in rows	91
10/12/3	Harvest, killing crop 50pct standing stubble		90





## RUSLE2 Profile Erosion Calculation Record

Info: 42892223P2600

**File:** profiles\default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management	
managements\CMZ 04\c.Other Local Mgt Records\*CC North	Vegetation vegetations\Corn, grain, high yield
	Yield units bushels
	# yield units, #/ac 222.00

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 0.72 t/ac/yr  
 Detachment on slope: 0.72 t/ac/yr  
 Soil loss for cons. plan: 0.72 t/ac/yr  
 Sediment delivery: 0.72 t/ac/yr

Crit. slope length: 98 ft  
 Surf. cover after planting: 65 %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch		
11/2/0	Chisel, st. pt.		89
4/12/1	Cultivator, field 6-12 in sweeps		67
4/15/1	Planter, double disk opnr w/fluted coulters		63
10/20/1	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	65
			90



v. 1/22/2007

# Iowa Phosphorus Index

Credits: Iowa State University  
USDA National Soil Tillage Laboratory  
USDA Natural Resource Conservation Service

Field Number	Erosion				Runoff				Tile / Subsurface Recharge				Overall P Index		
	Gross Erosion	Sediment Trap Factor	SDR x Factor	Buffer Enrichment x Factor	STP Factor	RCN Factor x (STP Factor + P App Factor)	Runoff PI	RCN Factor	STP Factor	P App Factor	Runoff PI	Flow Factor		STP Factor	Tile/Sub PI
42892223P2600 --	0.72	1.00	0.07	1.00	1.10	0.99	0.05	1.53	0.39	0.00	0.60	1.00	0.07	0.07	0.73



## RUSLE2 Profile Erosion Calculation Record

Info: 42892225P3000

File: profiles/default

**Inputs:**

Location: USA\Iowa\Hardin County  
 Soil: SSURGO\Hardin County, Iowa\138B Clarion loam, 2 to 6 percent slopes\Clarion Loam 85%  
 Slope length (horiz): 98 ft  
 Avg. slope steepness: 3.0 %

Management		Yield units	# yield units, #/ac
managements\CMZ 04\c.Other Local Mgt Records\*CC North	Vegetation	bushels	222.00
	vegetations\Corn, grain, high yield		

Contouring: a. rows up-and-down hill  
 Strips/barriers: (none)  
 Diversion/terrace, sediment basin: (none)  
 Subsurface drainage: (none)  
 Adjust res. burial level: Normal res. burial

**Outputs:**

T value: 5.0 t/ac/yr  
 Soil loss erod. portion: 0.72 t/ac/yr  
 Detachment on slope: 0.72 t/ac/yr  
 Soil loss for cons. plan: 0.72 t/ac/yr  
 Sediment delivery: 0.72 t/ac/yr  
 Crit. slope length: 98 ft  
 Surf. cover after planting: 65 %  
 Avg. ann. total biomass removal: 0 lb/ac

Date	Operation	Vegetation	Surf. res. cov. after op, %
11/1/0	Manure injector, liquid high disturb.30 inch		
11/2/0	Chisel, st. pt.		89
4/12/1	Cultivator, field 6-12 in sweeps		67
4/15/1	Planter, double disk opnr w/fluted coulter		63
10/20/1	Harvest, killing crop 50pct standing stubble	Corn, grain, high yield	65
			90





CY2022

## Manure Management Plan Form

## Appendix A8: Iowa Ag Statistics County Corn and Soybean Yield Averages, 2016-2020

Page 7

County	Corn			Soybeans		
	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)
Adair	172	189	178	52	57	53
Adams	181	199	183	55	60	55
Allamakee	196	215	198	55	61	56
Appanoose	162	178	167	47	52	49
Audubon	197	217	203	56	61	58
Benton	195	214	207	59	65	59
Black Hawk	200	219	207	57	63	58
Boone	190	209	197	55	60	56
Bremer	207	228	212	57	63	58
Buchanan	208	229	213	57	63	57
Buena Vista	192	211	193	56	62	57
Butler	207	227	210	56	62	57
Calhoun	191	210	199	55	60	57
Carroll	199	219	211	58	64	59
Cass	188	207	193	55	60	57
Cedar	202	222	213	60	66	46
Cerro Gordo	192	212	195	55	61	56
Cherokee	206	227	211	62	68	64
Chickasaw	199	218	202	54	59	55
Clarke	153	168	159	47	51	47
Clay	182	201	188	54	60	56
Clayton	203	223	206	59	65	60
Clinton	203	223	209	59	65	59
Crawford	213	235	221	60	67	62
Dallas	180	198	190	53	58	55
Davis	161	177	174	48	53	51
Decatur	159	175	167	48	53	49
Delaware	208	229	212	61	68	63
Des Moines	195	214	199	60	66	61
Dickinson	180	198	184	54	59	55
Dubuque	211	232	214	59	65	60
Emmet	189	207	197	55	60	57
Fayette	198	218	203	57	63	58
Floyd	195	215	198	54	59	55
Franklin	200	220	204	57	63	58
Fremont	193	212	196	54	60	55
Greene	193	212	203	56	61	57
Grundy	207	228	213	61	67	63
Guthrie	187	206	196	54	59	56
Hamilton	192	211	198	54	59	55
Hancock	194	214	199	56	62	58
Hardin	199	219	210	57	63	58

## Manure Management Plan Form

### Appendix A8: Iowa Ag Statistics County Corn and Soybean Yield Averages, 2016-2020

(continued)

Page 8

County	Corn			Soybeans		
	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)
Harrison	193	212	197	54	60	55
Henry	185	203	190	58	64	59
Howard	195	214	197	53	59	54
Humboldt	192	211	199	56	62	57
Ida	211	232	216	61	67	62
Iowa	196	216	207	54	60	56
Jackson	196	215	198	57	63	58
Jasper	205	225	212	59	65	60
Jefferson	178	196	182	54	59	56
Johnson	192	211	199	56	61	57
Jones	201	221	208	57	63	58
Keokuk	186	204	191	55	60	56
Kossuth	196	216	200	59	65	60
Lee	184	203	187	57	63	59
Linn	205	225	214	57	63	58
Louisa	194	214	199	56	62	57
Lucas	150	165	155	46	51	47
Lyon	201	221	204	61	67	63
Madison	175	193	177	53	58	53
Mahaska	192	211	196	57	62	57
Marion	184	203	188	55	61	56
Marshall	212	233	220	61	67	62
Mills	192	211	195	53	58	54
Mitchell	201	221	203	56	61	57
Monona	189	208	191	56	61	56
Monroe	167	184	170	52	57	54
Montgomery	193	213	195	54	60	56
Muscatine	193	213	198	59	64	60
O'Brien	206	227	208	61	67	62
Osceola	193	212	196	56	61	57
Page	188	207	190	54	60	55
Palo Alto	186	205	193	56	61	57
Plymouth	202	222	208	59	65	61
Pocahontas	191	210	194	55	61	57
Polk	187	205	196	53	58	54
Pottawattamie	198	217	203	55	61	57
Poweshiek	197	217	212	56	61	57
Ringgold	170	187	174	51	56	51
Sac	201	221	211	57	63	60
Scott	204	225	210	62	69	63
Shelby	204	224	208	57	63	59
Sioux	208	229	212	63	69	64

## Manure Management Plan Form

### Appendix A8: Iowa Ag Statistics County Corn and Soybean Yield Averages, 2016-2020

(continued)

Page 9

County	Corn			Soybeans		
	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)	5-yr. avg. yield (bu/ac)	5-yr. ave. yield + 10% (bu/ac)	Avg. yield of 4 highest (bu/ac)
Story	189	207	198	54	59	55
Tama	198	218	215	58	64	60
Taylor	164	180	166	51	56	52
Union	167	184	172	51	56	52
Van Buren	165	181	174	49	54	52
Wapello	175	192	180	54	59	56
Warren	171	188	175	51	57	52
Washington	202	222	207	57	63	58
Wayne	159	175	167	49	54	50
Webster	193	212	197	53	59	54
Winnebago	199	219	204	58	63	59
Winneshiek	198	217	202	55	60	55
Woodbury	207	227	210	58	64	59
Worth	195	214	198	55	60	56
Wright	194	214	198	56	61	56

## Using Manure Nutrients for Crop Production

The manure nutrient concentration varies considerably between animal species; dietary options; animal genetics; animal performance; production management and facility type; and collection, bedding, storage, handling, and agitation for land application. Use of average or "book" nutrient values can be helpful for designing a new facility and creating manure management plans but is not very helpful in determining specific manure nutrient supply or application rates due to wide variation in nutrient concentrations between production facilities. For example, a recent sampling across swine finishing facilities found a range in total N from 32 to 79 lb N/1,000 gal, P from 17 to 54 lb P<sub>2</sub>O<sub>5</sub>/1,000 gal, and K from 23 to 48 lb K<sub>2</sub>O/1,000 gal. A similar or larger range can be found with other manure types. Nutrient analyses often vary greatly as storage facilities are emptied or manure is stockpiled, and also among multiple samples collected from loads during land application. Therefore, collecting multiple manure samples and maintaining a history of analysis results will improve use of manure nutrients.

For determining manure application rates and equating to crop fertilization requirements, it is most helpful if manure analyses give N, P<sub>2</sub>O<sub>5</sub>, and K<sub>2</sub>O based on an as-received or wet basis in lb per ton or lb per 1,000 gal units. It is beyond the scope of this publication to give detailed manure sampling and laboratory analysis

## Nutrients in Animal Manure

Manure has characteristics that make nutrient management different and sometimes more complicated than fertilizer. These include a mix of organic and inorganic nutrient forms; variation in nutrient concentration and forms; variation in dry matter and resultant handling as a liquid or solid; and relatively low nutrient concentration requiring large application volumes. Since manure nutrient composition can vary significantly, sampling and laboratory analysis are always needed, while with fertilizer nutrient concentrations are provided at a guaranteed analysis.

Manure can supply nutrients required by crops and replenish nutrients removed from soil by crop harvest. Since manure contains multiple nutrients, applications should consider not only what is needed for the crop to be grown but also how the ratio of nutrients in manure could affect soil test levels. This ensures adequate nutrient supply and reduces potential for over- or under-application and subsequent buildup or depletion in the soil. Good manure nutrient management should consider short-term and long-term impacts on crop nutrient supply and soil resources.

recommendations. Those can be found in the extension materials listed on page 7. If manure analyses are provided from the laboratory in other units, they must be converted to these units. See the ISU Extension manure sampling publication for appropriate conversion factors. If manure average nutrient values or methods to estimate manure nutrient concentrations based on excretion are of interest or needed for planning purposes, those can be found in the Midwest Plan Service bulletins listed on page 7.

## Manure Nutrient Availability for Crops

Nutrient management guidelines use the words "manure nutrient availability" when suggesting manure applications to supply nutrients needed by crops. However, the meaning of "availability" for manure nutrients often is not clear or its use not consistent. Available is defined as present or ready for immediate use, or present in such chemical or physical form as to be usable (as by a plant). The main reasoning for using the term "available" in describing manure nutrients is that some portions are in forms that cannot be used by plants immediately upon application to soil and have to be converted to a form that plants can take up. The term "available" is not typically applied to fertilizers because most include chemical forms that plants can take up or are quickly converted upon application to soil. According to this definition, most inorganic fertilizers contain basically

100 percent crop-available nutrients. For example, anhydrous ammonia dissolves in water and rapidly changes to ammonium, urea hydrolyzes to ammonium within a few days, and ammonium is further transformed to nitrate by soil microorganisms. Mono-ammonium phosphate (MAP) and diammonium phosphate (DAP) are highly soluble in water and dissolve to ammonium and orthophosphate. Potassium chloride (KCl, potash), dissolves in water to potassium (K<sup>+</sup>) and chloride (Cl<sup>-</sup>) ions. Both orthophosphate and K ions are taken up by plants. Because all K contained in manure is in the K<sup>+</sup> ionic form, manure K is readily crop available in all manure sources.

For manure N and P, there is usually a mix of organic and inorganic materials that varies among manure sources, production systems, bedding, storage, and handling. This variety in forms of N and P in manure

contributes to greater uncertainty in manure nutrient management compared with fertilizers. The ratio of inorganic (mainly ammonium) and organic N varies considerably with the manure source. This was shown, for example, by on-farm research that included manure sampling and analysis from swine and poultry operations. The fraction of total N as ammonium N was almost 100 percent for swine manure from the liquid portion of anaerobic lagoons, 65 to 100 percent (average 84 percent) for liquid swine manure from under-building pits or storage tanks, and 10 to 40 percent (average 20 percent) for solid poultry manure. The large ammonium-N concentration and organic-N fraction that is easily mineralized after application to soil explain why N in liquid swine manure is considered "highly" crop available and almost comparable to fertilizer N. Other manures have lower ammonium-N concentrations and greater (and tougher to degrade)





## Using Manure Nutrients for Crop Production

organic materials due to bedding and feed materials. Considerable P in swine manure is orthophosphate and calcium phosphate compounds (derived both from feed and mineral supplements added to rations) that are soluble or dissolve quickly once applied to soil. The rest is organic P, which varies greatly in complexity and reaction in soil. Testing manure for ammonium-N or water-soluble N can be a way of estimating immediately available N. Unfortunately, a similarly useful test does not exist for P. Therefore, the availability estimate for manure N and P can be, and often is, less than 100 percent of total N and P.

### Manure Nutrients are Supply

There is a clear difference between crop availability of nutrients in fertilizer or manure and season-long supply of nutrients. Significant amounts of plant usable forms of nutrients in both fertilizer and manure might be lost and become unavailable to crops after application. For example, N can be lost through processes such as leaching, volatilization, or denitrification while P can be lost through erosion and surface runoff. Also, these nutrients can be converted for short or long periods of time into forms not usable by plants through processes such as immobilization to organic materials for N and retention by soil mineral constituents for P. Nutrient loss issues are not as pertinent for P and K as for N in Iowa soils as long as there is little soil erosion and surface runoff.

are handled by suggested management practices. Not all published guidelines are consistent in this regard and, therefore, suggested crop nutrient availabilities do vary between states and regions. In this publication, use of "availability" refers to manure nutrients potentially available for plant uptake (with no losses) by the first crop after application or beyond, and percent nutrient availability values provided correlate to those for commonly used fertilizers. The guidelines in this publication assume supply issues are handled in the best way possible as is done with fertilizers. It is important to understand that for successful manure nutrient management, in many instances supply issues are as, or more, critical than estimates of nutrient availability.

Improving crop nutrient supply with manure can be achieved by understanding the issues related to manure nutrient analysis, application rate, application distribution, and the benefits and risks related to management practices such as application timing and placement that influence potential losses. Additionally, use of available tools to determine initial soil nutrient levels and adjust application rates can help provide for adequate season-long nutrient supply when either manure or fertilizer is used. These tools include commonly used pre-plant soil testing for P and K, estimates of N application rate need based on response trial data (such as the *Corn Nitrogen Rate Calculator*), and tools to help determine need for

Manure nutrient loss, application rate, and distribution uncertainties usually are not included in crop nutrient availability estimates. Instead, they

additional N after planting corn such as the late-spring soil nitrate test and in-season crop sensing for N stress.

### Manure Nutrients Application Recommendations

To determine manure application rates, the following information is required: needed crop nutrient fertilization rate for N, P, K, or other deficient nutrients; manure type; nutrient analysis; nutrient crop availability; and method of application. Nutrient recommendations for crops are provided in other Iowa State University Extension publications and are not repeated here (see list on page 7).

Once the needed nutrient application rate is determined, the manure rate to supply crop available nutrients is calculated based on the specific manure source being used.

### First-Year Availability Estimates

Table 1. First-year nutrient availability for different animal manure sources.

Manure Source	Nitrogen <sup>1</sup>	Percent of Total Nutrient Applied	
		Phosphorus <sup>2</sup>	Potassium <sup>2</sup>
Beef cattle (solid or liquid)	30-50	80-100	90-100
Dairy (solid or liquid)	30-50	80-100	90-100
Liquid swine (anaerobic pit)	90-100	90-100	90-100
Liquid swine (anaerobic lagoon)	90-100 <sup>3</sup>	90-100 <sup>3</sup>	90-100
Poultry (all species)	50-60	90-100	90-100

<sup>1</sup>The estimates for N availability do not account for potential volatile N losses during and after land application. Correction factors for volatile loss are given in Table 2. The ranges are provided to account for variation in the proportion of ammonium N (and for poultry manure also urea acid), bedding type and amount, and both sampling and analysis.

<sup>2</sup>The ranges in P and K availability are provided to account for variation in sampling and analysis, and for needed P and K supply with different soil test levels. A small portion of manure P may not be available immediately after application, but all P is potentially available over time. Use lower P and K availability values for soils testing in the Very Low and Low soil test interpretation categories, where large yield loss could occur if insufficient P or K is applied and a reasonable buildup is desirable. Use 100% when manure is applied to maintain soil-test P and K in the Optimum soil test category, when the probability of a yield response is small.

<sup>3</sup>Values apply for the liquid portion of swine manure in lagoons; the N and P availability will be less and difficult to estimate with settled solids.

## Using Manure Nutrients for Crop Production

### Manure Nutrients Availability Values

Many of the manure N, P, and K crop availability estimates listed in Table 1 are derived from research trials conducted in Iowa. However, when local research is lacking, applicable information was taken from research conducted in other states. For manure sources not listed in the table, values based on manure with similar characteristics can provide a reasonable estimate. The ranges in nutrient availability are provided to account for variation in the proportion of organic and inorganic N and P forms, bedding type and amount, manure sampling and analysis variation, and application importance at different P and K soil test levels. See the footnote in Table 1 for further information on variability in manure nutrient availability.

An additional consideration is what portion of the needed fertilization will be supplied from manure—to meet the full crop nutrient requirement, or a partial requirement from manure and the remaining from fertilizer. This is an important consideration because manure contains multiple nutrients and a manure rate to supply the most deficient nutrient can over-supply other nutrients. Also, manure application to meet the least deficient or most environmentally restrictive nutrient application can result in under-supply of other nutrients.

In these cases, use of fertilizers in addition to manure application is necessary to appropriately meet all nutrient application requirements.

**Second- and Third-Year Availability Estimates**

While manure N may become crop available over multiple years for some sources, there should not be an expectation that all of the manure N will eventually become crop available. This happens because some of the N is in difficult to degrade organic forms (recalcitrant) and will become part of the soil organic matter. For some manure sources, such as with bedded systems, not all of the manure N should be accounted for in manure plans over multiple years and the first-, second-, or third-year availability may not add up to 100 percent.

Animal manure that has considerable organic material can have some residual-N availability in the second or third year after application. The second-year N availability estimate for beef cattle and dairy manure is 10 percent.

**Adjusting for Manure Nitrogen Volatilization**

The estimates for manure N availability in Table 1 do not consider potential volatile N losses during or after application. Losses are from various volatile N compounds in manure, such as ammonia, and ammonia that is produced when urea, uric acid, or other compounds convert to ammonium. These are similar losses that can occur from some N fertilizers such as anhydrous ammonia, urea, and urea-ammonium nitrate (UAN) solutions. If manure is left on the soil surface, losses may occur until N is moved into the soil with rainfall or incorporated with tillage. Many factors affect the rate and amount of volatile loss, such as temperature, humidity, rainfall, soil moisture, soil pH, surface residue cover, and days to incorporation. Volatile losses at or after application often are difficult to predict accurately. However, losses can be significant and, therefore, it is important to make an adjustment for volatile N losses from applied manure and for manure management planning purposes.

Values given in Table 2 provide guidance on potential volatile losses. The correction factors in Table 2 do not account for N losses during storage and handling (time from excretion to sampling for analysis) and assume a reasonable time period from sampling to land application so that the manure analysis represents the manure being applied. To estimate manure N remaining in soil after application, multiply the applied manure N rate by the appropriate correction factor.

**Table 2. Correction factors to account for N volatilization losses during and after land application of animal manure.<sup>1</sup>**

Application Method	Incorporation	Volatilization Correction Factor <sup>2</sup>
Direct injection		0.98–1.00
Broadcast (liquid/solid)	Immediate incorporation	0.95–0.99
Broadcast (liquid)	No incorporation	0.75–0.90
Broadcast (solid)	No incorporation	0.70–0.85
Irrigation	No incorporation	0.60–0.75

<sup>1</sup>Adapted from Midwest Plan Service MWPS-18, Third Edition, Nitrogen losses during and within four days of application.

<sup>2</sup>Multiply the manure total N rate applied (times the volatilization correction factor) to determine the portion of total manure N remaining.

**Considerations for Timing of Application**

The time of application influences nutrient availability and potential manure and nutrient loss from soil. Fall applications allow more time for organic N and P portions of manure to mineralize so they are available for plant uptake the next crop season. This is more important for N in manures with high organic matter content, such as bedded systems. Iowa research has shown that fall versus springtime P and K application usually is not an agronomic issue for fertilizers or manure. The increased time for organic N mineralization with fall application also allows for nitrification of ammonium and therefore more potential nitrate loss through leaching or denitrification with excessively wet spring conditions. This is a more important issue for manure with large ammonium-N concentration, such as liquid swine manure. Coarse-textured soils, with high permeability, are the most likely to have leaching losses. Fine- and moderately fine-textured soils, prone to excess wetness, are most likely to have denitrification losses. Manure applied in the spring has less time for organic N and P mineralization before crop uptake. Delayed mineralization can be an important issue for manure with high organic matter content, especially in cold springs. With manure that

contains a large portion of N as ammonium, spring application allows for better timing of nitrification to nitrate and subsequent crop use, and less chance of N loss.

As a general rule, do not apply manure in the fall unless the soil temperature is 50° F and cooling at the four-inch soil depth. This will slow the mineralization and nitrification processes and is an especially important consideration for manure containing a large portion of N as ammonium.

Broadcasting manure onto frozen, snow-covered, water-saturated soils increases the potential for nutrient losses with rainfall or snowmelt runoff to surface water systems. If manure must be applied in these conditions, it should be applied on relatively flat land, slopes less than 5 percent, and well away from streams and waterways (see Iowa Department of Natural Resources rules on setback distances).





## Using Manure Nutrients for Crop Production

### Example Calculation of Manure Application Rates

Note: The N, P, and K fertilization requirements in these examples are determined from appropriate extension publications and Web-based tools listed at the right.

#### Example 1

- Manure source: liquid swine manure, finishing under-building pit
- Manure analysis: 40 lb N/1,000 gal, 25 lb P<sub>2</sub>O<sub>5</sub>/1,000 gal, 35 lb K<sub>2</sub>O/1,000 gal
- Intended crop: corn in a corn-soybean rotation
- Soil tests: 19 ppm Bray P-1 (Optimum), 165 ppm Ammonium Acetate K (Optimum)
- Crop yield and P and K removal for determining nutrient rates needed to maintain the Optimum soil test category: 200 bu/crope over yield; 75 lb P<sub>2</sub>O<sub>5</sub>/acre and 60 lb K<sub>2</sub>O removal

• Manure rate based on corn N fertilization requirement at 125 lb N/acre

• Manure application, injected late fall

• Manure nutrient availability: 100 percent for N, P and K

• Manure N volatilization correction factor: 0.98

• Manure rate: 125 lb N/acre ÷ (40 lb N/1,000 gal × 0.98) = 3,200 gal/acre

• Manure available P and K nutrients applied: 1,200 gal/acre × (25 lb P<sub>2</sub>O<sub>5</sub>/1,000 gal × 1.00) = 80 lb P<sub>2</sub>O<sub>5</sub>/acre; and 3,200 gal/acre × (35 lb K<sub>2</sub>O/1,000 gal × 1.00) = 112 lb K<sub>2</sub>O/acre

• Phosphorus and K applied with the manure are adequate for P (slightly more than expected corn removal) and will supply more than needed K. The extra P and K can be used by the next crop and should be accounted for. However, additional P and K will need to be applied for the following soybean crop.

#### Example 2

- Manure source: solid layer manure
- Manure analysis: 72 lb N/ton, 69 lb P<sub>2</sub>O<sub>5</sub>/ton, 54 lb K<sub>2</sub>O/ton
- Intended crop: corn-soybean rotation
- Soil tests: 18 ppm Bray P-1 (Optimum), 120 ppm Ammonium Acetate K (Low)
- Manure rate based on P requirement for the crop rotation at 120 lb P<sub>2</sub>O<sub>5</sub>/acre
- Manure application: late fall, incorporated after four days
- Manure nutrient availability: 35 percent for N, 100 percent for P and K
- Manure N volatilization correction factor: 0.80
- Manure rate: 120 lb P<sub>2</sub>O<sub>5</sub>/acre ÷ (69 lb P<sub>2</sub>O<sub>5</sub>/ton × 1.00) = 1.7 ton/acre
- Manure available N and K nutrients applied: 1.7 ton/acre × (72 lb N/ton × 0.60 × 0.80) = 60 lb N/acre, and 1.7 ton/acre × (54 lb K<sub>2</sub>O/ton × 1.00) = 92 lb K<sub>2</sub>O/acre

• Corn N fertilization need and K needed for the corn and soybean crops with a low soil test category: 130 lb N/acre and 172 lb K<sub>2</sub>O/acre

• Crop available N and K applied with manure is not adequate for N, need additional 70 lb fertilizer N/acre (130 lb N/acre - 60 lb N/acre); and applied K is not adequate for the corn and soybean crops, need additional 80 lb K<sub>2</sub>O/acre (172 - 92 lb K<sub>2</sub>O/acre) from fertilizer.

## Using Manure Nutrients for Crop Production

### Summary

- Carefully manage the nutrients in animal manure as you would manage fertilizer.
- Have representative manure samples analyzed to determine nutrient concentration. At a minimum, samples should be analyzed for moisture (dry matter) and total N, P, and K. For additional information on N composition, samples can be analyzed for ammonium. Maintain a manure analysis history for production facilities.
- Set the manure application rate according to crop fertilization requirements and for the crop availability of manure N, P, and K.
- Adjust manure rates for estimated N volatilization.
- For manure application rates, consider the crop N, P, and K fertilization requirements and field P-index ratings, but do not exceed the crop N fertilization need.
- Consider the nutrient needs of crop rotations rather than just individual crops, which is especially important for P and K management.
- Allocate manure to fields based on soil tests and crops to be grown.
- Fall applications of manure should not be made until the soil temperature is 50° F and cooling, especially for manure sources that have a large portion of N as ammonium.
- Do not apply manure to snow-covered, frozen, or water-saturated sloping ground to reduce risk of nutrient loss and water quality impairment.

Prepared by John E. Sawyer and Antonio P. Mallarino, professors of agronomy and extension soil fertility specialists, Iowa State University



This publication was peer-reviewed by three independent reviewers using a double-blind process.

... and justice for all

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, personal status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue SW, Washington, DC 20250-9410, or call 800-795-3272 (voice) or 202-720-6382 (TDD). USDA is an equal opportunity provider and employer.

Issued in furtherance of Cooperative Extension work, Act of May 8 and June 30, 1914 in cooperation with the U.S. Department of Agriculture. Cuthbert A. Kress, director, Cooperative Extension Service, Iowa State University of Science and Technology, Ames, Iowa.



Hardin County

**CHECKLIST – NEW CONSTRUCTION FEEDING OPERATIONS**

**Matrix & Nonmatrix**

**Schiller Site**

**Sec.3 T-89-N R-22-W**

ok 1) Check flood planes

no 2) Does it need a subdivision waiver or subdivided  
(check with Planning and Zoning)

yes 3) Are all the residences property listed

ok 4) Is there proper distances for the well & sewer system. Also  
distance of right of way

ok 5) Check to see if site location is within a county Drainage District.  
If site sits on county tile **North edge of DD 37**

yes 6) Are all the distances right for the points taken or if they missed  
something and it changes the points (440 is minimum)

1875' from residence (Matrix)

1250' from residence (Non Matrix)

Passing score 440 / 53.38 / 67.75 / 101.13

Scored 470 / 106.25 / 149.5 / 214.25

Dan Tilkes Date 8/24/2021

Dan Tilkes

Franklin County Environmental Health

---

Where upon Board Member McClellan moved that the following resolution be adopted:

**RESOLUTION #2020-05**

**POLICY FOR CHAPTER 459 PUBLIC COMMENT AND PUBLIC HEARING**

**WHEREAS**, the Hardin County Board of Supervisors has re-adopted a construction evaluation resolution relating to the construction of a confinement feeding operation structure; and

**WHEREAS**, counties that have adopted or re-adopted a construction evaluation resolution can submit to the Department of Natural Resources (DNR) an adopted recommendation to approve or disapprove a construction permit application regarding a proposed confinement feeding operation structure; and


**WHEREAS**, Iowa Code 459.304(2)(a) provides that “the board *shall* provide for comment” on a construction application, and Iowa Code 459.304(2)(b) provides that “the board *may* hold a public hearing”, and Iowa Code 459.304(2)(a)(2)(f) provides that the board has authority to set “the procedures for providing public comments to the board”; and


**WHEREAS**, Iowa Code 459.304(3)(b) provides that if the board has adopted a construction evaluation resolution, the board must conduct an evaluation using the master matrix; and “The board’s recommendation *may* be based on the master matrix or *may* be based on comments under this section regardless of the results of the master matrix”; and

**WHEREAS**, Iowa Code 459.304(5)(b) provided that if the board’s disapproval of an application is based on the matrix, the Iowa DNR’s review based on the matrix shall prevail, and Iowa Code 459.304(5)(b) provides that if the board’s disapproval of an application is based on something other than the matrix, the Iowa DNR will consider any timely comments that relate to requirements of Iowa Code 459; and

**WHEREAS**, the Board desires to establish procedures for efficiently receiving and effectively utilizing public comments;

**NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF SUPERVISORS OF HARDIN COUNTY** that the Board of Supervisors hereby adopts the attached policy and procedures for public comment and public hearing, which are incorporated herein by this reference, relative to applications under Iowa Code Chapter 459.

  
\_\_\_\_\_  
Chair, Board of Supervisors  
Date: 01/22/2020

ATTEST:  
  
\_\_\_\_\_  
County Auditor  
Date: 01/22/2020

HARDIN COUNTY BOARD OF SUPERVISORS  
POLICY FOR CHAPTER 459 PUBLIC COMMENT AND PUBLIC HEARING

**POLICY STATEMENT**

**The Board has adopted a construction evaluation resolution. By law the Board has the right to submit comment to the Iowa DNR on construction applications. By law the people have the right to submit comment to the Board under procedures adopted by the Board. While the Board is not obliged to do so, by law the Board can extend to the public the privilege of public hearing. The Board supports local involvement in government and elects to hold public hearings, but also encourages the public to contact Board members on this and any issue. The following procedures for public comment and public hearing are intended to afford the public an opportunity to bring to the attention of the Board, in an orderly and civil manner, information appropriate for consideration under the law.**

**PROCEDURES FOR PUBLIC HEARING**

The public hearing is the public's opportunity to address the Board with pertinent information and argument for or against a construction application. The public should not expect the Board to engage in debate. The public hearing is the chance for local officials to hear directly from their constituents. The manner of receiving public comment at a public hearing shall be at the discretion of the Board Chair. Failure to comply with these procedures will result in sanctions.

**PROCEDURES FOR PUBLIC COMMENT**

Any member of the public can submit written comment to the Board under the following procedures. Any written comment that does not conform to these procedures will not be considered by the Board and will not be part of the record submitted to the Iowa Department of Natural Resources.

1. Written comment shall be received by the Board Chair at or before the time of holding a public hearing held under Chapter 459.304.
2. All written comments shall clearly and expressly state whether the comment is for or against approval of the construction application.
3. Written comments shall be limited to one per person and include the person's name and address.
4. All written comments shall clearly and expressly identify the statutory provision(s) of Iowa Code or the Iowa Administrative Code that form(s) the basis for or against the application.