

**AGENDA
REGULAR DRAINAGE MEETING
MAY 2, 2018
(FOLLOWING BOARD OF SUPERVISOR MEETING)**

1. Open Meeting
2. Approve Agenda
3. Approve Minutes
April 25, 2018 Regular Drainage Meeting
4. DD 72 - Approve Change Order #5 For Time Extension

Documents:

[DD 72 CHANGE ORDER 5.PDF](#)

5. DD 72 - Discuss, With Possible Action, Fence Release

Documents:

[DD 72 FENCE RELEASE.PDF](#)

6. DD 72 - Discuss, With Possible Action, Updates Regarding Project
7. DD 95 - Discuss, With Possible Action, Current Project
8. DD 167 - Approve Work Order Request #208

Documents:

[DD_167_WO_208_REQUEST.PDF](#)

9. DD 25 - Approve Work Order Request #209

Documents:

[DD_25_WO_209_REQUEST.PDF](#)

10. DD 119 - Approve Work Order Request #210

Documents:

[DD 119 WO 210 REQUEST.PDF](#)

11. Approve Drainage Utility Permit With Iowa Regional Utilities Association

Documents:

[DD 26 UTILITY PERMIT 2018-1.PDF](#)
[UTILITY PERMIT 2018-2.PDF](#)

12. Other Business

13. Adjourn Meeting

Change Order

No. 5

Date of Issuance: April 27, 2018

Effective Date: April 27, 2018

Project: Improvements to Main Tile Drainage District #72	Owner: Trustees of Drainage District #72	Owner's Contract No.:
Contract:		Date of Contract: September 8, 2017
Contractor: M D Construction Inc.		Engineer's Project No.:6833

The Contract Documents are modified as follows upon execution of this Change Order:

Description: Contractor has requested a contract extension on multiple occasions. Due to the recent snowfall and soil conditions at the upper end of the project, it was deemed a valid request.

Attachments (list documents supporting change):

CHANGE IN CONTRACT PRICE:	CHANGE IN CONTRACT TIMES:
Original Contract Price: \$362,801.50	Original Contract Times: <input checked="" type="checkbox"/> Calendar days Substantial completion(date): 4-1-2018
Increase from previously approved Change Orders No. <u>1</u> to No. <u>4</u> : \$ 14,000.00	Increase from previously approved Change Orders No. <u>1</u> to No. <u>4</u> : Substantial completion for Items 222 & 223 (date): 6-15-2018 Substantial completion for all other Items (date): 5-1-2018
Contract Price prior to this Change Order: \$376,801.50	Contract Times prior to this Change Order: Substantial completion for Items 222 & 223 (date): 6-15-2018 Substantial completion for all other Items (date): 5-1-2018
Change of this Change Order: \$ 00.00	Increase of this Change Order:p Substantial completion for Items 222 & 223 (date): 6-25-2018 Substantial completion for all other Items (date): 5-11-2018
Contract Price incorporating this Change Order: \$376,801.50	Contract Times with all approved Change Orders: Substantial completion for Items 222 & 223 (date): 6-25-2018 Substantial completion for all other Items (date): 5-11-2018

RECOMMENDED:	ACCEPTED:	ACCEPTED:
By: _____ Engineer (Authorized Signature)	By: _____ Owner (Authorized Signature)	By: _____ Contractor (Authorized Signature)
Date: _____	Date: _____	Date: _____
Approved by Funding Agency (if applicable): _____		Date: _____

Tina Schlemme

From: Lee Gallentine <LGallentine@cgaconsultants.com>
Sent: Friday, April 27, 2018 9:08 AM
To: Tina Schlemme
Subject: FW: Fence release
Attachments: Screenshot_20180426-132355_Message+.jpg

Tina,
M&D removed a fence on the DD 72 project and after talking with the landowner (Luke Mannerter), Matt said that Luke didn't want the fence replaced or repaired. I requested that Matt get this in writing, similar to previous projects. Matt said that he and Luke were both busy, so he wanted to know if the attached screenshot of a text conversation would suffice for the District Trustees. Please throw this on the next drainage agenda so that they can decide.

Thanks,

Lee Gallentine, P. L.S. & P.E.
Professional Land Surveyor and Professional Engineer

Clapsaddle-Garber Associates, Inc
739 Park Avenue, Ackley, IA 50601
P: 641.847.3273 | F: 641.847.2303
511 Bank Street, Webster City, IA 50595
P: 515.832.1876 | F: 515.832.1932

From: Matt DeSchamp <mattdeschamp@yahoo.com>
Sent: Thursday, April 26, 2018 1:26 PM
To: Lee Gallentine <LGallentine@cgaconsultants.com>
Subject: Fence release

Lee
Here is the release to reinstall fence from Luke

Thanks Matt Deschamp

M D Construction Inc.
1322 Hwy E27
Garwin, IA 50632

641-499-2136 Office
641-499-2078 Fax
641-751-2725 Cell

12:04 PM

Luke Mannerter
DD72 fence replacement do you
wish to have M D Construction Inc.
Reinstall the fence?

Sent

12:45 PM

1 Unread Message

I do not wish to have M D reinstall
the fence



Drainage Work Order Request For Repair

Hardin County

Date: 4/26/2018

Work Order #: WO00000208

Drainage District: Drainage Districts \DD 167

Sec-Twp-Rge: 04-86-20 **Qtr Sec:** NE SE

Location/GIS: 86-20-04-400-002

Requested By: Robert Jenson

Contact Phone: (641) 849-0341

Contact Email: _____

Landowner (if different): Neil Martin

Description: Blowout in lower end of waterway in NE SE 4-86-20 with "babies" northwest of it. The ground cover over the tile in this area is very shallow.

Repair labor, materials and equipment: _____

Repaired By: _____ **Date:** _____

Please reference work order # and send statement for services to:

Hardin County Auditor's Office
Attn: Drainage Clerk
1215 Edgington Ave, Suite 1
Eldora, IA 50627
Phone (641) 939-8111
Fax (641) 939-8245

For Office Use Only

Approved: _____ **Date:** _____

4

D.D. No. 167

LAT 8A (0Inch)

LAT 8 (0Inch)

400-001
40.00

400-002
40.00

LAT 7 (0Inch)

(0Inch)

S MAIN (0Inch)

N MAIN (0Inch)

660.88
288.37
278.05
144.03
301-003
5.28
427.43
379
PARCEL A
PARCEL B

MAIN (0Inch)

LAT 6 (0Inch)

LAT 6A (0Inch)

LAT 2-2 (0Inch)

LAT 1 (0Inch)

LAT 5 (0Inch)

LAT 5A (0Inch)

LAT 4 (0Inch)

400-003
39.00

400-004
39.00

ROAD LINE (Inch)

5281.32

290th ST.

PEAR ST.

QUINCE ST.

W. MAIN ST.

Co Hwy S65 N. MAIN ST.

E. MAIN ST.

Co Hwy S65

Co Hwy S65

40

CHESTNUT ST.

CHESTNUT ST.

ORANGE ST.



Drainage Work Order Request For Repair

Hardin County

Date: 4/27/2018

Work Order #: WO00000209

Drainage District: Drainage Districts \DD 25

Sec-Twp-Rge: 27-86-22 **Qtr Sec:** NW

Location/GIS: 86-22-27-100-004

Requested By: Leland Coburn

Contact Phone: (515) 291-0453

Contact Email: _____

Landowner (if different): _____

Description: Blowout on Lateral 3 tile just NW of windmill & west of the RR. Was just planted. Leland would like a call when they come out. Has spoken with Kent Hall & he is familiar with the area & available to fix. (This may be included in the current proj WO 1.)

Repair labor, materials and equipment: _____

Repaired By: _____ **Date:** _____

Please reference work order # and send statement for services to:

Hardin County Auditor's Office
Attn: Drainage Clerk
1215 Edgington Ave, Suite 1
Eldora, IA 50627
Phone (641) 939-8111
Fax (641) 939-8245

For Office Use Only

Approved: _____ **Date:** _____

42000-862222351001
Stolee, Wesley J
37.36 acres
30867 F Ave
A

42000-862222376001
Stolee, Wesley J
36.85 acres
30867 F Ave
A

EEAVE
100
-862222502004
acres
862222502003
acres

928.6

506.5

42000-862222400008
Thompson, Gary Thompson, Barbara & Curtis
4.37 acres
31646 Co Hwy S27
A, AD

42000-862227100001
Coburn, Leland A & Karen S - Trust
37.29 acres
15272 Co Hwy D65
A

42000-862227100002
Coburn, Leland A & Karen S - Trust
37.27 acres
15272 Co Hwy D65
A, AD

-862227502001
acres

42000-862227200002
Hegland, Merlyn J Hegland, Carol A
34.54 acres
3589 Tollman Ave
A

42000-862227200004
Hegland, Merlyn J Hegland, Carol A
36.99 acres
3589 Tollman Ave
A

42000-862227200001
Wolf, Daniel D Wolf, Darlene E
2 acres
15746 Co Hwy D65
R

PARCEL A

385.4

264

127

1089

LAT 3 (10Inch)

-862227502002
acres

42000-862227100003
Coburn, Leland A & Karen S - Trust
39 acres
15272 Co Hwy D65
A

42000-862227100004
Coburn, Leland A & Karen S - Trust
38.77 acres
15272 Co Hwy D65
A

42000-862227200003
Fincham, David A
38.19 acres
906 Yuma Ave
A

42000-862227200005
Fincham, David A
38.64 acres
906 Yuma Ave
A

MAIN (16Inch)



Drainage Work Order Request For Repair

Hardin County

Date: 4/30/2018

Work Order #: WO00000210

Drainage District: Drainage Districts \DD 119

Sec-Twp-Rge: 26-89-19 **Qtr Sec:** N1/2

Location/GIS: _____

Requested By: Hardin County Engineer

Contact Phone: _____

Contact Email: _____

Landowner (if different): County Highway

Description: County Highway S56 has dip in pavement with a large void under it. Looks like DD 119 tile runs directly under the road and has possibly collapsed.

Repair labor, materials and equipment: _____

Repaired By: _____ **Date:** _____

Please reference work order # and send statement for services to:
Hardin County Auditor's Office
Attn: Drainage Clerk
1215 Edgington Ave, Suite 1
Eldora, IA 50627
Phone (641) 939-8111
Fax (641) 939-8245

For Office Use Only

Approved: _____ **Date:** _____



Drainage Utility Permit Application

Hardin County

Applicant: Dan McGinnis

Contact Email: dmcginnis@irua.net

Contact Phone: (641) 792-7011

Utility Type: Water

Drainage District: Drainage Districts \DD 26

Description of Work: Installation of 3" and 6" water transmission main. Two tile crossing and one open ditch.

Iowa Regional Utility Association
 1351 Iowa Speedway Dr
 Newton, IA 50208

Pursuant to Code of Iowa Section 468.186, approval is hereby requested for the right, privilege and authority to construct, operate and maintain utilities on, over, across or beneath established Hardin County Drainage Districts, subject to the attached Requirements for Construction On, Over, Across or Beneath Established Drainage Districts. Failure to comply with said requirements shall be ground for revocation of the permit by the Hardin County Board of Supervisors.

Applicant Signature

Date

Submit Form and Location Plan To: Hardin County Auditor's Office
 Attn: Drainage Clerk
 1215 Edgington Ave, Suite 1
 Eldora, IA 50627
 Phone (641) 939-8111
 Fax (641) 939-8245
 drainage@hardincountyia.gov

For Office Use Only

Application Approval:

By: _____ **Date:** _____
Board of Supervisor Chairman, Acting as Drainage District Trustee

APPROVED PERMIT #: 2018-1



Drainage Utility Permit Application

Hardin County

Applicant: Dan McGinnis

Contact Email: dmcginnis@irua.net

Contact Phone: (641) 792-7011

Utility Type: Water

Drainage District: Drainage Districts \DD 55

Description of Work: DD 55, DD 56, DD 20

Installation of 3" and 6" water transmission mains. Will directionally bore under all drainage district tile.

Iowa Regional Utilities Association
1351 Iowa Speedway Dr
Newton, IA 50208

Pursuant to Code of Iowa Section 468.186, approval is hereby requested for the right, privilege and authority to construct, operate and maintain utilities on, over, across or beneath established Hardin County Drainage Districts, subject to the attached Requirements for Construction On, Over, Across or Beneath Established Drainage Districts. Failure to comply with said requirements shall be ground for revocation of the permit by the Hardin County Board of Supervisors.

Applicant Signature

Date

Submit Form and Location Plan To: Hardin County Auditor's Office
Attn: Drainage Clerk
1215 Edgington Ave, Suite 1
Eldora, IA 50627
Phone (641) 939-8111
Fax (641) 939-8245
drainage@hardincountyia.gov

For Office Use Only

Application Approval:

By: _____ **Date:** _____
Board of Supervisor Chairman, Acting as Drainage District Trustee

APPROVED PERMIT #: 2018-2